

Exam Questions SAA-C02

AWS Certified Solutions Architect - Associate (SAA-C02)

<https://www.2passeasy.com/dumps/SAA-C02/>



NEW QUESTION 1

A solutions architect is tasked with transferring 750 TB of data from a network-attached file system located at a branch office to Amazon S3 Glacier. The solution must avoid saturating the branch office's low-bandwidth internet connection. What is the MOST cost-effective solution?

- A. Create a site-to-site VPN tunnel to an Amazon S3 bucket and transfer the files directly. Create a bucket policy to enforce a VPC endpoint.
- B. Order 10 AWS Snowball appliances and select an S3 Glacier vault as the destination. Create a bucket policy to enforce a VPC endpoint.
- C. Mount the network-attached file system to Amazon S3 and copy the files directly.
- D. Create a lifecycle policy to transition the S3 objects to Amazon S3 Glacier.
- E. Order 10 AWS Snowball appliances and select an Amazon S3 bucket as the destination. Create a lifecycle policy to transition the S3 objects to Amazon S3 Glacier.

Answer: D

NEW QUESTION 2

A company's application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones. On the first day of every month at midnight, the application becomes much slower when the month-end financial calculation batch executes. This causes the CPU utilization of the EC2 instances to immediately peak to 100%, which disrupts the application. What should a solutions architect recommend to ensure the application is able to handle the workload and avoid downtime?

- A. Configure an Amazon CloudFront distribution in front of the ALB.
- B. Configure an EC2 Auto Scaling simple scaling policy based on CPU utilization.
- C. Configure an EC2 Auto Scaling scheduled scaling policy based on the monthly schedule.
- D. Configure Amazon ElastiCache to remove some of the workload from the EC2 instances.

Answer: C

NEW QUESTION 3

A company hosts a static website on-premises and wants to migrate the website to AWS. The website should load as quickly as possible for users around the world. The company also wants the most cost-effective solution. What should a solutions architect do to accomplish this?

- A. Copy the website content to an Amazon S3 bucket. Configure the bucket to serve static webpage content. Replicate the S3 bucket to multiple AWS Regions.
- B. Copy the website content to an Amazon S3 bucket. Configure the bucket to serve static webpage content. Configure Amazon CloudFront with the S3 bucket as the origin.
- C. Copy the website content to an Amazon EBS-backed Amazon EC2 instance running Apache HTTP Server. Configure Amazon Route 53 geolocation routing policies to select the closest origin.
- D. Copy the website content to multiple Amazon EBS-backed Amazon EC2 instances running Apache HTTP Server in multiple AWS Regions. Configure Amazon CloudFront geolocation routing policies to select the closest origin.

Answer: B

NEW QUESTION 4

A company is hosting a website behind multiple Application Load Balancers. The company has different distribution rights for its content around the world. A solutions architect needs to ensure that users are served the correct content without violating distribution rights. Which configuration should the solutions architect choose to meet these requirements?
D18912E1457D5D1DDCBD40AB3BF70D5D

- A. Configure Amazon CloudFront with AWS WAF.
- B. Configure Application Load Balancers with AWS WAF.
- C. Configure Amazon Route 53 with a geolocation policy.
- D. Configure Amazon Route 53 with a geoproximity routing policy.

Answer: C

NEW QUESTION 5

A company is migrating from an on-premises infrastructure to the AWS Cloud. One of the company's applications stores files on a Windows file server farm that uses Distributed File System Replication (DFSR) to keep data in sync. A solutions architect needs to replace the file server farm. Which service should the solutions architect use?

- A. Amazon EFS
- B. Amazon FSx
- C. Amazon S3
- D. AWS Storage Gateway

Answer: B

NEW QUESTION 6

An application runs on Amazon EC2 instances across multiple Availability Zones. The instances run in an Amazon EC2 Auto Scaling group behind an Application Load Balancer. The application performs best when the CPU utilization of the EC2 instances is at or near 40%. What should a solutions architect do to maintain the desired performance across all instances in the group?

- A. Use a simple scaling policy to dynamically scale the Auto Scaling group.
- B. Use a target tracking policy to dynamically scale the Auto Scaling group.
- C. Use an AWS Lambda function to update the desired Auto Scaling group capacity.
- D. Use scheduled scaling actions to scale up and scale down the Auto Scaling group.

Answer: D

NEW QUESTION 7

A company has application running on Amazon EC2 instances in a VPC. One of the applications needs to call an Amazon S3 API to store and read objects. The company's security policies restrict any internet-bound traffic from the applications. Which action will fulfill these requirements and maintain security?

- A. Configure an S3 interface endpoint.
- B. Configure an S3 gateway endpoint.
- C. Create an S3 bucket in a private subnet.
- D. Create an S3 bucket in the same Region as the EC2 instance.

Answer: C

NEW QUESTION 8

A data science team requires storage for nightly log processing. The size and number of logs is unknown and will persist for 24 hours only. What is the MOST cost-effective solution?

- A. Amazon S3 Glacier
- B. Amazon S3 Standard
- C. Amazon S3 intelligent-Tiering
- D. Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA)

Answer: B

NEW QUESTION 9

A solutions architect is designing a solution to access a catalog of images and provide users with the ability to submit requests to customize images. Image customization parameters will be in any request sent to an AWS API Gateway API. The customized image will be generated on demand, and users will receive a link they can click to view or download their customized image. The solution must be highly available for viewing and customizing images. What is the MOST cost-effective solution to meet these requirements?

- A. Use Amazon EC2 instances to manipulate the original image into the requested customization. Store the original and manipulated images in Amazon S3. Configure an Elastic Load Balancer in front of the EC2 instances.
- B. Use AWS Lambda to manipulate the original image to the requested customization. Store the original and manipulated images in Amazon S3. Configure an Amazon CloudFront distribution with the S3 bucket as the origin.
- C. Use AWS Lambda to manipulate the original image to the requested customization. Store the original images in Amazon S3 and the manipulated images in Amazon DynamoDB. Configure an Elastic Load Balancer in front of the Amazon EC2 instances.
- D. Use Amazon EC2 instances to manipulate the original image into the requested customization. Store the original images in Amazon S3 and the manipulated images in Amazon DynamoDB. Configure an Amazon CloudFront distribution with the S3 bucket as the origin.

Answer: B

NEW QUESTION 10

A solutions architect is designing the cloud architecture for a new application being deployed on AWS. The process should run in parallel while adding and removing application nodes as needed based on the number of jobs to be processed. The processor application is stateless. The solutions architect must ensure that the application is loosely coupled and the job items are durably stored. Which design should the solutions architect use?

- A. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on CPU usage.
- B. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on network usage.
- C. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue.
- D. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of messages published to the SNS topic.

Answer: C

NEW QUESTION 10

A company's website is used to sell products to the public. The site runs on Amazon EC2 instances in an Auto Scaling group behind an Application Load Balancer (ALB). There is also an Amazon CloudFront distribution and AWS WAF is being used to protect against SQL injection attacks. The ALB is the origin for the CloudFront distribution. A recent review of security logs revealed an external malicious IP that needs to be blocked from accessing the website. What should a solutions architect do to protect the application?

- A. Modify the network ACL on the CloudFront distribution to add a deny rule for the malicious IP address.
- B. Modify the configuration of AWS WAF to add an IP match condition to block the malicious IP address.
- C. Modify the network ACL for the EC2 instances in the target groups behind the ALB to deny the malicious IP address.
- D. Modify the security groups for the EC2 instances in the target groups behind the ALB to deny the malicious IP address.

Answer: B

NEW QUESTION 12

A solutions architect is designing storage for a high performance computing (HPC) environment based on Amazon Linux. The workload stores and processes a large amount of engineering drawings that require shared storage and heavy computing. Which storage option would be the optimal solution?

- A. Amazon Elastic File System (Amazon EFS)
- B. Amazon FSx for Lustre
- C. Amazon EC2 instance store
- D. Amazon EBS Provisioned IOPS SSD (io1)

Answer: B

NEW QUESTION 17

A company has a three-tier image-sharing application it uses an Amazon EC2 instance for the front-end layer, another for the backend tier, and a third for the MySQL database A solutions architect has been tasked with designing a solution that is highly available, and requires the least amount of changes to the application Which solution meets these requirements'?

- A. Use Amazon S3 to host the front-end layer and AWS Lambda functions for the backend layer Move the database to an Amazon DynamoDB table and use Amazon S3 to store and serve users' images
- B. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end and backend layers Move the database to an Amazon RDS instance with multiple read replicas to store and serve users' images.
- C. Use Amazon S3 to host the front-end layer and a fleet of Amazon EC2 instances in an Auto Scaling group for the backend layer Move the database to a memory optimized instance type to store and serve users' images
- D. Use load-balanced Multi-AZ AWS Elastic Beanstalk environments for the front-end and backend layers Move the database to an Amazon RDS instance with a Multi-AZ deployment Use Amazon S3 to store and serve users' images

Answer: D

NEW QUESTION 22

A company has a two-tier application architecture that runs in public and private subnets Amazon EC2 instances running the web application are in the public subnet and a database runs on the private subnet The web application instances and the database are running in a single Availability Zone (AZ). Which combination of steps should a solutions architect take to provide high availability for this architecture? (Select TWO.)

- A. Create new public and private subnets in the same AZ for high availability
- B. Create an Amazon EC2 Auto Scaling group and Application Load Balancer spanning multiple AZs
- C. Add the existing web application instances to an Auto Scaling group behind an Application Load Balancer
- D. Create new public and private subnets in a new AZ Create a database using Amazon EC2 in one AZ
- E. Create new public and private subnets in the same VPC each in a new AZ Migrate the database to an Amazon RDS multi-AZ deployment

Answer: BE

NEW QUESTION 23

A solutions architect is designing a new service behind Amazon API Gateway The request patterns for the service will be unpredictable and can change suddenly from 0 requests to over 500 per second The total size of the data that needs to be persisted in a backend database is currently less than 1 GB with unpredictable future growth Data can be queried using simple key-value requests Which combination of AWS services would meet these requirements'? (Select TWO)

- A. AWS Fargate
- B. AWS Lambda
- C. Amazon DynamoDB
- D. Amazon EC2 Auto Scaling
- E. MySQL-compatible Amazon Aurora

Answer: BC

NEW QUESTION 25

A company has been storing analytics data in an Amazon RDS instance for the past few years. The company asked a solutions architect to find a solution that allows users to access this data using an API The expectation is that the application will experience periods of inactivity but could receive bursts of traffic within seconds Which solution should the solutions architect suggest?

- A. Set up an Amazon API Gateway and use Amazon ECS.
- B. Set up an Amazon API Gateway and use AWS Elastic Beanstalk.
- C. Set up an Amazon API Gateway and use AWS Lambda functions
- D. Set up an Amazon API Gateway and use Amazon EC2 with Auto Scaling

Answer: C

NEW QUESTION 30

A company hosts an application on multiple Amazon EC2 instances The application processes messages from an Amazon SQS queue writes to an Amazon RDS table and deletes the message from the queue Occasional duplicate records are found in the RDS table The SQS queue does not contain any duplicate messages What should a solutions architect do to ensure messages are being processed once only?

- A. Use the CreateQueue API call to create a new queue
- B. Use the AddPermission API call to add appropriate permissions
- C. Use the ReceiveMessage API call to set an appropriate wait time.
- D. Use the ChangeMessageVisibility API call to increase the visibility timeout

Answer: D

NEW QUESTION 32

A company is performing an AWS Well-Architected Framework review of an existing workload deployed on AWS. The review identified a public-facing website running on the same Amazon EC2 instance as a Microsoft Active Directory domain controller that was installed recently to support other AWS services. A solutions architect needs to recommend a new design that would improve the security of the architecture and minimize the administrative demand on IT staff. What should the solutions architect recommend?

- A. Use AWS Directory Service to create a managed Active Directory
- B. Uninstall Active Directory on the current EC2 instance.
- C. Create another EC2 instance in the same subnet and reinstall Active Directory on it
- D. Uninstall Active Directory.
- E. Use AWS Directory Service to create an Active Directory connection
- F. Proxy Active Directory requests to the Active domain controller running on the current EC2 instance.
- G. Enable AWS Single Sign-On (AWS SSO) with Security Assertion Markup Language (SAML) 2.0 federation with the current Active Directory controller
- H. Modify the EC2 instance's security group to deny public access to Active Directory.

Answer: C

NEW QUESTION 35

A solutions architect is deploying a distributed database on multiple Amazon EC2 instances. The database stores all data on multiple instances so it can withstand the loss of an instance. The database requires block storage with latency and throughput to support several million transactions per second per server. Which storage solution should the solutions architect use?

- A. Amazon EBS
- B. Amazon EC2 instance store
- C. Amazon EFS
- D. Amazon S3

Answer: B

NEW QUESTION 40

A company currently operates a web application backed by an Amazon RDS MySQL database. It has automated backups that are run daily and are not encrypted. A security audit requires future backups to be encrypted and the unencrypted backups to be destroyed. The company will make at least one encrypted backup before destroying the old backups. What should be done to enable encryption for future backups?

- A. Enable default encryption for the Amazon S3 bucket where backups are stored
- B. Modify the backup section of the database configuration to toggle the Enable encryption check box
- C. Create a snapshot of the database. Copy it to an encrypted snapshot. Restore the database from the encrypted snapshot
- D. Enable an encrypted read replica on RDS for MySQL. Promote the encrypted read replica to primary. Remove the original database instance

Answer: C

NEW QUESTION 42

A solutions architect is designing a web application that will run on Amazon EC2 instances behind an Application Load Balancer (ALB). The company strictly requires that the application be resilient against malicious internet activity and attacks, and protect against new common vulnerabilities and exposures. What should the solutions architect recommend?

- A. Leverage Amazon CloudFront with the ALB endpoint as the origin
- B. Deploy an appropriate managed rule for AWS WAF and associate it with the ALB
- C. Subscribe to AWS Shield Advanced and ensure common vulnerabilities and exposures are blocked
- D. Configure network ACLs and security groups to allow only ports 80 and 443 to access the EC2 instances

Answer: B

NEW QUESTION 46

A company runs an application on a group of Amazon Linux EC2 instances. The application writes log files using standard API calls. For compliance reasons, all log files must be retained indefinitely and will be analyzed by a reporting tool that must access all files concurrently. Which storage service should a solutions architect use to provide the MOST cost-effective solution?

- A. Amazon EBS
- B. Amazon EFS
- C. Amazon EC2 instance store
- D. Amazon S3

Answer: D

NEW QUESTION 51

A company has an application that calls AWS Lambda functions. A recent code review found database credentials stored in the source code. The database credentials need to be removed from the Lambda source code. The credentials must then be securely stored and rotated on an ongoing basis to meet security policy requirements. What should a solutions architect recommend to meet these requirements?

- A. Store the password in AWS CloudHSM. Associate the Lambda function with a role that can retrieve the password from CloudHSM given its key ID
- B. Store the password in AWS Secrets Manager. Associate the Lambda function with a role that can retrieve the password from Secrets Manager given its secret ID

- C. Move the database password to an environment variable associated with the Lambda function Retrieve the password from the environment variable upon execution
- D. Store the password in AWS Key Management Service (AWS KMS) Associate the Lambda function with a role that can retrieve the password from AWS KMS given its key ID

Answer: B

NEW QUESTION 55

A solutions architect is designing an application for a two-step order process The first step is synchronous and must return to the user with little latency The second step takes longer, so it will be implemented in a separate component Orders must be processed exactly once and in the order in which they are received How should the solutions architect integrate these components?

- A. Use Amazon SQS FIFO queues.
- B. Use an AWS Lambda function along with Amazon SQS standard queues
- C. Create an SNS topic and subscribe an Amazon SQS FIFO queue to that topic
- D. Create an SNS topic and subscribe an Amazon SQS Standard queue to that topic.

Answer: C

NEW QUESTION 58

A company runs a multi-tier web application that hosts news content The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an EC2 Auto Scaling group across multiple Availability Zones and use an Amazon Aurora database. A solutions architect needs to make the application more resilient to periodic increases in request rates Which architecture should the solutions architect implement? (Select TWO)

- A. Add AWS Shield.
- B. Add Aurora Replicas
- C. Add AWS Direct Connect
- D. Add AWS Global Accelerator.
- E. Add an Amazon CloudFront distribution in front of the Application Load Balancer

Answer: DE

NEW QUESTION 61

A company runs an internal browser-based application The application runs on Amazon EC2 instances behind an Application Load Balancer The instances run in an Amazon EC2 Auto Scaling group across multiple Availability Zones The Auto Scaling group scales up to 20 instances during work hours, but scales down to 2 instances overnight Staff are complaining that the application is very slow when the day begins, although it runs well by mid-morning. How should the scaling be changed to address the staff complaints and keep costs to a minimum?

- A. Implement a scheduled action that sets the desired capacity to 20 shortly before the office opens
- B. Implement a step scaling action triggered at a lower CPU threshold, and decrease the cooldown period.
- C. Implement a target tracking action triggered at a lower CPU threshold and decrease the cooldown period
- D. Implement a scheduled action that sets the minimum and maximum capacity to 20 shortly before the office opens

Answer: B

NEW QUESTION 63

A bicycle sharing company is developing a multi-tier architecture to track the location of its bicycles during peak operating hours The company wants to use these data points in its existing analytics platform A solutions architect must determine the most viable multi-tier option to support this architecture The data points must be accessible from the REST API Which action meets these requirements for storing and retrieving location data?

- A. Use Amazon Athena with Amazon S3
- B. Use Amazon API Gateway with AWS Lambda
- C. Use Amazon QuickSight with Amazon Redshift
- D. Use Amazon API Gateway with Amazon Kinesis Data Analytics

Answer: D

NEW QUESTION 64

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual SAA-C02 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the SAA-C02 Product From:

<https://www.2passeasy.com/dumps/SAA-C02/>

Money Back Guarantee

SAA-C02 Practice Exam Features:

- * SAA-C02 Questions and Answers Updated Frequently
- * SAA-C02 Practice Questions Verified by Expert Senior Certified Staff
- * SAA-C02 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SAA-C02 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year