

## SAA-C02 Dumps

### AWS Certified Solutions Architect - Associate (SAA-C02)

<https://www.certleader.com/SAA-C02-dumps.html>



**NEW QUESTION 1**

A company is hosting a website behind multiple Application Load Balancers. The company has different distribution rights for its content around the world. A solutions architect needs to ensure that users are served the correct content without violating distribution rights.

Which configuration should the solutions architect choose to meet these requirements?

D18912E1457D5D1DDCBD40AB3BF70D5D

- A. Configure Amazon CloudFront with AWS WAF.
- B. Configure Application Load Balancers with AWS WAF.
- C. Configure Amazon Route 53 with a geolocation policy.
- D. Configure Amazon Route 53 with a geoproximity routing policy.

**Answer: C**

**NEW QUESTION 2**

A solutions architect is optimizing a website for an upcoming musical event. Videos of the performances will be streamed in real time and then will be available on demand. The event is expected to attract a global online audience.

Which service will improve the performance of both the real-time and on-demand streaming?

- A. Amazon CloudFront
- B. AWS Global Accelerator
- C. Amazon Route 53
- D. Amazon S3 Transfer Acceleration

**Answer: A**

**NEW QUESTION 3**

A company is running an ecommerce application on Amazon EC2. The application consists of a stateless web tier that requires a minimum of 10 instances, and a peak of 250 instances to support the application's usage. The application requires 50 instances 80% of the time.

Which solution should be used to minimize costs?

- A. Purchase Reserved Instances to cover 250 instances.
- B. Purchase Reserved Instances to cover 80 instances. Use Spot Instances to cover the remaining instances.
- C. Purchase On-Demand Instances to cover 40 instances. Use Spot Instances to cover the remaining instances.
- D. Purchase Reserved Instances to cover 50 instances. Use On-Demand and Spot Instances to cover the remaining instances.

**Answer: D**

**NEW QUESTION 4**

A company has on-premises servers running a relational database. The current database serves high read traffic for users in different locations. The company wants to migrate to AWS with the least amount of effort. The database solution should support disaster recovery and not affect the company's current traffic flow. Which solution meets these requirements?

- A. Use a database in Amazon RDS with Multi-AZ and at least one read replica.
- B. Use a database in Amazon RDS with Multi-AZ and at least one standby replica.
- C. Use databases hosted on multiple Amazon EC2 instances in different AWS Regions.
- D. Use databases hosted on Amazon EC2 instances behind an Application Load Balancer in different Availability Zones.

**Answer: A**

**NEW QUESTION 5**

A company serves content to its subscribers across the world using an application running on AWS. The application has several Amazon EC2 instances in a private subnet behind an Application Load Balancer (ALB). Due to a recent change in copyright restrictions, the chief information officer (CIO) wants to block access for certain countries.

Which action will meet these requirements?

- A. Modify the ALB security group to deny incoming traffic from blocked countries.
- B. Modify the security group for EC2 instances to deny incoming traffic from blocked countries.
- C. Use Amazon CloudFront to serve the application and deny access to blocked countries.
- D. Use ALB listener rules to return access denied responses to incoming traffic from blocked countries.

**Answer: C**

**NEW QUESTION 6**

A company is planning to migrate a business-critical dataset to Amazon S3. The current solution design uses a single S3 bucket in the us-east-1 Region with versioning enabled to store the dataset. The company's disaster recovery policy states that all data must be stored in multiple AWS Regions.

How should a solutions architect design the S3 solution?

- A. Create an additional S3 bucket in another Region and configure cross-Region replication.
- B. Create an additional S3 bucket in another Region and configure cross-origin resource sharing (CORS).
- C. Create an additional S3 bucket with versioning in another Region and configure cross-Region replication.
- D. Create an additional S3 bucket with versioning in another Region and configure cross-origin resource (CORS).

**Answer: C**

**NEW QUESTION 7**

An application running on AWS uses an Amazon Aurora Multi-AZ deployment for its database. When evaluating performance metrics, a solutions architect discovered that the database reads are causing high I/O and adding latency to the write requests against the database. What should the solutions architect do to separate the read requests from the write requests?

- A. Enable read-through caching on the Amazon Aurora database.
- B. Update the application to read from the Multi-AZ standby instance.
- C. Create a read replica and modify the application to use the appropriate endpoint.
- D. Create a second Amazon Aurora database and link it to the primary database as a read replica.

**Answer: C**

#### NEW QUESTION 8

A company's web application is using multiple Linux Amazon EC2 instances and storing data on Amazon EBS volumes. The company is looking for a solution to increase the resiliency of the application in case of a failure and to provide storage that complies with atomicity, consistency, isolation, and durability (ACID). What should a solutions architect do to meet these requirements?

- A. Launch the application on EC2 instances in each Availability Zone.
- B. Attach EBS volumes to each EC2 instance.
- C. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Mount an instance store on each EC2 instance.
- D. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Store data on Amazon EFS and mount a target on each instance.
- E. Create an Application Load Balancer with Auto Scaling groups across multiple Availability Zones. Store data using Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA).

**Answer: C**

#### NEW QUESTION 9

A company's web application uses an Amazon RDS PostgreSQL DB instance to store its application data. During the financial closing period at the start of every month, accountants run large queries that impact the database's performance due to high usage. The company wants to minimize the impact that the reporting activity has on the web application.

What should a solutions architect do to reduce the impact on the database with the LEAST amount of effort?

- A. Create a read replica and direct reporting traffic to the replica.
- B. Create a Multi-AZ database and direct reporting traffic to the standby.
- C. Create a cross-Region read replica and direct reporting traffic to the replica.
- D. Create an Amazon Redshift database and direct reporting traffic to the Amazon Redshift database.

**Answer: B**

#### NEW QUESTION 10

A data science team requires storage for nightly log processing. The size and number of logs is unknown and will persist for 24 hours only. What is the MOST cost-effective solution?

- A. Amazon S3 Glacier
- B. Amazon S3 Standard
- C. Amazon S3 Intelligent-Tiering
- D. Amazon S3 One Zone-Infrequent Access (S3 One Zone-IA)

**Answer: B**

#### NEW QUESTION 10

A Solutions Architect must design a web application that will be hosted on AWS, allowing users to purchase access to premium, shared content that is stored in an S3 bucket. Upon payment, content will be available for download for 14 days before the user is denied access.

Which of the following would be the LEAST complicated implementation?

- A. Use an Amazon CloudFront distribution with an origin access identity (OAI). Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design a Lambda function to remove data that is older than 14 days.
- B. Use an S3 bucket and provide direct access to the file. Design the application to track purchases in a DynamoDB table. Configure a Lambda function to remove data that is older than 14 days based on a query to Amazon DynamoDB.
- C. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 14 days for the URL.
- D. Use an Amazon CloudFront distribution with an OAI. Configure the distribution with an Amazon S3 origin to provide access to the file through signed URLs. Design the application to set an expiration of 60 minutes for the URL and recreate the URL as necessary.

**Answer: C**

#### NEW QUESTION 11

A solutions architect at an e-commerce company wants to back up application log data to Amazon S3. The solutions architect is unsure how frequently the logs will be accessed or which logs will be accessed the most. The company wants to keep costs as low as possible by using the appropriate S3 storage class.

Which S3 storage class should be implemented to meet these requirements?

- A. S3 Glacier
- B. S3 Intelligent-Tiering
- C. S3 Standard-Infrequent Access (S3 Standard-IA)
- D. S3 One Zone-Infrequent Access (S3 One Zone-IA)

**Answer: D**

**Explanation:**

S3 One Zone-IA is for data that is accessed less frequently, but requires rapid access when needed. Unlike other S3 Storage Classes which store data in a minimum of three Availability Zones (AZs), S3 One Zone-IA stores data in a single AZ and costs 20% less than S3 Standard-IA. S3 One Zone-IA is ideal for customers who want a lower-cost option for infrequently accessed data but do not require the availability and resilience of S3 Standard or S3 Standard-IA. It's a good choice for storing secondary backup copies of on-premises data or easily re-creatable data. You can also use it as cost-effective storage for data that is replicated from another AWS Region using S3 Cross-Region Replication.

**NEW QUESTION 15**

A solutions architect is designing the cloud architecture for a new application being deployed on AWS. The process should run in parallel while adding and removing application nodes as needed based on the number of jobs to be processed. The processor application is stateless. The solutions architect must ensure that the application is loosely coupled and the job items are durably stored.

Which design should the solutions architect use?

- A. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on CPU usage.
- B. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch configuration that uses the AMI. Create an Auto Scaling group using the launch configuration. Set the scaling policy for the Auto Scaling group to add and remove nodes based on network usage.
- C. Create an Amazon SQS queue to hold the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of items in the SQS queue.
- D. Create an Amazon SNS topic to send the jobs that need to be processed. Create an Amazon Machine Image (AMI) that consists of the processor application. Create a launch template that uses the AMI. Create an Auto Scaling group using the launch template. Set the scaling policy for the Auto Scaling group to add and remove nodes based on the number of messages published to the SNS topic.

**Answer:** C

**NEW QUESTION 17**

Organizers for a global event want to put daily reports online as static HTML pages. The pages are expected to generate millions of views from users around the world. The files are stored in an Amazon S3 bucket. A solutions architect has been asked to design an efficient and effective solution.

Which action should the solutions architect take to accomplish this?

- A. Generate presigned URLs for the files.
- B. Use cross-Region replication to all Regions.
- C. Use the geoproximity feature of Amazon Route 53.
- D. Use Amazon CloudFront with the S3 bucket as its origin.

**Answer:** D

**NEW QUESTION 22**

A company currently operates a web application backed by an Amazon RDS MySQL database. It has automated backups that are run daily and are not encrypted. A security audit requires future backups to be encrypted and the unencrypted backups to be destroyed. The company will make at least one encrypted backup before destroying the old backups.

What should be done to enable encryption for future backups?

- A. Enable default encryption for the Amazon S3 bucket where backups are stored.
- B. Modify the backup section of the database configuration to toggle the Enable encryption check box.
- C. Create a snapshot of the database. Copy it to an encrypted snapshot. Restore the database from the encrypted snapshot.
- D. Enable an encrypted read replica on RDS for MySQL. Promote the encrypted read replica to primary. Remove the original database instance.

**Answer:** C

**NEW QUESTION 26**

A company is hosting a web application on AWS using a single Amazon EC2 instance that stores user-uploaded documents in an Amazon EBS volume. For better scalability and availability, the company duplicated the architecture and created a second EC2 instance and EBS volume in another Availability Zone, placing both behind an Application Load Balancer. After completing this change, users reported that each time they refreshed the website, they could see one subset of their documents or the other, but never all of the documents at the same time.

What should a solutions architect propose to ensure users see all of their documents at once?

- A. Copy the data so both EBS volumes contain all the documents.
- B. Configure the Application Load Balancer to direct a user to the server with the documents.
- C. Copy the data from both EBS volumes to Amazon EFS. Modify the application to save new documents to Amazon EFS.
- D. Configure the Application Load Balancer to send the request to both servers. Return each document from the correct server.

**Answer:** C

**NEW QUESTION 29**

A company runs a multi-tier web application that hosts news content. The application runs on Amazon EC2 instances behind an Application Load Balancer. The instances run in an EC2 Auto Scaling group across multiple Availability Zones and use an Amazon Aurora database. A solutions architect needs to make the application more resilient to periodic increases in request rates.

Which architecture should the solutions architect implement? (Select TWO.)

- A. Add AWS Shield.
- B. Add Aurora Replicas.
- C. Add AWS Direct Connect.
- D. Add AWS Global Accelerator.
- E. Add an Amazon CloudFront distribution in front of the Application Load Balancer.

**Answer:** DE

**NEW QUESTION 31**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your SAA-C02 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/SAA-C02-dumps.html>