

## Integration-Architecture-Designer Dumps

### Salesforce Certified Integration Architecture Designer (SP19)

<https://www.certleader.com/Integration-Architecture-Designer-dumps.html>



**NEW QUESTION 1**

Universal Containers has decided that they will be using the bulk API to migrate the existing data into Salesforce as they will be importing a total of 80 million records.

While planning for the data migration, what techniques should the Architect recommend to make sure the load go according to schedule?

Choose 2 answers

- A. Pre-process data that the triggers and workflows can be deactivated.
- B. Perform a test load using a full Sandbox prior to the Production load.
- C. Perform loads over a weekend server resource availability.
- D. Leverage several workstations, loading different objects simultaneousl

**Answer:** AB

**NEW QUESTION 2**

Which two statements are correct about External ID? Choose 2 answers

- A. External IDs must be Text fields
- B. External IDs are always searchable
- C. External IDs fields are always unique
- D. External IDs can be used to upsert records

**Answer:** BD

**NEW QUESTION 3**

Universal Containers has built an integration using the SOAP API to load records from a back-office system into Salesforce. The records created in the back-office system must be loaded into Salesforce in almost real time, so a custommodule was written to identify CRUD events in the back-office system and perform sync with Salesforce. UC has several other systems that integrate with Salesforce through the SOAP API using separate integration users.

What is a risk involved with this sort of integration?

- A. Too many concurrent sessions
- B. Reaching an API call limit.
- C. Reaching a logins per Day limit.
- D. Too many record-lock errors

**Answer:** B

**NEW QUESTION 4**

Which mechanism should an Integration Architect recommend to make a secure, authenticated connection to a remote system that results in the remote system trusting Salesforce?

- A. Encrypt the Payload with a shared key.
- B. Use a pre-shared key in a query parameter.
- C. Implement two way (or mutual) SSL certificates.
- D. Utilize CA - signed certificates on the hos

**Answer:** D

**NEW QUESTION 5**

Universal Containers would like to integrate Salesforce to their Accounting system. Salesforce must notify the accounting system for every new account that has been created. The security team will not allow Salesforce to integrate directly to the accounting system due to potential security issues. Which three stages should the Architect consider to reduce the security concerns for this Integration use case?

Choose 3 answers

- A. Terminate the SSL connection at a reverse proxy in the DMZ which establishes trust in the connection using mutual SSL.
- B. Enable WS-security for the web services made between Salesforce and the accounting system.
- C. Whitelist the Salesforce IP range on the firewall to ensure only Salesforce- originated traffic can penetrate the network.
- D. Utilize an Enterprise Service Bus to ensure Accounting system credentials are not stores within Salesforce.
- E. Enable platform encryption in the Salesforce org to ensure network communication to the Accounting system is encrypted.

**Answer:** BDE

**NEW QUESTION 6**

Universal Containers has a customer setup process that relies on external database to send customers welcome & registration emails. When a customer contacts Universal containers via phone they need to receive the welcome email shortly following the conversation with the UC representative. Universal containers representatives work exclusively in Salesforce and any new customer contacts are created in Salesforce by the representative. The external database exposes a SOAP API for integration with other applications.

What Salesforce technology best fulfills this requirement?

- A. Write a nightly batch synchronization to send customer information to the external database.
- B. Write an outbound message to send customer Information to an ESB.
- C. Write an outbound message to send customer Information to the external database.
- D. Write a trigger with an @future method to send customer Information to the external database

**Answer:** C

**NEW QUESTION 7**

Universal Containers is hearing complaints from users that recently released changes while they meet the functional requirements are not actually usable and/or do not meet their expectations for user experience for example, a Visualforce page that takes too long to display the first page of data. Which two types of testing should a technical Architect implement to reduce or eliminate the complaint?

Choose 2 answers

- A. user Acceptance Testing
- B. Unit Testing
- C. Regression Testing
- D. Performance testing

**Answer:** AD

**NEW QUESTION 8**

Universal Containers would like to integrate to an external system from Salesforce over a secure channel however the external system does not support HTTP-basic authentication

What approach should an integration Architect recommend that enables the external system to trust the data being received?

- A. Digitally sign the Payload using a private key trusted by the external system
- B. Include a secret passphrase in the payload that is validated by the external system.
- C. Base64 encode the data to ensure untrusted 3rd parties don't see it.
- D. Utilize a 3rd-party SSO solution to authenticate the session

**Answer:** C

**NEW QUESTION 9**

Universal Containers has used Outbound Messaging to integrate with their billing system. Their billing system has frequent outages that don't last more than a couple of hours.

Which two aspects of Outbound Messaging might the customer experience issues with as a result of these outages?

Choose 2 answers

- A. Out-of-order delivery
- B. Duplicate messages
- C. Orphaned Requests
- D. Exceeding Governor Limit

**Answer:** BD

**NEW QUESTION 10**

What are two considerations to make when performing SOAP callouts from within Apex? Choose 2 answers

- A. SOAP callouts consume API limits.
- B. WSDL2Apex supports RPC-style SOAP callouts.
- C. WSDL2Apex can be used to generate stub code.
- D. SOAP callouts cannot occur after any DML statement

**Answer:** CD

**NEW QUESTION 10**

What capability should an Integration Architect consider if there is a need to synchronize data changed in Salesforce to a 3rd party with a JSON-based API endpoint?

- A. Use an outbound Message with the record's data.
- B. Use lightning connect to save the data to an external object.
- C. Use an Apex class to perform the REST callout asynchronously.
- D. Use the REST API with the content-Type headerset to "JSON."

**Answer:** C

**NEW QUESTION 13**

Universal Containers has a requirement for users of a Validation page to be notified of data updates from Salesforce as well as message from other systems in real time.

Which three approaches should be considered when selecting the correct API? Choose 3 answers

- A. REST API to continuously poll Salesforce for updates to records.
- B. Generic Streaming API to support notifications coming from other systems.
- C. Streaming API to support push notifications to users on mobile devices using Salesforce1.
- D. Utilize ActionPoller to perform an Apex Callout to the external system to retrieve data.
- E. Streaming API to support real-time data updates by other users within Salesforce

**Answer:** CDE

**NEW QUESTION 15**

Universal Containers has a requirement to query all Account records within Salesforce that were updated in the last 24 hours and download those Accounts to their data warehouse on a nightly basis. They expect the volume of records to be between 500-1500 records per day.

What three techniques should an Architect consider? Choose 3 answers

- A. Leverage a time-based workflow action to trigger an account outbound message notification for all records updated within the last 24 hours.
- B. Leverage the Enterprise WSDL getUpdated() operation to retrieve Account records updated within the last 24 hours.
- C. Leverage the Salesforce Data Replication API getUpdated() operation to retrieve Accounts records updated within the last 24 hours.
- D. Leverage a third party tool ETL with a dynamic changing SOQL to retrieve Accounts updated within the last 24 hours.
- E. Leverage the REST API / sObjects / Account / updated URI to retrieve Accounts records updated within the last 24 hours.

**Answer:** BCD

#### NEW QUESTION 20

In order to avoid slowing down inbound call center sales agents, Universal Containers wants to deduplicate Lead records against their 3rd-party MDM system after that the agent has served the record in Salesforce.

What integration strategy should an Architect recommend?

- A. Outbound message to MDM with a callback to Salesforce to mark duplicate Leads.
- B. Sync the MDM system to a custom object in Salesforce and execute a Lookup validation rule against the object.
- C. Batch APEX process to de-duplicate all records first in Salesforce then against MDM, deleting the newest MDM record.
- D. Use Out-of-the-Box Lead De-duplication Rules to check against MD

**Answer:** A

#### NEW QUESTION 22

Universal Containers ships millions of orders per year and releases code fixes to the production org mightily. Their corporate testing strategy requires that tests must be performed against Production data in an isolated test environment before code can be released to production.

How can Universal Containers achieve the requirement?

- A. Use Salesforce-to-Salesforce to keep data synchronized between production and full sandboxes.
- B. Utilize a middleware solution and batch API to do a nightly synch from production to Full sandbox.
- C. Create APEX unit tests so testing can be done against Production data, but rolled back before being committed.
- D. Request that Salesforce to schedule a full sandbox refresh on a nightly basis

**Answer:** B

#### NEW QUESTION 26

Universal Containers decided to use Salesforce Sales Cloud for their sales processes. Won Opportunities must be sent to an external source for Order fulfillment. All lint items must also be sent, along with opportunities. The ERP system has SOAP based web services orders. UC chose to use Apex callouts.

Which two design trade-offs must be taken into account when using Apex callouts to SOAP base web services?

Choose 2 answers

- A. Too many callouts resulting in exceeding the daily limit for number of callouts.
- B. Code changes may be required following upgrades to the ERP system.
- C. DML operations are not allowed right after Apex callouts.
- D. Appropriate error handling to retry failed message

**Answer:** AC

#### NEW QUESTION 27

An insurance company decides to build an online portal using the Salesforce platform for receiving quote requests from customers. The company has a legacy quoting system that will generate quotes while the rest of the sales process is managed by Salesforce Sales Cloud. The legacy system has an API for creating quotes.

What Implementation method should be used so that customers can request quotes online and receive them in real time?

- A. Middleware tool to pull quote requests from SF and push to the legacy system.
- B. Trigger with an @Future method to send quote requests to the legacy system.
- C. C. Outbound message to send quote requests from Salesforce to the legacy system.
- D. Apex callout to send quote requests from Salesforce to the legacy System

**Answer:** D

#### NEW QUESTION 28

What are two benefits of canvas that an Integration Architect should consider when exposing external systems from within Salesforce?

Choose 2 Answers

- A. Canvas can provide authorization information via the signed Request.
- B. The canvas SDK can be used to make an external system's UI look like Salesforce.
- C. Canvas can send data to an external system asynchronously.
- D. Canvas endpoint URLs can be dynamically changed via a Lifecycle Handle

**Answer:** AD

#### NEW QUESTION 33

Universal Containers has a custom Salesforce UI that is used by all users to check on a container's status. This check is done via an integration to its back-end system which all users have access to. However, some users have a higher privilege access into that back-end system, which allows them to retrieve more details in the same container status check. Those users would like the same Salesforce UI to recognize their higher privilege access and display those extra details for them, but without allowing all users to see the same level of details.

What is the recommended security approach to satisfy this requirement?

- A. Named credential set with "per-user" identify type to control the Apex callout.
- B. Custom permission to control the Apex callout to retrieve different levels of details.
- C. Hierarchical custom setting to store back-end system user credentials and referenced in the Apex callout.
- D. Permission set to identify users with higher-level privileges in order to control the Apex callout

**Answer:** A

#### NEW QUESTION 34

Universal Containers has Logistics Engineers that observe a near real-time dashboard in Salesforce of shipping containers that are in transit. Without leaving the dashboard, an Engineer can select a container to request an updated status on that container. These requests are handled by a proprietary shipping system that queues the requests to send to each container. Containers are connected devices and check in with the shipping system every 30 seconds to receive any status requests.

What integration pattern or combination of patterns would be needed to connect Salesforce and the shipping system?

- A. UI Update Based on Data Changes and Batch Data Synchronization
- B. Remote Process Invocation-Fire and Forget, with UI Update Based on Data Changes
- C. Remote Call-In, with UI Update Based on Data Changes
- D. Remote Process Invocation-Request and Reply

**Answer:** B

#### NEW QUESTION 35

What is the recommended approach to implement a login authentication call for an inbound integration call to Salesforce?

- A. Perform the login call only when the session/access token has expired or no longer works.
- B. Perform the login authentication call before each integration call to Salesforce every time.
- C. Only perform a single login call forever and store the session/access token permanently.
- D. Perform the login authentication call before a single transaction of multiple calls to Salesforce

**Answer:** A

#### NEW QUESTION 36

When an opportunity is closed in Salesforce, an order should be created in the back-office SAP system. At the end of the day, Universal Containers allows customers to call back and cancel an order within 24 hours. To cancel an order, the Sales Rep has to set the opportunity status to Open from Closed. The Sales Manager wants all opportunities that changed from Closed to Open to be sent over to the SAP system for order cancellation on nightly basis. Salesforce has a total of 20M opportunities. What is the recommended way to achieve this?

- A. An ETL job to leverage Bulk API to extract modified opportunities.
- B. An ETL job to leverage REST API to extract all opportunities.
- C. An ETL job to leverage SOAP API to extract modified opportunities.
- D. An ETL job to leverage SOAP API to extract all opportunities

**Answer:** C

#### NEW QUESTION 39

Universal Containers has 1,200 active users. Up until last year, they were creating a maximum of 200,000 orders a day. This year because of a new product launch, they are creating a maximum of 300,000 orders per day. They have a trigger on the Order object that has a @future method inside, which it calls via an external web service hosted on middleware. Due to this sudden growth, they have started seeing delays in web service calls where some of the calls are delayed for a few hours. What can be issue for this delay and what integration pattern would an Architect recommend?

- A. The system is reaching daily limits of @future call
- B. Replace the HTTP Callout with a Workflow Rule and Outbound messages.
- C. The system is reaching daily limits of web service callout
- D. Batch web service callouts to stay under the limit.
- E. The system is reaching daily limits of @future call
- F. Remove @future annotation and call the web service directly from the trigger.
- G. The system is reaching daily limits of web service callout
- H. Create a ticket to Salesforce support to increase the limit.

**Answer:** A

#### NEW QUESTION 44

Universal Containers (UC) has an ERP application where all customer orders are stored. There are millions of customers order stored in the ERP application and a longtime customer may have thousands of individual orders. Additionally, some order information may house personally identifiable information that, due to company policy, can only be stored in ERP. UC would like the five most recent orders displayed on the account page in Salesforce.

How should an Architect design this requirement considering both security and scalability?

- A. Leverage Salesforce Connect to display order information in Salesforce.
- B. Write an outbound message to receive orders from ERP system as they are created.
- C. Build a scheduled ETL job to sync all customer order history in the Orders object.
- D. Leverage the REST API to receive orders from the ERP system as they are create

**Answer:** A

#### NEW QUESTION 48

Universal Containers (UC) uses several systems as part of their enterprise system landscape, including Salesforce and an ERP system. Salesforce is the master system for CRM data, such as Accounts and Opportunities. The ERP system is the master system for customer orders, shipping, and billing information. As part of



their business process flow, when an order is created in the ERP system, it also needs to be created in Salesforce in real time. Which two options should UC consider to ensure duplicate Orders are not created in Salesforce?

- A. Use outbound messaging to send a unique message ID to the ERP system.
- B. Use the upsert() function instead of create() to prevent the creation of unwanted duplicate records.
- C. Use a middleware tool to handle the responsibility for managing multiple duplicate calls.
- D. Customize the Apex web service REST call to send a unique message ID to the ERP system.

**Answer:** BC

#### **NEW QUESTION 52**

UC leverages external MDM as the customer master. When an agent creates or updates an account in Salesforce, it must be created/updated in MDM before it is saved in Salesforce. Sales users should be allowed to navigate to other pages while the account record is saved. What is the recommended approach?

- A. Make an @future callout to MDM from a trigger with page refresh using Action region.
- B. Make a continuation callout from VF page controller with page refresh using Action poller.
- C. Make an asynchronous callout from VF page controller with page refresh using Action region.
- D. Make a synchronous callout from VF page controller with page refresh using Action region.

**Answer:** B

#### **NEW QUESTION 56**

Universal Containers would like to use a hard-coded username/password/security token of a user with a System Administrator profile to integrate its back-end system to Salesforce for inbound API calls. Which two security issues are associated with this approach.

- A. All back-end systems get uncontrolled access to any data within the Salesforce environment.
- B. Unintended password resets will cause the integration to stop working and disrupt business processes.
- C. Apex web services can execute with system privileges with such Salesforce credentials.
- D. Insecure storage of the credentials may result in hackers gaining unauthorized access to Salesforce.

**Answer:** AD

#### **NEW QUESTION 60**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your Integration-Architecture-Designer Exam with Our Prep Materials Via below:**

<https://www.certleader.com/Integration-Architecture-Designer-dumps.html>