

Salesforce

Exam Questions Identity-and-Access-Management-Designer

Salesforce Certified Identity and Access Management Designer (SP19)



NEW QUESTION 1

A farming enterprise offers smart farming technology to its farmer customers, which includes a variety of sensors for livestock tracking, pest monitoring, climate monitoring etc. They plan to store all the data in Salesforce. They would also like to ensure timely maintenance of the installed sensors. They have engaged a Salesforce Architect to propose an appropriate way to generate sensor information in Salesforce. Which OAuth flow should the architect recommend?

- A. OAuth 2.0 Asset Token Flow
- B. OAuth 2.0 Device Authentication Flow
- C. OAuth 2.0 JWT Bearer Token Flow
- D. OAuth 2.0 SAML Bearer Assertion Flow

Answer: A

NEW QUESTION 2

Universal Containers plans to develop a custom mobile app for the sales team that will use Salesforce for authentication and access management. The mobile app access needs to be restricted to only the sales team. What would be the recommended solution to grant mobile app access to sales users?

- A. Use a custom attribute on the user object to control access to the mobile app
- B. Use connected apps OAuth policies to restrict mobile app access to authorized users.
- C. Use the permission set license to assign the mobile app permission to sales users
- D. Add a new identity provider to authenticate and authorize mobile users.

Answer: B

NEW QUESTION 3

Universal Containers (UC) built a customer Community for customers to buy products, review orders, and manage their accounts. UC has provided three different options for customers to log in to the customer Community: Salesforce, Google, and Facebook. Which two role combinations are represented by the systems in the scenario? Choose 2 answers

- A. Google is the service provider and Facebook is the identity provider
- B. Salesforce is the service provider and Google is the identity provider
- C. Facebook is the service provider and Salesforce is the identity provider
- D. Salesforce is the service provider and Facebook is the identity provider

Answer: BD

NEW QUESTION 4

Universal Containers (UC) has a desktop application to collect leads for marketing campaigns. UC wants to extend this application to integrate with Salesforce to create leads. Integration between the desktop application and Salesforce should be seamless. What authorization flow should the architect recommend?

- A. JWT Bearer Token Flow
- B. Web Server Authentication Flow
- C. User Agent Flow
- D. Username and Password Flow

Answer: C

NEW QUESTION 5

Northern Trail Outfitters (NTO) is planning to roll out a partner portal for its distributors using Experience Cloud. NTO would like to use an external identity provider (IdP) and for partners to register for access to the portal. Each partner should be allowed to register only once to avoid duplicate accounts with Salesforce. What should an identity architect recommend to create partners?

- A. On successful creation of Partners using Self Registration page in Experience Cloud, create identity in Ping.
- B. Create a custom page in Experience Cloud to self register partner with Experience Cloud and Ping identity store.
- C. Create a custom web page in the Portal and create users in the IdP and Experience Cloud using published APIs.
- D. Allow partners to register through the IdP and create partner users in Salesforce through an API.

Answer: B

NEW QUESTION 6

Universal Containers (UC) is setting up Delegated Authentication to allow employees to log in using their corporate credentials. UC's security team is concerned about the risk of exposing the corporate login service on the Internet and has asked that a reliable trust mechanism be put in place between the login service and Salesforce. What mechanism should an architect put in place to enable a trusted connection between the login services and Salesforce?

- A. Include client ID and client secret in the login header callout.
- B. Set up a proxy server for the login service in the DMZ.
- C. Require the use of Salesforce security Tokens on password.
- D. Enforce mutual Authentication between systems using SSL.

Answer: C

NEW QUESTION 7

A technology enterprise is planning to implement single sign-on login for users. When users log in to the Salesforce User object custom field, data should be populated for new and existing users.

Which two steps should an identity architect recommend? Choose 2 answers

- A. Implement Auth.SamlJitHandler Interface.
- B. Create and update methods.
- C. Implement RegistrationHandler Interface.
- D. Implement SesslonManagement Class.

Answer: AB

NEW QUESTION 8

Universal Containers wants to implement SAML SSO for their internal Salesforce users using a third-party IdP. After some evaluation, UC decides not to set up My Domain for their Salesforce org. How does that decision impact their SSO implementation?

- A. SP-initiated SSO will not work.
- B. Neither SP- nor IdP-initiated SSO will work.
- C. Either SP- or IdP-initiated SSO will work.
- D. IdP-initiated SSO will not work.

Answer: B

NEW QUESTION 9

Universal Containers (UC) uses middleware to integrate multiple systems with Salesforce. UC has a strict, new requirement that usernames and passwords cannot be stored in any UC system. How can UC's middleware authenticate to Salesforce while adhering to this requirement?

- A. Create a Connected App that supports the JWT Bearer Token OAuth Flow.
- B. Create a Connected App that supports the Refresh Token OAuth Flow
- C. Create a Connected App that supports the Web Server OAuth Flow.
- D. Create a Connected App that supports the User-Agent OAuth Flow.

Answer: A

NEW QUESTION 10

Northern Trail Outfitters (NTO) wants to give customers the ability to submit and manage issues with their purchases. It is important for NTO to give its customers the ability to login with their Amazon credentials.

What should an identity architect recommend to meet these requirements?

- A. Configure a predefined authentication provider for Amazon.
- B. Create a custom external authentication provider for Amazon.
- C. Configure an OpenID Connect Authentication Provider for Amazon.
- D. Configure Amazon as a connected app.

Answer: C

NEW QUESTION 10

Universal containers wants to implement single Sign-on for a salesforce org using an external identity provider and corporate identity store. What type of Authentication flow is required to support deep linking?

- A. Web server Oauth SSO flow.
- B. Identity-provider-initiated SSO
- C. Service-provider-initiated SSO
- D. Start URL on identity provider

Answer: C

NEW QUESTION 15

A global company's Salesforce Identity Architect is reviewing its Salesforce production org login history and is seeing some intermittent Security Assertion Markup Language (SAML SSO) 'Replay Detected and Assertion Invalid' login errors.

Which two issues would cause these errors? Choose 2 answers

- A. The subject element is missing from the assertion sent to salesforce.
- B. The certificate loaded into SSO configuration does not match the certificate used by the IdP.
- C. The current time setting of the company's identity provider (IdP) and Salesforce platform is out of sync by more than eight minutes.
- D. The assertion sent to 5alesforce contains an assertion ID previously used.

Answer: AD

NEW QUESTION 18

Universal containers (UC) employees have salesforce access from restricted ip ranges only, to protect against unauthorised access. UC wants to rollout the salesforce1 mobile app and make it accessible from any location. Which two options should an architect recommend? Choose 2 answers

- A. Relax the ip restriction in the connect app settings for the salesforce1 mobile app
- B. Use login flow to bypass ip range restriction for the mobile app.
- C. Relax the ip restriction with a second factor in the connect app settings for salesforce1 mobile app
- D. Remove existing restrictions on ip ranges for all types of user access.

Answer: AB

NEW QUESTION 19

Northern Trail Outfitters (NTO) uses the Customer 360 Platform implemented on Salesforce Experience Cloud. The development team in charge has learned of a contactless user feature, which can reduce the overhead of managing customers and partners by creating users without contact information. What is the potential impact to the architecture if NTO decides to implement this feature?

- A. Custom registration handler is needed to correctly assign External Identity or Community license for the newly registered contactless user.
- B. If contactless user is upgraded to Community license, the contact record is automatically created and linked to the user record, but not associated with an Account.
- C. Contactless user feature is available only with the External Identity license, which can restrict the Experience Cloud functionality available to the user.
- D. Passwordless authentication can not be supported because the mobile phone receiving one-time password (OTP) needs to match the number on the contact record.

Answer: C

NEW QUESTION 22

Users logging into Salesforce are frequently prompted to verify their identity. The identity architect is required to provide recommendations so that frequency of prompt verification can be reduced. What should the identity architect recommend to meet the requirement?

- A. Implement 2FA authentication for the Salesforce org.
- B. Set trusted IP ranges for the organization.
- C. Implement a single sign-on for Salesforce using an external identity provider.
- D. Implement multi-factor authentication for the Salesforce org.

Answer: B

NEW QUESTION 25

Universal Containers (UC) has implemented SAML-based Single Sign-On to provide seamless access to its Salesforce Orgs, financial system, and CPQ system. Below is the SSO implementation landscape.

What role combination is represented by the systems in this scenario"

- A. Financial System and CPQ System are the only Service Providers.
- B. Salesforce Org1 and Salesforce Org2 are the only Service Providers.
- C. Salesforce Org1 and Salesforce Org2 are acting as Identity Providers.
- D. Salesforce Org1 and PingFederate are acting as Identity Providers.

Answer: D

NEW QUESTION 28

IT security at Universal Containers (UC) is concerned about recent phishing scams targeting its users and wants to add additional layers of login protection. What should an Architect recommend to address the issue?

- A. Use the Salesforce Authenticator mobile app with two-step verification
- B. Lock sessions to the IP address from which they originated.
- C. Increase Password complexity requirements in Salesforce.
- D. Implement Single Sign-on using a corporate Identity store.

Answer: A

NEW QUESTION 29

Universal Containers (UC) has decided to build a new, highly sensitive application on Force.com platform. The security team at UC has decided that they want users to provide a fingerprint in addition to username/Password to authenticate to this application. How can an architect support fingerprints as a form of identification for Salesforce Authentication?

- A. Use Salesforce Two-factor Authentication with callouts to a third-party fingerprint scanning application.
- B. Use Delegated Authentication with callouts to a third-party fingerprint scanning application.
- C. Use an AppExchange product that does fingerprint scanning with native Salesforce identity confirmation.
- D. Use custom login flows with callouts to a third-party fingerprint scanning application.

Answer: D

NEW QUESTION 30

A group of users try to access one of Universal Containers connected apps and receive the following error message: "Failed : Not approved for access". What is most likely to cause the issue?

- A. The use of high assurance sessions are required for the connected App.
- B. The users do not have the correct permission set assigned to them.
- C. The connected App setting "All users may self-authorize" is enabled.
- D. The Salesforce administrators gave revoked the OAuth authorization.

Answer: B

NEW QUESTION 33

Universal containers (UC) has an e-commerce website while customers can buy products, make payments, and manage their accounts. UC decides to build a customer Community on Salesforce and wants to allow the customers to access the community for their accounts without logging in again. UC decides to implement ansp-Initiated SSO using a SAML-BASED complaint IDP. In this scenario where salesforce is the service provider, which two activities must be performed in salesforce to make sp-Initiated SSO work? Choose 2 answers

- A. Configure SAML SSO settings.
- B. Configure Delegated Authentication
- C. Create a connected App
- D. Set up my domain

Answer: AD

NEW QUESTION 38

What item should an Architect consider when designing a Delegated Authentication implementation?

- A. The Web service should be secured with TLS using Salesforce trusted certificates.
- B. The Web service should be able to accept one to four input method parameters.
- C. The web service should use the Salesforce Federation ID to identify the user.
- D. The Web service should implement a custom password decryption method.

Answer: A

NEW QUESTION 39

Universal containers (UC) is setting up their customer Community self-registration process. They are uncomfortable with the idea of assigning new users to a default account record. What will happen when customers self-register in the community?

- A. The self-registration process will produce an error to the user.
- B. The self-registration page will ask user to select an account.
- C. The self-registration process will create a person Account record.
- D. The self-registration page will create a new account record.

Answer: A

NEW QUESTION 44

An Identity architect works for a multinational, multi-brand organization. As they work with the organization to understand their Customer Identity and Access Management requirements, the identity architect learns that the brand experience is different for each of the customer's sub-brands and each of these branded experiences must be carried through the login experience depending on which sub-brand the user is logging into.

Which solution should the architect recommend to support scalability and reduce maintenance costs, if the organization has more than 150 sub-brands?

- A. Assign each sub-brand a unique Experience ID and use the Experience ID to dynamically brand the login experience.
- B. Use Audiences to customize the login experience for each sub-brand and pass an audience ID to the community during the OAuth and Security Assertion Markup Language (SAML) flows.
- C. Create a community subdomain for each sub-brand and customize the look and feel of the Login page for each community subdomain to match the brand.
- D. Create a separate Salesforce org for each sub-brand so that each sub-brand has complete control over the user experience.

Answer: A

NEW QUESTION 49

A multinational company is looking to rollout Salesforce globally. The company has a Microsoft Active Directory Federation Services (ADFS) implementation for the Americas, Europe and APAC. The company plans to have a single org and they would like to have all of its users access Salesforce using the ADFS . The company would like to limit its investments and prefer not to procure additional applications to satisfy the requirements.

What is recommended to ensure these requirements are met ?

- A. Use connected apps for each ADFS implementation and implement Salesforce site to authenticate users across the ADFS system applicable to their geo.
- B. Implement Identity Connect to provide single sign-on to Salesforce and federated across multiple ADFS systems.
- C. Add a central identity system that federates between the ADFS systems and integrate with Salesforce for single sign-on.
- D. Configure Each ADFS system under single sign-on settings and allow users to choose the system to authenticate during sign on to Salesforce

Answer: B

NEW QUESTION 54

Under which scenario Web Server flow will be used?

- A. Used for web applications when server-side code needs to interact with APIS.
- B. Used for server-side components when page needs to be rendered.
- C. Used for mobile applications and testing legacy Integrations.
- D. Used for verifying Access protected resources.

Answer: A

NEW QUESTION 59

Northern Trail Outfitters (NTO) has an existing custom business-to-consumer (B2C) website that does NOT support single sign-on standards, such as Security Assertion Markup Language (SAMI) or OAuth. NTO wants to use Salesforce Identity to register and authenticate new customers on the website.

Which two Salesforce features should an identity architect use in order to provide username/password authentication for the website?

Choose 2 answers

- A. Identity Connect
- B. Delegated Authentication
- C. Connected Apps
- D. Embedded Login

Answer: BD

NEW QUESTION 64

Universal Containers is implementing a new Experience Cloud site and the identity architect wants to use dynamic branding features as of the login process. Which two options should the identity architect recommend to support dynamic branding for the site? Choose 2 answers

- A. To use dynamic branding, the community must be built with the Visuaiforce + Salesforce Tabs template.
- B. To use dynamic branding, the community must be built with the Customer Account Portal template.
- C. An experience ID (expid) or placeholder parameter must be used in the URL to represent the brand.
- D. An external content management system (CMS) must be used for dynamic branding on Experience Cloud sites.

Answer: BC

NEW QUESTION 68

In an SP-Initiated SAML SSO setup where the user tries to access a resource on the Service Provider, What HTTP param should be used when submitting a SAML Request to the Idp to ensure the user is returned to the intended resource after authentication?

- A. RedirectURL
- B. RelayState
- C. DisplayState
- D. StartURL

Answer: B

NEW QUESTION 69

Universal Containers (UC) has implemented SSO according to the diagram below. uses SAML while Salesforce Org 1 uses OAuth 2.0. Users usually start their day by first attempting to log into Salesforce Org 2 and then later in the day, they will log into either the Financial System or CPQ system depending upon their job position. Which two systems are acting as Identity Providers?

- A. Financial System
- B. Pingfederate
- C. Salesforce Org 2
- D. Salesforce Org 1

Answer: BD

NEW QUESTION 74

Universal Containers wants to allow its customers to log in to its Experience Cloud via a third party authentication provider that supports only the OAuth protocol. What should an identity architect do to fulfill this requirement?

- A. Contact Salesforce Support and enable delegate single sign-on.
- B. Create a custom external authentication provider.
- C. Use certificate-based authentication.
- D. Configure OpenID Connect authentication provider.

Answer: B

NEW QUESTION 78

Universal containers (UC) has a mobile application that it wants to deploy to all of its salesforce users, including customer Community users. UC would like to minimize the administration overhead, which two items should an architect recommend? Choose 2 answers

- A. Enable the "Refresh Tokens is valid until revoked " setting in the Connected App.
- B. Enable the "Enforce Ip restrictions" settings in the connected App.
- C. Enable the "All users may self-authorize" setting in the Connected App.
- D. Enable the "High Assurance session required" setting in the Connected App.

Answer: AC

NEW QUESTION 79

Universal containers (UC) would like to enable SAML-BASED SSO for a salesforce partner community. UC has an existing ldap identity store and a third-party portal. They would like to use the existing portal as the primary site these users access, but also want to allow seamless access to the partner community. What SSO flow should an architect recommend?

- A. User-Agent
- B. IDP-initiated
- C. Sp-Initiated
- D. Web server

Answer: B

NEW QUESTION 82

Universal Containers is considering using Delegated Authentication as the sole means of Authenticating of Salesforce users. A Salesforce Architect has been brought in to assist with the implementation. What two risks Should the Architect point out? Choose 2 answers

- A. Delegated Authentication is enabled or disabled for the entire Salesforce org.
- B. UC will be required to develop and support a custom SOAP web service.
- C. Salesforce users will be locked out of Salesforce if the web service goes down.
- D. The web service must reside on a public cloud service, such as Heroku.

Answer: BC

NEW QUESTION 83

A large consumer company is planning to create a community and will require login through the customer's social identity. The following requirements must be met:

- * 1. The customer should be able to login with any of their social identities, however Salesforce should only have one user per customer.
- * 2. Once the customer has been identified with a social identity, they should not be required to authorize Salesforce.
- * 3. The customer's personal details from the social sign on need to be captured when the customer logs into Salesforce using their social identity.
- * 3. If the customer modifies their personal details in the social site, the changes should be updated in Salesforce.

Which two options allow the Identity Architect to fulfill the requirements? Choose 2 answers

- A. Use Login Flows to call an authentication registration handler to provision the user before logging the user into the community.
- B. Use authentication providers for social sign-on and use the custom registration handler to insert or update personal details.
- C. Redirect the user to a custom page that allows the user to select an existing social identity for login.
- D. Use the custom registration handler to link social identities to Salesforce identities.

Answer: BD

NEW QUESTION 87

Universal Containers (UC) wants to build a custom mobile app for their field reps to create orders in Salesforce. After the first time the users log in, they must be able to access Salesforce upon opening the mobile app without being prompted to log in again. What OAuth flows should be considered to support this requirement?

- A. Web Server flow with a Refresh Token.
- B. Mobile Agent flow with a Bearer Token.
- C. User Agent flow with a Refresh Token.
- D. SAML Assertion flow with a Bearer Token.

Answer: C

NEW QUESTION 88

Universal Containers (UC) has a Customer Community that uses Facebook for authentication. UC would like to ensure that changes in the Facebook profile are reflected on the appropriate Customer Community user. How can this requirement be met?

- A. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.
- B. Use information in the Signed Request that is received from Facebook.
- C. Develop a scheduled job that calls out to Facebook on a nightly basis.
- D. Use the updateUser() method on the Registration Handler class.

Answer: D

NEW QUESTION 89

Universal Containers (UC) is building an integration between Salesforce and a legacy web application using the Canvas framework. The security for UC has determined that a signed request from Salesforce is not an adequate authentication solution for the Third-Party app. Which two options should the Architect consider for authenticating the third-party app using the Canvas framework? Choose 2 Answers

- A. Utilize the SAML Single Sign-on flow to allow the third-party to authenticate itself against UC's IdP.
- B. Utilize Authorization Providers to allow the third-party application to authenticate itself against Salesforce as the IdP.
- C. Utilize Canvas OAuth flow to allow the third-party application to authenticate itself against Salesforce as the IdP.
- D. Create a registration handler Apex class to allow the third-party application to authenticate itself against Salesforce as the IdP.

Answer: AC

NEW QUESTION 92

Refer to the exhibit.

Outfitters (NTO) is using Experience Cloud as an Identity for its application on Heroku. The application on Heroku should be able to handle two brands, Northern Trail Shoes and Northern Trail Shirts.

A user should select either of the two brands in Heroku before logging into the community. The app then performs Authorization using OAuth2.0 with the Salesforce Experience Cloud site.

NTO wants to make sure it renders login page images dynamically based on the user's brand preference selected in Heroku before Authorization.

What should an identity architect do to fulfill the above requirements?

- A. For each brand create different communities and redirect users to the appropriate community using a custom Login controller written in Apex.
- B. Create multiple login screens using Experience Builder and use Login Flows at runtime to route to different login screens.
- C. Authorize third-party service by sending authorization requests to the community-url/services/oauth2/authorize/cookie_value.
- D. Authorize third-party service by sending authorization requests to the community-url/services/oauth2/authorize/expid_value.

Answer: D

NEW QUESTION 96

Containers (UC) has decided to implement a federated single Sign-on solution using a third-party Idp. In reviewing the third-party products, they would like to ensure the product supports the automated provisioning and deprovisioning of users. What are the underlining mechanisms that the UC Architect must ensure are part of the product?

- A. SOAP API for provisioning; Just-in-Time (JIT) for Deprovisioning.
- B. Just-In-time (JIT) for Provisioning; SOAP API for Deprovisioning.
- C. Provisioning API for both Provisioning and Deprovisioning.
- D. Just-in-Time (JIT) for both Provisioning and Deprovisioning.

Answer: D

NEW QUESTION 98

Universal Containers (UC) has implemented a multi-org architecture in their company. Many users have licences across multiple orgs, and they are complaining about remembering which org and credentials are tied to which business process. Which two recommendations should the Architect make to address the Complaints? Choose 2 answers

- A. Activate My Domain to Brand each org to the specific business use case.
- B. Implement SP-Initiated Single Sign-on flows to allow deep linking.
- C. Implement IdP-Initiated Single Sign-on flows to allow deep linking.
- D. Implement Delegated Authentication from each org to the LDAP provider.

Answer: AB

NEW QUESTION 100

Universal Containers (UC) has an e-commerce website where customers can buy products, make payments and manage their accounts. UC decides to build a Customer Community on Salesforce and wants to allow the customers to access the community from their accounts without logging in again. UC decides to implement an SP-initiated SSO using a SAML-compliant Idp. In this scenario where Salesforce is the Service Provider, which two activities must be performed in Salesforce to make SP-initiated SSO work? Choose 2 answers

- A. Configure SAML SSO settings.
- B. Create a Connected App.
- C. Configure Delegated Authentication.
- D. Set up My Domain.

Answer: AD

NEW QUESTION 105

Universal Containers is creating a mobile application that will be secured by Salesforce Identity using the OAuth 2.0 user-agent flow (this flow uses the OAuth 2.0 implicit grant type).

Which three OAuth concepts apply to this flow? Choose 3 answers

- A. Client ID
- B. Refresh Token
- C. Authorization Code
- D. Verification Code
- E. Scopes

Answer: ABE

NEW QUESTION 108

Universal Containers (UC) has Active Directory (AD) as their enterprise identity store and would like to use it for Salesforce user authentication. UC expects to synchronize user data between Salesforce and AD and Assign the appropriate Profile and Permission Sets based on AD group membership. What would be the optimal way to implement SSO?

- A. Use Active Directory with Reverse Proxy as the Identity Provider.
- B. Use Microsoft Access control Service as the Authentication provider.
- C. Use Active Directory Federation Service (ADFS) as the Identity Provider.
- D. Use Salesforce Identity Connect as the Identity Provider.

Answer: D

NEW QUESTION 109

Universal containers(UC) has implemented SAML-BASED single Sign-on for their salesforce application and is planning to provide access to salesforce on mobile devices using the salesforce1 mobile app. UC wants to ensure that single Sign-on is used for accessing the salesforce1 mobile app. Which two recommendations should the architect make? Choose 2 answers

- A. Use the existing SAML SSO flow along with user agent flow.
- B. Configure the embedded Web browser to use my domain URL.
- C. Use the existing SAML SSO flow along with Web server flow
- D. Configure the salesforce1 app to use the my domain URL

Answer: AD

NEW QUESTION 110

Universal Containers is budding a web application that will connect with the Salesforce API using JWT OAuth Flow. Which two settings need to be configured in the connect app to support this requirement? Choose 2 answers

- A. The Use Digital Signature option in the connected app.
- B. The "web" OAuth scope in the connected app,
- C. The "api" OAuth scope in the connected app.
- D. The "edair_api" OAuth scope in the connected app.

Answer: AC

NEW QUESTION 111

Universal containers(UC) wants to integrate a third-party reward calculation system with salesforce to calculate rewards. Rewards will be calculated on a schedule basis and update back into salesforce. The integration between Salesforce and the reward calculation system needs to be secure. Which are the recommended best practices for using Oauth flows in this scenario? Choose 2 answers

- A. Oauth refresh token flow
- B. Oauth SAML bearer assertion flow
- C. Oauthjwt bearer token flow
- D. Oauth Username-password flow

Answer: BC

NEW QUESTION 113

Which three different attributes can be used to identify the user in a SAML 65> assertion when Salesforce is acting as a Service Provider? Choose 3 answers

- A. Federation ID
- B. Salesforce User ID
- C. User Full Name
- D. User Email Address
- E. Salesforce Username

Answer: ACD

NEW QUESTION 116

Universal containers (UC) is concerned that having a self-registration page will provide a means for "bots" or unintended audiences to create user records, thereby consuming licences and adding dirty data. Which two actions should UC take to prevent unauthorised form submissions during the self-registration process? Choose 2 answers

- A. Use open-ended security questions and complex password requirements
- B. Primarily use lookup and picklist fields on the self registration page.
- C. Require a captcha at the end of the self-registration process.
- D. Use hidden fields populated via java script events in the self-registration page.

Answer: CD

NEW QUESTION 120

Which three are features of federated Single sign-on solutions? Choose 3 Answers

- A. It establishes trust between Identity Store and Service Provider.
- B. It federates credentials control to authorized applications.
- C. It solves all identity and access management problems.
- D. It improves affiliated applications adoption rates.
- E. It enables quick and easy provisioning and deactivating of users.

Answer: ADE

NEW QUESTION 121

Containers (UC) uses a legacy Employee portal for their employees to collaborate. Employees access the portal from their company's internal website via SSO. It is set up to work with SiteMinder and Active Directory. The Employee portal has features to support posing ideas. UC decides to use Salesforce Ideas for voting and better tracking purposes. To avoid provisioning users on Salesforce, UC decides to integrate Employee portal ideas with Salesforce idea through the API. What is the role of Salesforce in the context of SSO, based on this scenario?

- A. Service Provider, because Salesforce is the application for managing ideas.
- B. Connected App, because Salesforce is connected with Employee portal via API.
- C. Identity Provider, because the API calls are authenticated by Salesforce.
- D. An independent system, because Salesforce is not part of the SSO setup.

Answer: D

NEW QUESTION 124

A division of a Northern Trail Outfitters (NTO) purchased Salesforce. NTO uses a third party identity provider (IdP) to validate user credentials against its corporate Lightweight Directory Access Protocol (LDAP) directory. NTO wants to help employees remember as passwords as possible. What should an identity architect recommend?

- A. Setup Salesforce as a Service Provider to the existing IdP.
- B. Setup Salesforce as an IdP to authenticate against the LDAP directory.
- C. Use Salesforce connect to synchronize LDAP passwords to Salesforce.
- D. Setup Salesforce as an Authentication Provider to the existing IdP.

Answer: A

NEW QUESTION 125

Universal Containers (UC) has a classified information system that its call center team uses only when they are working on a case with a record type "Classified". They are only allowed to access the system when they own an open "Classified" case, and their access to the system is removed at all other times. They would like to implement SAML SSO with Salesforce as the IdP, and automatically allow or deny the staff's access to the classified information system based on whether they currently own an open "Classified" case record when they try to access the system using SSO. What is the recommended solution for automatically allowing or denying the access to the classified information system based on the open "classified" case record criteria?

- A. Use Salesforce reports to identify users that currently owns open "Classified" cases and should be granted access to the Classified information system.
- B. Use Apex trigger on case to dynamically assign permission Sets that Grant access when an user is assigned with an open "Classified" case, and remove it when the case is closed.
- C. Use Custom SAML JIT Provisioning to dynamically query the user's open "Classified" cases when attempting to access the classified information system.
- D. Use a Common Connected App Handler using Apex to dynamically allow access to the system based on whether the staff owns any open "Classified" Cases.

Answer: D

NEW QUESTION 130

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data Warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is Secure. What Certificate is sent along with the Outbound Message?

- A. The CA-Signed Certificate from the Certificate and Key Management menu.
- B. The default Client Certificate from the Develop--> API Menu.
- C. The default Client Certificate or a Certificate from Certificate and Key Management menu.
- D. The Self-Signed Certificates from the Certificate & Key Management menu.

Answer: B

NEW QUESTION 131

Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate? Universal Containers (UC) has a mobile application for its employees that uses data from Salesforce as well as uses Salesforce for Authentication purposes. UC wants its mobile users to only enter their credentials the first time they run the app. The application has been live for a little over 6 months, and all of the users who were part of the initial launch are complaining that they have to re-authenticate. UC has also recently changed the URI Scheme associated with the mobile app. What should the Architect at UC first investigate?

- A. Check the Refresh Token policy defined in the Salesforce Connected App.
- B. Validate that the users are checking the box to remember their passwords.
- C. Verify that the Callback URL is correctly pointing to the new URI Scheme.
- D. Confirm that the access Token's Time-To-Live policy has been set appropriately.

Answer: A

NEW QUESTION 136

The CIO of universal containers(UC) wants to start taking advantage of the refresh token capability for the UC applications that utilize OAuth 2.0. UC has listed an architect to analyze all of the applications that use OAuth flows to. See where refresh Tokens can be applied. Which two OAuth flows should the architect consider in their evaluation? Choose 2 answers

- A. Web server
- B. Jwt bearer token
- C. User-Agent
- D. Username-password

Answer: AC

NEW QUESTION 139

Universal Containers (UC) wants to use Salesforce for sales orders and a legacy of system for order fulfillment. The legacy system must update the status of orders in 65* Salesforce in real time as they are fulfilled. UC decides to use OAuth for connecting the legacy system to Salesforce. What OAuth flow should be considered that doesn't require storing credentials, client secret or refresh tokens?

- A. Web Server flow
- B. JWT Bearer Token flow
- C. Username-Password flow
- D. User Agent flow

Answer: B

NEW QUESTION 144

Universal Containers (UC) currently uses Salesforce Sales Cloud and an external billing application. Both Salesforce and the billing application are accessed several times a day to manage customers. UC would like to configure single sign-on and leverage Salesforce as the identity provider. Additionally, UC would like the billing application to be accessible from Salesforce. A redirect is acceptable. Which two Salesforce tools should an identity architect recommend to satisfy the requirements? Choose 2 answers

- A. salesforce Canvas
- B. Identity Connect
- C. Connected Apps
- D. App Launcher

Answer: AD

NEW QUESTION 147

Universal Containers (UC) has an existing Salesforce org configured for SP-Initiated SAML SSO with their Idp. A second Salesforce org is being introduced into the environment and the IT team would like to ensure they can use the same Idp for new org. What action should the IT team take while implementing the second org?

- A. Use the same SAML Identity location as the first org.
- B. Use a different Entity ID than the first org.
- C. Use the same request bindings as the first org.
- D. Use the Salesforce Username as the SAML Identity Type.

Answer: B

NEW QUESTION 151

The security team at Universal Containers (UC) has identified exporting reports as a high-risk action and would like to require users to be logged into Salesforce with their Active Directory (AD) credentials when doing so. For all other users of Salesforce, users should be allowed to use AD Credentials or Salesforce credentials. What solution should be recommended to prevent exporting reports except when logged in using AD credentials while maintaining the ability to view reports when logged in with Salesforce credentials?

- A. Use SAML Federated Authentication and block access to reports when accessed through a Standard Assurance session.
- B. Use SAML Federated Authentication and Custom SAML JIT Provisioning to dynamically add or remove a permission set that grants the Export Reports Permission.
- C. Use SAML federated Authentication, treat SAML Sessions as High Assurance, and raise the session level required for exporting reports.
- D. Use SAML federated Authentication with a Login Flow to dynamically add or remove a Permission Set that grants the Export Reports Permission.

Answer: C

NEW QUESTION 154

Universal containers (UC) wants users to authenticate into their salesforce org using credentials stored in a custom identity store. UC does not want to purchase or use a third-party Identity provider. Additionally, UC is extremely wary of social media and does not consider it to be trust worthy. Which two options should an architect recommend to UC? Choose 2 answers

- A. Use a professional social media such as LinkedIn as an Authentication provider
- B. Build a custom web page that uses the identity store and calls frontdoor.jsp
- C. Build a custom Web service that is supported by Delegated Authentication.
- D. Implement the Openid protocol and configure an Authentication provider

Answer: CD

NEW QUESTION 159

An architect needs to set up a Facebook Authentication provider as login option for a salesforce customer Community. What portion of the authentication provider setup associates a Facebook user with a salesforce user?

- A. Consumer key and consumer secret
- B. Federation ID
- C. User info endpoint URL
- D. Apex registration handler

Answer: D

NEW QUESTION 163

Universal containers (UC) uses a legacy Employee portal for their employees to collaborate and post their ideas. UC decides to use salesforce ideas for voting and better tracking purposes. To avoid provisioning users on Salesforce, UC decides to push ideas posted on the Employee portal to salesforce through API. UC decides to use an API user using Oauth Username - password flow for the connection. How can the connection to salesforce be restricted only to the employee portal server?

- A. Add the Employee portals IP address to the Trusted IP range for the connected App
- B. Use a digital certificate signed by the employee portal Server.
- C. Add the employee portals IP address to the login IP range on the user profile.
- D. Use a dedicated profile for the user the Employee portal uses.

Answer: A

NEW QUESTION 165

Universal Containers (UC) built an integration for their employees to post, view, and vote for ideas in Salesforce from an internal Company portal. When ideas are posted in Salesforce, links to the ideas are created in the company portal pages as part of the integration process. The Company portal connects to Salesforce using OAuth. Everything is working fine, except when users click on links to existing ideas, they are always taken to the Ideas home page rather than the specific idea, after authorization. Which OAuth URL parameter can be used to retain the original requested page so that a user can be redirected correctly after OAuth authorization?

- A. Redirect_uri
- B. State
- C. Scope
- D. Callback_uri

Answer: A

NEW QUESTION 170

Universal Containers (UC) has a Customer Community that uses Facebook for Authentication. UC would like to ensure that Changes in the Facebook profile are reflected on the appropriate Customer Community user: How can this requirement be met?

- A. Use the updateUser method on the registration Handler Class.
- B. Develop a scheduled job that calls out to Facebook on a nightly basis.
- C. Use information in the signed Request that is received from facebook.
- D. Use SAML Just-In-Time Provisioning between Facebook and Salesforce.

Answer: A

NEW QUESTION 171

After a recent audit, universal containers was advised to implement Two-factor Authentication for all of their critical systems, including salesforce. Which two actions should UC consider to meet this requirement? Choose 2 answers

- A. Require users to provide their RSA token along with their credentials.
- B. Require users to supply their email and phone number, which gets validated.
- C. Require users to enter a second password after the first Authentication
- D. Require users to use a biometric reader as well as their password

Answer: AD

NEW QUESTION 172

Northern Trail Outfitters would like to automatically create new employee users in Salesforce with an appropriate profile that maps to its Active Directory Department.

How should an identity architect implement this requirement?

- A. Use the createUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- B. Use the updateUser method in the Just-in-Time (JIT) provisioning registration handler to assign the appropriate profile.
- C. Use a login flow to collect Security Assertion Markup Language attributes and assign the appropriate profile during Just-In-Time (JIT) provisioning.
- D. Make a callout during the login flow to query department from Active Directory to assign the appropriate profile.

Answer: B

NEW QUESTION 174

Universal Containers (UC) has a custom, internal-only, mobile billing application for users who are commonly out of the office. The app is configured as a connected App in Salesforce. Due to the nature of this app, UC would like to take the appropriate measures to properly secure access to the app. Which two are recommendations to make the UC? Choose 2 answers

- A. Disallow the use of Single Sign-on for any users of the mobile app.
- B. Require High Assurance sessions in order to use the Connected App.
- C. Set Login IP Ranges to the internal network for all of the app users Profiles.
- D. Use Google Authenticator as an additional part of the login process

Answer: BD

NEW QUESTION 175

Universal Containers (UC) uses Global Shipping (GS) as one of their shipping vendors. Regional leads of GS need access to UC's Salesforce instance for reporting damage of goods using Cases. The regional leads also need access to dashboards to keep track of regional shipping KPIs. UC internally uses a third-party cloud analytics tool for capacity planning and UC decided to provide access to this tool to a subset of GS employees. In addition to regional leads, the GS capacity planning team would benefit from access to this tool. To access the analytics tool, UC IT has set up Salesforce as the Identity provider for Internal users and would like to follow the same approach for the GS users as well. What are the most appropriate license types for GS Tregional Leads and the GS Capacity Planners? Choose 2 Answers

- A. Customer Community Plus license for GS Regional Leads and External Identity for GS Capacity Planners.
- B. Customer Community Plus license for GS Regional Leads and Customer Community license for GS Capacity Planners.
- C. Identity Licence for GS Regional Leads and External Identity license for GS capacity Planners.
- D. Customer Community license for GS Regional Leads and Identity license for GS Capacity Planners.

Answer: BD

NEW QUESTION 176

Universal Containers (UC) wants its closed Won opportunities to be synced to a Data warehouse in near real time. UC has implemented Outbound Message to enable near real-time data sync. UC wants to ensure that communication between Salesforce and Target System is secure. What certificate is sent along with the Outbound Message?

- A. The Self-signed Certificates from the Certificate & Key Management menu.
- B. The default client Certificate from the Develop--> API menu.
- C. The default client Certificate or the Certificate and Key Management menu.
- D. The CA-signed Certificate from the Certificate and Key Management Menu.

Answer: B

NEW QUESTION 178

Universal Containers (UC) employees have Salesforce access from restricted IP ranges only, to protect against unauthorised access. UC wants to roll out the Salesforce1 mobile app and make it accessible from any location. Which two options should an Architect recommend? Choose 2 answers

- A. Relax the IP restriction with a second factor in the Connect App settings for Salesforce1 mobile app.
- B. Remove existing restrictions on IP ranges for all types of user access.
- C. Relax the IP restrictions in the Connect App settings for the Salesforce1 mobile app.
- D. Use Login Flow to bypass IP range restriction for the mobile app.

Answer: AC

NEW QUESTION 180

Universal Containers (UC) would like to enable self-registration for their Salesforce Partner Community Users. UC wants to capture some custom data elements from the partner user, and based on these data elements, wants to assign the appropriate Profile and Account values. Which two actions should the Architect recommend to UC? Choose 2 answers

- A. Configure Registration for Communities to use a custom Visualforce Page.
- B. Modify the SelfRegistration trigger to assign Profile and Account.
- C. Modify the CommunitiesSelfRegController to assign the Profile and Account.
- D. Configure Registration for Communities to use a custom Apex Controller.

Answer: AC

NEW QUESTION 182

Universal Containers (UC) is looking to purchase a third-party application as an Identity Provider. UC is looking to develop a business case for the purchase in general and has enlisted an Architect for advice. Which two capabilities of an Identity Provider should the Architect detail to help strengthen the business case? Choose 2 answers

- A. The Identity Provider can authenticate multiple applications.
- B. The Identity Provider can authenticate multiple social media accounts.
- C. The Identity provider can store credentials for multiple applications.
- D. The Identity Provider can centralize enterprise password policy.

Answer: AD

NEW QUESTION 185

Universal containers (UC) does my domain enable in the context of a SAML SSO configuration? Choose 2 answers

- A. Resource deep linking
- B. App launcher
- C. SSO from salesforce1 mobile app.
- D. Login forensics

Answer: AC

NEW QUESTION 186

Northern Trail Outfitters (NTO) is planning to build a new customer service portal and wants to use passwordless login, allowing customers to login with a one-time passcode sent to them via email or SMS. How should the quantity of required Identity Verification Credits be estimated?

- A. Each community comes with 10,000 Identity Verification Credits per month and only customers with more than 10,000 logins a month should estimate additional SMS verifications needed.
- B. Identity Verification Credits are consumed with each SMS (text message) sent and should be estimated based on the number of login verification challenges for SMS verification users.
- C. Identity Verification Credits are consumed with each verification sent and should be estimated based on the number of logins that will incur a verification challenge.
- D. Identity Verification Credits are a direct add-on license based on the number of existing member-based or login-based Community licenses.

Answer: B

NEW QUESTION 188

Universal Containers (UC) is planning to deploy a custom mobile app that will allow users to get e-signatures from its customers on their mobile devices. The mobile app connects to Salesforce to upload the e-signature as a file attachment and uses OAuth protocol for both authentication and authorization. What is the most recommended and secure OAuth scope setting that an Architect should recommend?

- A. Id
- B. Web
- C. Api
- D. Custom_permissions

Answer: D

NEW QUESTION 191

Containers (UC) has an existing Customer Community. UC wants to expand the self-registration capabilities such that customers receive a different community experience based on the data they provide during the registration process. What is the recommended approach an Architect Should recommend to UC?

- A. Create an After Insert Apex trigger on the user object to assign specific custom permissions.
- B. Create separate login flows corresponding to the different community user personas.
- C. Modify the Community pages to utilize specific fields on the User and Contact records.
- D. Modify the existing Communities registration controller to assign different profiles.

Answer: C

NEW QUESTION 192

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

Identity-and-Access-Management-Designer Practice Exam Features:

- * Identity-and-Access-Management-Designer Questions and Answers Updated Frequently
- * Identity-and-Access-Management-Designer Practice Questions Verified by Expert Senior Certified Staff
- * Identity-and-Access-Management-Designer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Identity-and-Access-Management-Designer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Identity-and-Access-Management-Designer Practice Test Here](#)