

Amazon-Web-Services

Exam Questions DOP-C02

AWS Certified DevOps Engineer - Professional



NEW QUESTION 1

A company wants to use AWS development tools to replace its current bash deployment scripts. The company currently deploys a LAMP application to a group of Amazon EC2 instances behind an Application Load Balancer (ALB). During the deployments, the company unit tests the committed application, stops and starts services, unregisters and re-registers instances with the load balancer, and updates file permissions. The company wants to maintain the same deployment functionality through the shift to using AWS services.

Which solution will meet these requirements?

- A. Use AWS CodeBuild to test the applicatio
- B. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart services, and deregister and register instances with the AL
- C. Use the appspec.yml file to update file permissions without a custom script.
- D. Use AWS CodePipeline to move the application from the AWS CodeCommit repository to AWS CodeDeplo
- E. Use CodeDeploy's deployment group to test the application, unregister and re-register instances with the AL
- F. and restart service
- G. Use the appspec.yml file to update file permissions without a custom script.
- H. Use AWS CodePipeline to move the application source code from the AWS CodeCommit repository to AWS CodeDeplo
- I. Use CodeDeploy to test the applicatio
- J. Use CodeDeploy's appspec.yml file to restart services and update permissions without a custom scrip
- K. Use AWS CodeBuild to unregister and re-register instances with the ALB.
- L. Use AWS CodePipeline to trigger AWS CodeBuild to test the applicatio
- M. Use bash scripts invoked by AWS CodeDeploy's appspec.yml file to restart service
- N. Unregister and re-register the instances in the AWS CodeDeploy deployment group with the AL
- O. Update the appspec.yml file to update file permissions without a custom script.

Answer: D

Explanation:

<https://aws.amazon.com/blogs/devops/how-to-test-and-debug-aws-codedeploy-locally-before-you-ship-your-code/#:~:text=You%20can%20test%20application%20code,local%20server%20or%20EC2%20instance.>

NEW QUESTION 2

A company uses a single AWS account to test applications on Amazon EC2 instances. The company has turned on AWS Config in the AWS account and has activated the restricted-ssh AWS Config managed rule.

The company needs an automated monitoring solution that will provide a customized notification in real time if any security group in the account is not compliant with the restricted-ssh rule. The customized notification must contain the name and ID of the noncompliant security group.

A DevOps engineer creates an Amazon Simple Notification Service (Amazon SNS) topic in the account and subscribes the appropriate personnel to the topic. What should the DevOps engineer do next to meet these requirements?

- A. Create an Amazon EventBridge rule that matches an AWS Config evaluation result of NON_COMPLIANT for the restricted-ssh rule
- B. Configure an input transformer for the EventBridge rule Configure the EventBridge rule to publish a notification to the SNS topic.
- C. Configure AWS Config to send all evaluation results for the restricted-ssh rule to the SNS topic
- D. Configure a filter policy on the SNS topic to send only notifications that contain the text of NON_COMPLIANT in the notification to subscribers.
- E. Create an Amazon EventBridge rule that matches an AWS Config evaluation result of NON_COMPLIANT for the restricted-ssh rule Configure the EventBridge rule to invoke AWS Systems Manager Run Command on the SNS topic to customize a notification and to publish the notification to the SNS topic
- F. Create an Amazon EventBridge rule that matches all AWS Config evaluation results of NON_COMPLIANT Configure an input transformer for the restricted-ssh rule Configure the EventBridge rule to publish a notification to the SNS topic.

Answer: A

Explanation:

Create an Amazon EventBridge (Amazon CloudWatch Events) rule that matches an AWS Config evaluation result of NON_COMPLIANT for the restricted-ssh rule. Configure an input transformer for the EventBridge (CloudWatch Events) rule. Configure the EventBridge (CloudWatch Events) rule to publish a notification to the SNS topic. This approach uses Amazon EventBridge (previously known as Amazon CloudWatch Events) to filter AWS Config evaluation results based on the restricted-ssh rule and its compliance status (NON_COMPLIANT). An input transformer can be used to customize the information contained in the notification, such as the name and ID of the noncompliant security group. The EventBridge (CloudWatch Events) rule can then be configured to publish a notification to the SNS topic, which will notify the appropriate personnel in real-time.

NEW QUESTION 3

A DevOps engineer is designing an application that integrates with a legacy REST API. The application has an AWS Lambda function that reads records from an Amazon Kinesis data stream. The Lambda function sends the records to the legacy REST API.

Approximately 10% of the records that the Lambda function sends from the Kinesis data stream have data errors and must be processed manually. The Lambda function event source configuration has an Amazon Simple Queue Service (Amazon SQS) dead-letter queue as an on-failure destination. The DevOps engineer has configured the Lambda function to process records in batches and has implemented retries in case of failure.

During testing the DevOps engineer notices that the dead-letter queue contains many records that have no data errors and that already have been processed by the legacy REST API. The DevOps engineer needs to configure the Lambda function's event source options to reduce the number of errorless records that are sent to the dead-letter queue.

Which solution will meet these requirements?

- A. Increase the retry attempts
- B. Configure the setting to split the batch when an error occurs
- C. Increase the concurrent batches per shard
- D. Decrease the maximum age of record

Answer: B

Explanation:

This solution will meet the requirements because it will reduce the number of errorless records that are sent to the dead-letter queue. When you configure the setting to split the batch when an error occurs, Lambda will retry only the records that caused the error, instead of retrying the entire batch. This way, the records

that have no data errors and have already been processed by the legacy REST API will not be retried and sent to the dead-letter queue unnecessarily.
<https://docs.aws.amazon.com/lambda/latest/dg/with-kinesis.html>

NEW QUESTION 4

A company requires an RPO of 2 hours and an RTO of 10 minutes for its data and application at all times. An application uses a MySQL database and Amazon EC2 web servers. The development team needs a strategy for failover and disaster recovery. Which combination of deployment strategies will meet these requirements? (Select TWO.)

- A. Create an Amazon Aurora cluster in one Availability Zone across multiple Regions as the data store. Use Aurora's automatic recovery capabilities in the event of a disaster.
- B. Create an Amazon Aurora global database in two Regions as the data store.
- C. In the event of a failure, promote the secondary Region as the primary for the application.
- D. Create an Amazon Aurora multi-master cluster across multiple Regions as the data store.
- E. Use a Network Load Balancer to balance the database traffic in different Regions.
- F. Set up the application in two Regions and use Amazon Route 53 failover-based routing that points to the Application Load Balancers in both Regions.
- G. Use health checks to determine the availability in a given Region.
- H. Use Auto Scaling groups in each Region to adjust capacity based on demand.
- I. Set up the application in two Regions and use a multi-Region Auto Scaling group behind Application Load Balancers to manage the capacity based on demand.
- J. In the event of a disaster, adjust the Auto Scaling group's desired instance count to increase baseline capacity in the failover Region.

Answer: BD

NEW QUESTION 5

An application runs on Amazon EC2 instances behind an Application Load Balancer (ALB). A DevOps engineer is using AWS CodeDeploy to release a new version. The deployment fails during the AllowTraffic lifecycle event, but a cause for the failure is not indicated in the deployment logs. What would cause this?

- A. The appspec file contains an invalid script that runs in the AllowTraffic lifecycle hook.
- B. The user who initiated the deployment does not have the necessary permissions to interact with the ALB.
- C. The health checks specified for the ALB target group are misconfigured.
- D. The CodeDeploy agent was not installed in the EC2 instances that are part of the ALB target group.

Answer: C

Explanation:

This failure is typically due to incorrectly configured health checks in Elastic Load Balancing for the Classic Load Balancer, Application Load Balancer, or Network Load Balancer used to manage traffic for the deployment group. To resolve the issue, review and correct any errors in the health check configuration for the load balancer. <https://docs.aws.amazon.com/codedeploy/latest/userguide/troubleshooting-deployments.html#troubleshooting-deployments-allowtraffic-no-logs>

NEW QUESTION 6

A company has an application that runs on AWS Lambda and sends logs to Amazon CloudWatch Logs. An Amazon Kinesis data stream is subscribed to the log groups in CloudWatch Logs. A single consumer Lambda function processes the logs from the data stream and stores the logs in an Amazon S3 bucket. The company's DevOps team has noticed high latency during the processing and ingestion of some logs. Which combination of steps will reduce the latency? (Select THREE.)

- A. Create a data stream consumer with enhanced fan-out.
- B. Set the Lambda function that processes the logs as the consumer.
- C. Increase the ParallelizationFactor setting in the Lambda event source mapping.
- D. Configure reserved concurrency for the Lambda function that processes the logs.
- E. Increase the batch size in the Kinesis data stream.
- F. Turn off the ReportBatchItemFailures setting in the Lambda event source mapping.
- G. Increase the number of shards in the Kinesis data stream.

Answer: ABC

Explanation:

The latency in processing and ingesting logs can be caused by several factors, such as the throughput of the Kinesis data stream, the concurrency of the Lambda function, and the configuration of the event source mapping. To reduce the latency, the following steps can be taken:

? Create a data stream consumer with enhanced fan-out. Set the Lambda function that processes the logs as the consumer. This will allow the Lambda function to receive records from the data stream with dedicated throughput of up to 2 MB per second per shard, independent of other consumers¹. This will reduce the contention and delay in accessing the data stream.

? Increase the ParallelizationFactor setting in the Lambda event source mapping. This will allow the Lambda service to invoke more instances of the function concurrently to process the records from the data stream². This will increase the processing capacity and reduce the backlog of records in the data stream.

? Configure reserved concurrency for the Lambda function that processes the logs. This will ensure that the function has enough concurrency available to handle the increased load from the data stream³. This will prevent the function from being throttled by the account-level concurrency limit.

The other options are not effective or may have negative impacts on the latency. Option D is not suitable because increasing the batch size in the Kinesis data stream will increase the amount of data that the Lambda function has to process in each invocation, which may increase the execution time and latency⁴. Option E is not advisable because turning off the ReportBatchItemFailures setting in the Lambda event source mapping will prevent the Lambda service from retrying the failed records, which may result in data loss. Option F is not necessary because increasing the number of shards in the Kinesis data stream will increase the throughput of the data stream, but it will not affect the processing speed of the Lambda function, which is the bottleneck in this scenario.

References:

? 1: Using AWS Lambda with Amazon Kinesis Data Streams - AWS Lambda

? 2: AWS Lambda event source mappings - AWS Lambda

? 3: Managing concurrency for a Lambda function - AWS Lambda

? 4: AWS Lambda function scaling - AWS Lambda

? : AWS Lambda event source mappings - AWS Lambda

? : Scaling Amazon Kinesis Data Streams with AWS CloudFormation - Amazon Kinesis Data Streams

NEW QUESTION 7

A company deploys a web application on Amazon EC2 instances that are behind an Application Load Balancer (ALB). The company stores the application code in an AWS CodeCommit repository. When code is merged to the main branch, an AWS Lambda function invokes an AWS CodeBuild project. The CodeBuild project packages the code, stores the packaged code in AWS CodeArtifact, and invokes AWS Systems Manager Run Command to deploy the packaged code to the EC2 instances.

Previous deployments have resulted in defects, EC2 instances that are not running the latest version of the packaged code, and inconsistencies between instances.

Which combination of actions should a DevOps engineer take to implement a more reliable deployment solution? (Select TWO.)

- A. Create a pipeline in AWS CodePipeline that uses the CodeCommit repository as a source provider.
- B. Configure pipeline stages that run the CodeBuild project in parallel to build and test the application.
- C. In the pipeline, pass the CodeBuild project output artifact to an AWS CodeDeploy action.
- D. Create a pipeline in AWS CodePipeline that uses the CodeCommit repository as a source provider.
- E. Create separate pipeline stages that run a CodeBuild project to build and then test the application.
- F. In the pipeline, pass the CodeBuild project output artifact to an AWS CodeDeploy action.
- G. Create an AWS CodeDeploy application and a deployment group to deploy the packaged code to the EC2 instances.
- H. Configure the ALB for the deployment group.
- I. Create individual Lambda functions that use AWS CodeDeploy instead of Systems Manager to run build, test, and deploy actions.
- J. Create an Amazon S3 bucket.
- K. Modify the CodeBuild project to store the packages in the S3 bucket instead of in CodeArtifact.
- L. Use deploy actions in CodeDeploy to deploy the artifact to the EC2 instances.

Answer: AC

Explanation:

To implement a more reliable deployment solution, a DevOps engineer should take the following actions:

? Create a pipeline in AWS CodePipeline that uses the CodeCommit repository as a source provider. Configure pipeline stages that run the CodeBuild project in parallel to build and test the application. In the pipeline, pass the CodeBuild project output artifact to an AWS CodeDeploy action. This action will improve the deployment reliability by automating the entire process from code commit to deployment, reducing human errors and inconsistencies. By running the build and test stages in parallel, the pipeline can also speed up the delivery time and provide faster feedback. By using CodeDeploy as the deployment action, the pipeline can leverage the features of CodeDeploy, such as traffic shifting, health checks, rollback, and deployment configuration¹²³

? Create an AWS CodeDeploy application and a deployment group to deploy the packaged code to the EC2 instances. Configure the ALB for the deployment group. This action will improve the deployment reliability by using CodeDeploy to orchestrate the deployment across multiple EC2 instances behind an ALB. CodeDeploy can perform blue/green deployments or in-place deployments with traffic shifting, which can minimize downtime and reduce risks. CodeDeploy can also monitor the health of the instances during and after the deployment, and automatically roll back if any issues are detected. By configuring the ALB for the deployment group, CodeDeploy can register and deregister instances from the load balancer as needed, ensuring that only healthy instances receive traffic⁴⁵

The other options are not correct because they do not improve the deployment reliability or follow best practices. Creating separate pipeline stages that run a CodeBuild project to build and then test the application is not a good option because it will increase the pipeline execution time and delay the feedback loop. Creating individual Lambda functions that use CodeDeploy instead of Systems Manager to run build, test, and deploy actions is not a valid option because it will add unnecessary complexity and cost to the solution. Lambda functions are not designed for long-running tasks such as building or deploying applications. Creating an Amazon S3 bucket and modifying the CodeBuild project to store the packages in the S3 bucket instead of in CodeArtifact is not a necessary option because it will not affect the deployment reliability. CodeArtifact is a secure, scalable, and cost-effective package management service that can store and share software packages for application development⁶⁷

References:

- ? 1: What is AWS CodePipeline? - AWS CodePipeline
- ? 2: Create a pipeline in AWS CodePipeline - AWS CodePipeline
- ? 3: Deploy an application with AWS CodeDeploy - AWS CodePipeline
- ? 4: What is AWS CodeDeploy? - AWS CodeDeploy
- ? 5: Configure an Application Load Balancer for your blue/green deployments - AWS CodeDeploy
- ? 6: What is AWS Lambda? - AWS Lambda
- ? 7: What is AWS CodeArtifact? - AWS CodeArtifact

NEW QUESTION 8

A company uses AWS Key Management Service (AWS KMS) keys and manual key rotation to meet regulatory compliance requirements. The security team wants to be notified when any keys have not been rotated after 90 days.

Which solution will accomplish this?

- A. Configure AWS KMS to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- B. Configure an Amazon EventBridge event to launch an AWS Lambda function to call the AWS Trusted Advisor API and publish to an Amazon Simple Notification Service (Amazon SNS) topic.
- C. Develop an AWS Config custom rule that publishes to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.
- D. Configure AWS Security Hub to publish to an Amazon Simple Notification Service (Amazon SNS) topic when keys are more than 90 days old.

Answer: C

Explanation:

<https://aws.amazon.com/blogs/security/how-to-use-aws-config-to-determine-compliance-of-aws-kms-key-policies-to-your-specifications/>

NEW QUESTION 9

A development team is using AWS CodeCommit to version control application code and AWS CodePipeline to orchestrate software deployments. The team has decided to use a remote main branch as the trigger for the pipeline to integrate code changes. A developer has pushed code changes to the CodeCommit repository, but noticed that the pipeline had no reaction, even after 10 minutes.

Which of the following actions should be taken to troubleshoot this issue?

- A. Check that an Amazon EventBridge rule has been created for the main branch to trigger the pipeline.
- B. Check that the CodePipeline service role has permission to access the CodeCommit repository.
- C. Check that the developer's IAM role has permission to push to the CodeCommit repository.
- D. Check to see if the pipeline failed to start because of CodeCommit errors in Amazon CloudWatch Logs.

Answer: A

Explanation:

When you create a pipeline from CodePipeline during the step-by-step it creates a CloudWatch Event rule for a given branch and repo like this:

```
{
  "source": [ "aws.codecommit"
],
  "detail-type": [
    "CodeCommit Repository State Change"
  ],
  "resources": [
    "arn:aws:codecommit:us-east-1:xxxxx:repo-name"
  ],
  "detail": {
    "event": [ "referenceCreated", "referenceUpdated"
  ],
  "referenceType": [ "branch"
  ],
  "referenceName": [ "master"
  ]
}
}
```

<https://docs.aws.amazon.com/codepipeline/latest/userguide/pipelines-trigger-source-repo-changes-console.html>

NEW QUESTION 10

A company has a data ingestion application that runs across multiple AWS accounts. The accounts are in an organization in AWS Organizations. The company needs to monitor the application and consolidate access to the application. Currently the company is running the application on Amazon EC2 instances from several Auto Scaling groups. The EC2 instances have no access to the internet because the data is sensitive. Engineers have deployed the necessary VPC endpoints. The EC2 instances run a custom AMI that is built specifically for the application.

To maintain and troubleshoot the application, system administrators need the ability to log in to the EC2 instances. This access must be automated and controlled centrally. The company's security team must receive a notification whenever the instances are accessed.

Which solution will meet these requirements?

- A. Create an Amazon EventBridge rule to send notifications to the security team whenever a user logs in to an EC2 instance. Use EC2 Instance Connect to log in to the instance.
- B. Deploy Auto Scaling groups by using AWS CloudFormation. Use the cfn-init helper script to deploy appropriate VPC routes for external access. Rebuild the custom AMI so that the custom AMI includes AWS Systems Manager Agent.
- C. Deploy a NAT gateway and a bastion host that has internet access. Create a security group that allows incoming traffic on all the EC2 instances from the bastion host. Install AWS Systems Manager Agent on all the EC2 instances. Use Auto Scaling group lifecycle hooks for monitoring and auditing access. Use Systems Manager Session Manager to log into the instances. Send logs to a log group in Amazon CloudWatch Log.
- D. Export data to Amazon S3 for auditing. Send notifications to the security team by using S3 event notifications.
- E. Use EC2 Image Builder to rebuild the custom AMI. Include the most recent version of AWS Systems Manager Agent in the image. Configure the Auto Scaling group to attach the AmazonSSMManagedInstanceCore role to all the EC2 instances. Use Systems Manager Session Manager to log in to the instances. Enable logging of session details to Amazon S3. Create an S3 event notification for new file uploads to send a message to the security team through an Amazon Simple Notification Service (Amazon SNS) topic.
- F. Use AWS Systems Manager Automation to build Systems Manager Agent into the custom AMI. Configure AWS Config to attach an SCP to the root organization account to allow the EC2 instances to connect to Systems Manager. Use Systems Manager Session Manager to log in to the instances. Enable logging of session details to Amazon S3. Create an S3 event notification for new file uploads to send a message to the security team through an Amazon Simple Notification Service (Amazon SNS) topic.

Answer: C

Explanation:

Even if AmazonSSMManagedInstanceCore is a managed policy and not an IAM role, I will go with C because this policy is to be attached to an IAM role for EC2 to access Systems Manager.

NEW QUESTION 10

A growing company manages more than 50 accounts in an organization in AWS Organizations. The company has configured its applications to send logs to Amazon CloudWatch Logs.

A DevOps engineer needs to aggregate logs so that the company can quickly search the logs to respond to future security incidents. The DevOps engineer has created a new AWS account for centralized monitoring.

Which combination of steps should the DevOps engineer take to make the application logs searchable from the monitoring account? (Select THREE.)

- A. In the monitoring account, download an AWS CloudFormation template from CloudWatch to use in the organization.
- B. Use CloudFormation StackSets in the organization's management account to deploy the CloudFormation template to the entire organization.
- C. Create an AWS CloudFormation template that defines an IAM role.
- D. Configure the role to allow logs.amazonaws.com to perform the logs:Link action if the aws:ResourceAccount property is equal to the monitoring account ID.
- E. Use CloudFormation StackSets in the organization's management account to deploy the CloudFormation template to the entire organization.
- F. Create an IAM role in the monitoring account.
- G. Attach a trust policy that allows logs.amazonaws.com to perform the iam:CreateSink action if the aws:PrincipalOrgID property is equal to the organization ID.
- H. In the organization's management account, enable the logging policies for the organization.
- I. Use CloudWatch Observability Access Manager in the monitoring account to create a sink.
- J. Allow logs to be shared with the monitoring account.
- K. Configure the monitoring account data selection to view the Observability data from the organization ID.
- L. In the monitoring account, attach the CloudWatchLogsReadOnlyAccess AWS managed policy to an IAM role that can be assumed to search the logs.

Answer: BCF

Explanation:

? To aggregate logs from multiple accounts in an organization, the DevOps engineer needs to create a cross-account subscription1 that allows the monitoring account to receive log events from the sharing accounts.

? To enable cross-account subscription, the DevOps engineer needs to create an IAM role in each sharing account that grants permission to CloudWatch Logs to

link the log groups to the destination in the monitoring account². This can be done using a CloudFormation template and StackSets³ to deploy the role to all accounts in the organization.

? The DevOps engineer also needs to create an IAM role in the monitoring account that allows CloudWatch Logs to create a sink for receiving log events from other accounts⁴. The role must have a trust policy that specifies the organization ID as a condition.

? Finally, the DevOps engineer needs to attach the

CloudWatchLogsReadOnlyAccess policy⁵ to an IAM role in the monitoring account that can be used to search the logs from the cross-account subscription.

References: 1: Cross-account log data sharing with subscriptions 2: Create an IAM role for CloudWatch Logs in each sharing account 3: AWS CloudFormation StackSets 4: Create an IAM role for CloudWatch Logs in your monitoring account 5: CloudWatchLogsReadOnlyAccess policy

NEW QUESTION 15

A company has an application and a CI/CD pipeline. The CI/CD pipeline consists of an AWS CodePipeline pipeline and an AWS CodeBuild project. The CodeBuild project runs tests against the application as part of the build process and outputs a test report. The company must keep the test reports for 90 days.

Which solution will meet these requirements?

- A. Add a new stage in the CodePipeline pipeline after the stage that contains the CodeBuild project
- B. Create an Amazon S3 bucket to store the report
- C. Configure an S3 deploy action type in the new CodePipeline stage with the appropriate path and format for the reports.
- D. Add a report group in the CodeBuild project buildspec file with the appropriate path and format for the report
- E. Create an Amazon S3 bucket to store the report
- F. Configure an Amazon EventBridge rule that invokes an AWS Lambda function to copy the reports to the S3 bucket when a build is complete
- G. Create an S3 Lifecycle rule to expire the objects after 90 days.
- H. Add a new stage in the CodePipeline pipeline
- I. Configure a test action type with the appropriate path and format for the report
- J. Configure the report expiration time to be 90 days in the CodeBuild project buildspec file.
- K. Add a report group in the CodeBuild project buildspec file with the appropriate path and format for the report
- L. Create an Amazon S3 bucket to store the report
- M. Configure the report group as an artifact in the CodeBuild project buildspec file
- N. Configure the S3 bucket as the artifact destination
- O. Set the object expiration to 90 days.

Answer: B

Explanation:

The correct solution is to add a report group in the AWS CodeBuild project buildspec file with the appropriate path and format for the reports. Then, create an Amazon S3 bucket to store the reports. You should configure an Amazon EventBridge rule that invokes an AWS Lambda function to copy the reports to the S3 bucket when a build is completed. Finally, create an S3 Lifecycle rule to expire the objects after 90 days. This approach allows for the automated transfer of reports to long-term storage and ensures

they are retained for the required duration without manual intervention¹. References:

? AWS CodeBuild User Guide on test reporting¹.

? AWS CodeBuild User Guide on working with report groups².

? AWS Documentation on using AWS CodePipeline with AWS CodeBuild³.

NEW QUESTION 17

A company uses AWS CodePipeline pipelines to automate releases of its application. A typical pipeline consists of three stages: build, test, and deployment. The company has been using a separate AWS CodeBuild project to run scripts for each stage. However, the company now wants to use AWS CodeDeploy to handle the deployment stage of the pipelines.

The company has packaged the application as an RPM package and must deploy the application to a fleet of Amazon EC2 instances. The EC2 instances are in an EC2 Auto Scaling group and are launched from a common AMI.

Which combination of steps should a DevOps engineer perform to meet these requirements? (Choose two.)

- A. Create a new version of the common AMI with the CodeDeploy agent installed
- B. Update the IAM role of the EC2 instances to allow access to CodeDeploy.
- C. Create a new version of the common AMI with the CodeDeploy agent installed
- D. Create an AppSpec file that contains application deployment scripts and grants access to CodeDeploy.
- E. Create an application in CodeDeploy
- F. Configure an in-place deployment type
- G. Specify the Auto Scaling group as the deployment target
- H. Add a step to the CodePipeline pipeline to use EC2 Image Builder to create a new AMI
- I. Configure CodeDeploy to deploy the newly created AMI.
- J. Create an application in CodeDeploy
- K. Configure an in-place deployment type
- L. Specify the Auto Scaling group as the deployment target
- M. Update the CodePipeline pipeline to use the CodeDeploy action to deploy the application.
- N. Create an application in CodeDeploy
- O. Configure an in-place deployment type
- P. Specify the EC2 instances that are launched from the common AMI as the deployment target
- Q. Update the CodePipeline pipeline to use the CodeDeploy action to deploy the application.

Answer: AD

Explanation:

<https://docs.aws.amazon.com/codedeploy/latest/userguide/integrations-aws-auto-scaling.html>

NEW QUESTION 19

A company manages multiple AWS accounts by using AWS Organizations with OUS for the different business divisions. The company is updating their corporate network to use new IP address ranges. The company has 10 Amazon S3 buckets in different AWS accounts. The S3 buckets store reports for the different divisions. The S3 bucket configurations allow only private corporate network IP addresses to access the S3 buckets.

A DevOps engineer needs to change the range of IP addresses that have permission to access the contents of the S3 buckets. The DevOps engineer also needs to revoke the permissions of two OUS in the company.

Which solution will meet these requirements?

- A. Create a new SCP that has two statements, one that allows access to the new range of IP addresses for all the S3 buckets and one that denies access to the old range of IP addresses for all the S3 bucket
- B. Set a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets.
- C. Create a new SCP that has a statement that allows only the new range of IP addresses to access the S3 bucket
- D. Create another SCP that denies access to the S3 bucket
- E. Attach the second SCP to the two OUs
- F. On all the S3 buckets, configure resource-based policies that allow only the new range of IP addresses to access the S3 bucket
- G. Create a new SCP that denies access to the S3 bucket
- H. Attach the SCP to the two OUs.
- I. On all the S3 buckets, configure resource-based policies that allow only the new range of IP addresses to access the S3 bucket
- J. Set a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets.

Answer: C

Explanation:

The correct answer is C.

A comprehensive and detailed explanation is:

? Option A is incorrect because creating a new SCP that has two statements, one that allows access to the new range of IP addresses for all the S3 buckets and one that denies access to the old range of IP addresses for all the S3 buckets, is not a valid solution. SCPs are not resource-based policies, and they cannot specify the S3 buckets or the IP addresses as resources or conditions. SCPs can only control the actions that can be performed by the principals in the organization, not the access to specific resources. Moreover, setting a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets is not sufficient to revoke the permissions of the two OUs, as there might be other roles or users in those OUs that can still access the S3 buckets.

? Option B is incorrect because creating a new SCP that has a statement that allows only the new range of IP addresses to access the S3 buckets is not a valid solution, for the same reason as option A. SCPs are not resource-based policies, and they cannot specify the S3 buckets or the IP addresses as resources or conditions. Creating another SCP that denies access to the S3 buckets and attaching it to the two OUs is also not a valid solution, as SCPs cannot specify the S3 buckets as resources either.

? Option C is correct because it meets both requirements of changing the range of IP addresses that have permission to access the contents of the S3 buckets and revoking the permissions of two OUs in the company. On all the S3 buckets, configuring resource-based policies that allow only the new range of IP addresses to access the S3 buckets is a valid way to update the IP address ranges, as resource-based policies can specify both resources and conditions. Creating a new SCP that denies access to the S3 buckets and attaching it to the two OUs is also a valid way to revoke the permissions of those OUs, as SCPs can deny actions such as s3:PutObject or s3:GetObject on any resource.

? Option D is incorrect because setting a permissions boundary for the OrganizationAccountAccessRole role in the two OUs to deny access to the S3 buckets is not sufficient to revoke the permissions of the two OUs, as there might be other roles or users in those OUs that can still access the S3 buckets. A permissions boundary is a policy that defines the maximum permissions that an IAM entity can have. However, it does not revoke any existing permissions that are granted by other policies.

References:

- ? AWS Organizations
- ? S3 Bucket Policies
- ? Service Control Policies
- ? Permissions Boundaries

NEW QUESTION 24

A company has an organization in AWS Organizations. The organization includes workload accounts that contain enterprise applications. The company centrally manages users from an operations account. No users can be created in the workload accounts. The company recently added an operations team and must provide the operations team members with administrator access to each workload account.

Which combination of actions will provide this access? (Choose three.)

- A. Create a SysAdmin role in the operations account
- B. Attach the AdministratorAccess policy to the role
- C. Modify the trust relationship to allow the sts:AssumeRole action from the workload accounts.
- D. Create a SysAdmin role in each workload account
- E. Attach the AdministratorAccess policy to the role
- F. Modify the trust relationship to allow the sts:AssumeRole action from the operations account.
- G. Create an Amazon Cognito identity pool in the operations account
- H. Attach the SysAdmin role as an authenticated role.
- I. In the operations account, create an IAM user for each operations team member.
- J. In the operations account, create an IAM user group that is named SysAdmin
- K. Add an IAM policy that allows the sts:AssumeRole action for the SysAdmin role in each workload account
- L. Add all operations team members to the group.
- M. Create an Amazon Cognito user pool in the operations account
- N. Create an Amazon Cognito user for each operations team member.

Answer: BDE

Explanation:

https://docs.aws.amazon.com/IAM/latest/UserGuide/tutorial_cross-account-with-roles.html

NEW QUESTION 27

A company has multiple member accounts that are part of an organization in AWS Organizations. The security team needs to review every Amazon EC2 security group and their inbound and outbound rules. The security team wants to programmatically retrieve this information from the member accounts using an AWS Lambda function in the management account of the organization.

Which combination of access changes will meet these requirements? (Choose three.)

- A. Create a trust relationship that allows users in the member accounts to assume the management account IAM role.
- B. Create a trust relationship that allows users in the management account to assume the IAM roles of the member accounts.
- C. Create an IAM role in each member account that has access to the AmazonEC2ReadOnlyAccess managed policy.
- D. Create an IAM role in each member account to allow the sts:AssumeRole action against the management account IAM role's ARN.
- E. Create an IAM role in the management account that allows the sts:AssumeRole action against the member account IAM role's ARN.
- F. Create an IAM role in the management account that has access to the AmazonEC2ReadOnlyAccess managed policy.

Answer: BCE

Explanation:

<https://aws.amazon.com/premiumsupport/knowledge-center/lambda-function-assume-iam-role/> <https://kreuzwerker.de/post/aws-multi-account-setups-reloaded>

NEW QUESTION 32

A DevOps engineer at a company is supporting an AWS environment in which all users use AWS IAM Identity Center (AWS Single Sign-On). The company wants to immediately disable credentials of any new IAM user and wants the security team to receive a notification. Which combination of steps should the DevOps engineer take to meet these requirements? (Choose three.)

- A. Create an Amazon EventBridge rule that reacts to an IAM CreateUser API call in AWS CloudTrail.
- B. Create an Amazon EventBridge rule that reacts to an IAM GetLoginProfile API call in AWS CloudTrail.
- C. Create an AWS Lambda function that is a target of the EventBridge rule.
- D. Configure the Lambda function to disable any access keys and delete the login profiles that are associated with the IAM user.
- E. Create an AWS Lambda function that is a target of the EventBridge rule.
- F. Configure the Lambda function to delete the login profiles that are associated with the IAM user.
- G. Create an Amazon Simple Notification Service (Amazon SNS) topic that is a target of the EventBridge rule.
- H. Subscribe the security team's group email address to the topic.
- I. Create an Amazon Simple Queue Service (Amazon SQS) queue that is a target of the Lambda function.
- J. Subscribe the security team's group email address to the queue.

Answer: ACE

NEW QUESTION 34

A company uses an Amazon API Gateway regional REST API to host its application API. The REST API has a custom domain. The REST API's default endpoint is deactivated.

The company's internal teams consume the API. The company wants to use mutual TLS between the API and the internal teams as an additional layer of authentication.

Which combination of steps will meet these requirements? (Select TWO.)

- A. Use AWS Certificate Manager (ACM) to create a private certificate authority (CA). Provision a client certificate that is signed by the private CA.
- B. Provision a client certificate that is signed by a public certificate authority (CA). Import the certificate into AWS Certificate Manager (ACM).
- C. Upload the provisioned client certificate to an Amazon S3 bucket.
- D. Configure the API Gateway mutual TLS to use the client certificate that is stored in the S3 bucket as the trust store.
- E. Upload the provisioned client certificate private key to an Amazon S3 bucket.
- F. Configure the API Gateway mutual TLS to use the private key that is stored in the S3 bucket as the trust store.
- G. Upload the root private certificate authority (CA) certificate to an Amazon S3 bucket.
- H. Configure the API Gateway mutual TLS to use the private CA certificate that is stored in the S3 bucket as the trust store.

Answer: AE

Explanation:

Mutual TLS (mTLS) authentication requires two-way authentication between the client and the server. For Amazon API Gateway, you can enable mTLS for a custom domain name, which requires clients to present X.509 certificates to verify their identity to access your API. To set up mTLS, you would typically use AWS Certificate Manager (ACM) to create a private certificate authority (CA) and provision a client certificate signed by this private CA. The root CA certificate is then uploaded to an Amazon S3 bucket and configured in API Gateway as the trust store¹².

References:

- ? Introducing mutual TLS authentication for Amazon API Gateway¹.
- ? Configuring mutual TLS authentication for a REST API².
- ? AWS Private Certificate Authority details³.
- ? AWS Certificate Manager Private Certificate Authority updates⁴.

NEW QUESTION 36

A company has multiple accounts in an organization in AWS Organizations. The company's SecOps team needs to receive an Amazon Simple Notification Service (Amazon SNS) notification if any account in the organization turns off the Block Public Access feature on an Amazon S3 bucket. A DevOps engineer must implement this change without affecting the operation of any AWS accounts. The implementation must ensure that individual member accounts in the organization cannot turn off the notification.

Which solution will meet these requirements?

- A. Designate an account to be the delegated Amazon GuardDuty administrator account.
- B. Turn on GuardDuty for all accounts across the organization.
- C. In the GuardDuty administrator account, create an SNS topic.
- D. Subscribe the SecOps team's email address to the SNS topic.
- E. In the same account, create an Amazon EventBridge rule that uses an event pattern for GuardDuty findings and a target of the SNS topic.
- F. Create an AWS CloudFormation template that creates an SNS topic and subscribes the SecOps team's email address to the SNS topic.
- G. In the template, include an Amazon EventBridge rule that uses an event pattern of CloudTrail activity for s3:PutBucketPublicAccessBlock and a target of the SNS topic.
- H. Deploy the stack to every account in the organization by using CloudFormation StackSets.
- I. Turn on AWS Config across the organization.
- J. In the delegated administrator account, create an SNS topic.
- K. Subscribe the SecOps team's email address to the SNS topic.
- L. Deploy a conformance pack that uses the s3-bucket-level-public-access-prohibited AWS Config managed rule in each account and uses an AWS Systems Manager document to publish an event to the SNS topic to notify the SecOps team.
- M. Turn on Amazon Inspector across the organization.
- N. In the Amazon Inspector delegated administrator account, create an SNS topic.
- O. Subscribe the SecOps team's email address to the SNS topic.
- P. In the same account, create an Amazon EventBridge rule that uses an event pattern for public network exposure of the S3 bucket and publishes an event to the SNS topic to notify the SecOps team.

Answer: C

Explanation:

Amazon GuardDuty is primarily on threat detection and response, not configuration monitoring. A conformance pack is a collection of AWS Config rules and remediation actions that can be easily deployed as a single entity in an account and a Region or across an organization in AWS Organizations.
<https://docs.aws.amazon.com/config/latest/developerguide/conformance-packs.html> <https://docs.aws.amazon.com/config/latest/developerguide/s3-account-level-public-access-blocks.html>

NEW QUESTION 37

A company manages AWS accounts for application teams in AWS Control Tower. Individual application teams are responsible for securing their respective AWS accounts.

A DevOps engineer needs to enable Amazon GuardDuty for all AWS accounts in which the application teams have not already enabled GuardDuty. The DevOps engineer is using AWS CloudFormation StackSets from the AWS Control Tower management account.

How should the DevOps engineer configure the CloudFormation template to prevent failure during the StackSets deployment?

- A. Create a CloudFormation custom resource that invokes an AWS Lambda function.
- B. Configure the Lambda function to conditionally enable GuardDuty if GuardDuty is not already enabled in the accounts.
- C. Use the Conditions section of the CloudFormation template to enable GuardDuty in accounts where GuardDuty is not already enabled.
- D. Use the CloudFormation Fn::GetAtt intrinsic function to check whether GuardDuty is already enabled. If GuardDuty is not already enabled, use the Resources section of the CloudFormation template to enable GuardDuty.
- E. Get the Fn::GetAtt intrinsic function to check whether GuardDuty is already enabled. If GuardDuty is not already enabled, use the Resources section of the CloudFormation template to enable GuardDuty.
- F. Manually discover the list of AWS account IDs where GuardDuty is not enabled. Use the CloudFormation Fn::ImportValue intrinsic function to import the list of account IDs into the CloudFormation template to skip deployment for the listed AWS accounts.

Answer: A

Explanation:

This solution will meet the requirements because it will use a CloudFormation custom resource to execute custom logic during the stack set operation. A custom resource is a resource that you define in your template and that is associated with an AWS Lambda function. The Lambda function runs whenever the custom resource is created, updated, or deleted, and can perform any actions that are supported by the AWS SDK. In this case, the Lambda function can use the GuardDuty API to check whether GuardDuty is already enabled in each target account, and if not, enable it. This way, the DevOps engineer can avoid deploying the stack set to accounts that already have GuardDuty enabled, and prevent failure during the deployment.

NEW QUESTION 41

A company has chosen AWS to host a new application. The company needs to implement a multi-account strategy. A DevOps engineer creates a new AWS account and an organization in AWS Organizations. The DevOps engineer also creates the OU structure for the organization and sets up a landing zone by using AWS Control Tower.

The DevOps engineer must implement a solution that automatically deploys resources for new accounts that users create through AWS Control Tower Account Factory. When a user creates a new account, the solution must apply AWS CloudFormation templates and SCPs that are customized for the OU or the account to automatically deploy all the resources that are attached to the account. All the OUs are enrolled in AWS Control Tower.

Which solution will meet these requirements in the MOST automated way?

- A. Use AWS Service Catalog with AWS Control Tower.
- B. Create portfolios and products in AWS Service Catalog.
- C. Grant granular permissions to provision these resources.
- D. Deploy SCPs by using the AWS CLI and JSON documents.
- E. Deploy CloudFormation stack sets by using the required template.
- F. Enable automatic deployment.
- G. Deploy stack instances to the required account.
- H. Deploy a CloudFormation stack set to the organization's management account to deploy SCPs.
- I. Create an Amazon EventBridge rule to detect the CreateManagedAccount event.
- J. Configure AWS Service Catalog as the target to deploy resources to any new account.
- K. Deploy SCPs by using the AWS CLI and JSON documents.
- L. Deploy the Customizations for AWS Control Tower (CfCT) solution.
- M. Use an AWS CodeCommit repository as the source.
- N. In the repository, create a custom package that includes the CloudFormation templates and the SCP JSON documents.

Answer: D

Explanation:

The CfCT solution is designed for the exact purpose stated in the question. It extends the capabilities of AWS Control Tower by providing you with a way to automate resource provisioning and apply custom configurations across all AWS accounts created in the Control Tower environment. This enables the company to implement additional account customizations when new accounts are provisioned via the Control Tower Account Factory. The CloudFormation templates and SCPs can be added to a CodeCommit repository and will be automatically deployed to new accounts when they are created. This provides a highly automated solution that does not require manual intervention to deploy resources and SCPs to new accounts.

NEW QUESTION 46

A company deploys its corporate infrastructure on AWS across multiple AWS Regions and Availability Zones. The infrastructure is deployed on Amazon EC2 instances and connects with AWS IoT Greengrass devices. The company deploys additional resources on on-premises servers that are located in the corporate headquarters.

The company wants to reduce the overhead involved in maintaining and updating its resources. The company's DevOps team plans to use AWS Systems Manager to implement automated management and application of patches. The DevOps team confirms that Systems Manager is available in the Regions that the resources are deployed in. Systems Manager is also available in a Region near the corporate headquarters.

Which combination of steps must the DevOps team take to implement automated patch and configuration management across the company's EC2 instances, IoT devices, and on-premises infrastructure? (Select THREE.)

- A. Apply tags to all the EC2 instances.
- B. AWS IoT Greengrass devices, and on-premises servers.
- C. Use Systems Manager Session Manager to push patches to all the tagged devices.
- D. Use Systems Manager Run Command to schedule patching for the EC2 instances, AWS IoT Greengrass devices, and on-premises servers.
- E. Use Systems Manager Patch Manager to schedule patching for the EC2 instances, AWS IoT Greengrass devices, and on-premises servers as a Systems Manager maintenance window task.

- F. Configure Amazon EventBridge to monitor Systems Manager Patch Manager for updates to patch baseline
- G. Associate Systems Manager Run Command with the event to initiate a patch action for all EC2 instances AWS IoT Greengrass devices and on-premises servers.
- H. Create an IAM instance profile for Systems Manager Attach the instance profile to all the EC2 instances in the AWS account
- I. For the AWS IoT Greengrass devices and on-premises servers create an IAM service role for Systems Manager.
- J. Generate a managed-instance activation Use the Activation Code and Activation ID to install Systems Manager Agent (SSM Agent) on each server in the on-premises environment Update the AWS IoT Greengrass IAM token exchange role Use the role to deploy SSM Agent on all the IoT devices.

Answer: CEF

Explanation:

https://aws.amazon.com/blogs/mt/how-to-centrally-manage-aws-iot-greengrass-devices-using-aws-systems-manager/?force_isolation=true

NEW QUESTION 47

A DevOps engineer needs to back up sensitive Amazon S3 objects that are stored within an S3 bucket with a private bucket policy using S3 cross-Region replication functionality. The objects need to be copied to a target bucket in a different AWS Region and account. Which combination of actions should be performed to enable this replication? (Choose three.)

- A. Create a replication IAM role in the source account
- B. Create a replication IAM role in the target account.
- C. Add statements to the source bucket policy allowing the replication IAM role to replicate objects.
- D. Add statements to the target bucket policy allowing the replication IAM role to replicate objects.
- E. Create a replication rule in the source bucket to enable the replication.
- F. Create a replication rule in the target bucket to enable the replication.

Answer: ADE

Explanation:

S3 cross-Region replication (CRR) automatically replicates data between buckets across different AWS Regions. To enable CRR, you need to add a replication configuration to your source bucket that specifies the destination bucket, the IAM role, and the encryption type (optional). You also need to grant permissions to the IAM role to perform replication actions on both the source and destination buckets. Additionally, you can choose the destination storage class and enable additional replication options such as S3 Replication Time Control (S3 RTC) or S3 Batch Replication. <https://medium.com/cloud-techies/s3-same-region-replication-srr-and-cross-region-replication-crr-34d446806bab> <https://aws.amazon.com/getting-started/hands-on/replicate-data-using-amazon-s3-replication/> <https://docs.aws.amazon.com/AmazonS3/latest/userguide/replication.html>

NEW QUESTION 52

A company has multiple AWS accounts. The company uses AWS IAM Identity Center (AWS Single Sign-On) that is integrated with AWS Toolkit for Microsoft Azure DevOps. The attributes for access control feature is enabled in IAM Identity Center.

The attribute mapping list contains two entries. The department key is mapped to

`${path:enterprise.department}`. The costCenter key is mapped to

`${path:enterprise.costCenter}`.

All existing Amazon EC2 instances have a department tag that corresponds to three company departments (d1, d2, d3). A DevOps engineer must create policies based on the matching attributes. The policies must minimize administrative effort and must grant each Azure AD user access to only the EC2 instances that are tagged with the user's respective department name.

Which condition key should the DevOps engineer include in the custom permissions policies to meet these requirements?

A.

```
"Condition": {
  "ForAllValues:StringEquals": {
    "aws:TagKeys": ["department"]
  }
}
```

B.

```
"Condition": {
  "StringEquals": {
    "aws:PrincipalTag/department": "${aws:ResourceTag/department}"
  }
}
```

C.

```
"Condition": {
  "StringEquals": {
    "ec2:ResourceTag/department": "${aws:PrincipalTag/department}"
  }
}
```

D.

```
"Condition": {
  "ForAllValues:StringEquals": {
    "ec2:ResourceTag/departement": ["d1", "d2", "d3"]
  }
}
```

A.

Answer: C

Explanation:

<https://docs.aws.amazon.com/singlesignon/latest/userguide/configure-abac.html>

NEW QUESTION 53

A company has migrated its container-based applications to Amazon EKS and want to establish automated email notifications. The notifications sent to each email address are for specific activities related to EKS components. The solution will include Amazon SNS topics and an AWS Lambda function to evaluate incoming log events and publish messages to the correct SNS topic.

Which logging solution will support these requirements?

- A. Enable Amazon CloudWatch Logs to log the EKS component
- B. Create a CloudWatch subscription filter for each component with Lambda as the subscription feed destination.
- C. Enable Amazon CloudWatch Logs to log the EKS component
- D. Create CloudWatch Logs Insights queries linked to Amazon EventBridge events that invoke Lambda.
- E. Enable Amazon S3 logging for the EKS component
- F. Configure an Amazon CloudWatch subscription filter for each component with Lambda as the subscription feed destination.
- G. Enable Amazon S3 logging for the EKS component
- H. Configure S3 PUT Object event notifications with AWS Lambda as the destination.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html#LambdaFunctionExample>
<https://docs.aws.amazon.com/AmazonCloudWatch/latest/logs/SubscriptionFilters.html>

NEW QUESTION 56

A company recently migrated its legacy application from on-premises to AWS. The application is hosted on Amazon EC2 instances behind an Application Load Balancer which is behind Amazon API Gateway. The company wants to ensure users experience minimal disruptions during any deployment of a new version of the application. The company also wants to ensure it can quickly roll back updates if there is an issue.

Which solution will meet these requirements with MINIMAL changes to the application?

- A. Introduce changes as a separate environment parallel to the existing one Configure API Gateway to use a canary release deployment to send a small subset of user traffic to the new environment.
- B. Introduce changes as a separate environment parallel to the existing one Update the application's DNS alias records to point to the new environment.
- C. Introduce changes as a separate target group behind the existing Application Load Balancer Configure API Gateway to route user traffic to the new target group in steps.
- D. Introduce changes as a separate target group behind the existing Application Load Balancer Configure API Gateway to route all traffic to the Application Load Balancer which then sends the traffic to the new target group.

Answer: A

Explanation:

API Gateway supports canary deployment on a deployment stage before you direct all traffic to that stage. A parallel environment means we will create a new ALB and a target group that will target a new set of EC2 instances on which the newer version of the app will be deployed. So the canary setting associated to the new version of the API will connect with the new ALB instance which in turn will direct the traffic to the new EC2 instances on which the newer version of the application is deployed.

NEW QUESTION 58

A company has multiple development groups working in a single shared AWS account. The Senior Manager of the groups wants to be alerted via a third-party API call when the creation of resources approaches the service limits for the account.

Which solution will accomplish this with the LEAST amount of development effort?

- A. Create an Amazon CloudWatch Event rule that runs periodically and targets an AWS Lambda function
- B. Within the Lambda function, evaluate the current state of the AWS environment and compare deployed resource values to resource limits on the account
- C. Notify the Senior Manager if the account is approaching a service limit.
- D. Deploy an AWS Lambda function that refreshes AWS Trusted Advisor checks, and configure an Amazon CloudWatch Events rule to run the Lambda function periodically
- E. Create another CloudWatch Events rule with an event pattern matching Trusted Advisor events and a target Lambda function
- F. In the target Lambda function, notify the Senior Manager.
- G. Deploy an AWS Lambda function that refreshes AWS Personal Health Dashboard checks, and configure an Amazon CloudWatch Events rule to run the Lambda function periodically
- H. Create another CloudWatch Events rule with an event pattern matching Personal Health Dashboard events and a target Lambda function
- I. In the target Lambda function, notify the Senior Manager.
- J. Add an AWS Config custom rule that runs periodically, checks the AWS service limit status, and streams notifications to an Amazon SNS topic
- K. Deploy an AWS Lambda function that notifies the Senior Manager, and subscribe the Lambda function to the SNS topic.

Answer: B

Explanation:

To meet the requirements, the company needs to create a solution that alerts the Senior Manager when the creation of resources approaches the service limits for the account with the least amount of development effort. The company can use AWS Trusted Advisor, which is a service that provides best practice recommendations for cost optimization, performance, security, and service limits. The company can deploy an AWS Lambda function that refreshes Trusted Advisor checks, and configure an Amazon CloudWatch Events rule to run the Lambda function periodically. This will ensure that Trusted Advisor checks are up to date and reflect the current state of the account. The company can then create another CloudWatch Events rule with an event pattern matching Trusted Advisor events and a target Lambda function. The event pattern can filter for events related to service limit checks and their status. The target Lambda function can notify the Senior Manager via a third-party API call if the event indicates that the account is approaching or exceeding a service limit.

NEW QUESTION 60

A company's development team uses AVMS Cloud Formation to deploy its application resources. The team must use for any changes to the environment. The team cannot use AWS Management Console or the AWS CLI to make manual changes directly.

The team uses a developer IAM role to access the environment. The role is configured with the AdministratorAccess managed policy. The company has created a new CloudFormationDeployment IAM role that has the following policy.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": [
        "elasticloadbalancing:*",
        "lambda:*",
        "dynamodb:*"
      ],
      "Resource": "*"
    }
  ]
}
```

The company wants to ensure that only CloudFormation can use the new role. The development team cannot make any manual changes to the deployed resources. Which combination of steps meets these requirements? (Select THREE.)

- A. Remove the AdministratorAccess policy
- B. Assign the ReadOnlyAccess managed IAM policy to the developer role
- C. Instruct the developers to use the CloudFormationDeployment role as a CloudFormation service role when the developers deploy new stacks.
- D. Update the trust of CloudFormationDeployment role to allow the developer IAM role to assume the CloudFormationDeployment role.
- E. Configure the IAM user to be able to get and pass the CloudFormationDeployment role if cloudformation actions for resources.
- F. Update the trust of the CloudFormationDeployment role to allow the cloudformation.amazonaws.com AWS principal to perform the iam:AssumeRole action
- G. Remove the AdministratorAccess policy
- H. Assign the ReadOnlyAccess managed IAM policy to the developer role. Instruct the developers to assume the CloudFormationDeployment role when they deploy new stacks
- I. Add an IAM policy to CloudFormationDeployment to allow cloudformation:* on an IAM role. Add a policy that allows the iam:PassRole action for ARN of the CloudFormationDeployment role

Answer: ADF

Explanation:

A comprehensive and detailed explanation is:

? Option A is correct because removing the AdministratorAccess policy and assigning the ReadOnlyAccess managed IAM policy to the developer role is a valid way to prevent the developers from making any manual changes to the deployed resources. The AdministratorAccess policy grants full access to all AWS resources and actions, which is not necessary for the developers. The ReadOnlyAccess policy grants read-only access to most AWS resources and actions, which is sufficient for the developers to view the status of their stacks. Instructing the developers to use the CloudFormationDeployment role as a CloudFormation service role when they deploy new stacks is also a valid way to ensure that only CloudFormation can use the new role. A CloudFormation service role is an IAM role that allows CloudFormation to make calls to resources in a stack on behalf of the user. The user can specify a service role when they create or update a stack, and CloudFormation will use that role's credentials for all operations that are performed on that stack.

? Option B is incorrect because updating the trust of CloudFormationDeployment role to allow the developer IAM role to assume the CloudFormationDeployment role is not a valid solution. This would allow the developers to manually assume the CloudFormationDeployment role and perform actions on the deployed resources, which is not what the company wants. The trust of CloudFormationDeployment role should only allow the cloudformation.amazonaws.com AWS principal to assume the role, as in option D.

? Option C is incorrect because configuring the IAM user to be able to get and pass the CloudFormationDeployment role if cloudformation actions for resources is not a valid solution. This would allow the developers to manually pass the CloudFormationDeployment role to other services or resources, which is not what the company wants. The IAM user should only be able to pass the CloudFormationDeployment role as a service role when they create or update a stack with CloudFormation, as in option A.

? Option D is correct because updating the trust of CloudFormationDeployment role to allow the cloudformation.amazonaws.com AWS principal to perform the iam:AssumeRole action is a valid solution. This allows CloudFormation to assume the CloudFormationDeployment role and access resources in other services on behalf of the user. The trust policy of an IAM role defines which entities can assume the role. By specifying cloudformation.amazonaws.com as the principal, you grant permission only to CloudFormation to assume this role.

? Option E is incorrect because instructing the developers to assume the CloudFormationDeployment role when they deploy new stacks is not a valid solution. This would allow the developers to manually assume the CloudFormationDeployment role and perform actions on the deployed resources, which is not what the company wants. The developers should only use the CloudFormationDeployment role as a service role when they deploy new stacks with CloudFormation, as in option A.

? Option F is correct because adding an IAM policy to CloudFormationDeployment that allows cloudformation:* on all resources and adding a policy that allows the iam:PassRole action for ARN of CloudFormationDeployment if iam:PassedToService equals cloudformation.amazonaws.com are valid solutions. The first policy grants permission for CloudFormationDeployment to perform any action with any resource using cloudformation.amazonaws.com as a service principal³. The second policy grants permission for passing this role only if it is passed by cloudformation.amazonaws.com as a service principal⁴. This ensures that only CloudFormation can use this role.

References:

? 1: AWS CloudFormation service roles

? 2: How to use trust policies with IAM roles

? 3: AWS::IAM::Policy

? 4: IAM: Pass an IAM role to a specific AWS service

NEW QUESTION 63

A company's DevOps engineer is creating an AWS Lambda function to process notifications from an Amazon Simple Notification Service (Amazon SNS) topic. The Lambda function will process the notification messages and will write the contents of the notification messages to an Amazon RDS Multi-AZ DB instance. During testing a database administrator accidentally shut down the DB instance. While the database was down the company lost several of the SNS notification messages that were delivered during that time.

The DevOps engineer needs to prevent the loss of notification messages in the future Which solutions will meet this requirement? (Select TWO.)

- A. Replace the RDS Multi-AZ DB instance with an Amazon DynamoDB table.
- B. Configure an Amazon Simple Queue Service (Amazon SQS) queue as a destination of the Lambda function.
- C. Configure an Amazon Simple Queue Service (Amazon SQS) dead-letter queue for the SNS topic.
- D. Subscribe an Amazon Simple Queue Service (Amazon SQS) queue to the SNS topic Configure the Lambda function to process messages from the SQS queue.
- E. Replace the SNS topic with an Amazon EventBridge event bus Configure an EventBridge rule on the new event bus to invoke the Lambda function for each event.

Answer: CD

Explanation:

These solutions will meet the requirement because they will prevent the loss of notification messages in the future. An Amazon SQS queue is a service that provides a reliable, scalable, and secure message queue for asynchronous communication between distributed components. You can use an SQS queue to buffer messages from an SNS topic and ensure that they are delivered and processed by a Lambda function, even if the function or the database is temporarily unavailable.

Option C will configure an SQS dead-letter queue for the SNS topic. A dead-letter queue is a queue that receives messages that could not be delivered to any subscriber after a specified number of retries. You can use a dead-letter queue to store and analyze failed messages, or to reprocess them later. This way, you can avoid losing messages that could not be delivered to the Lambda function due to network errors, throttling, or other issues. Option D will subscribe an SQS queue to the SNS topic and configure the Lambda function to process messages from the SQS queue. This will decouple the SNS topic from the Lambda function and provide more flexibility and control over the message delivery and processing. You can use an SQS queue to store messages from the SNS topic until they are ready to be processed by the Lambda function, and also to retry processing in case of failures. This way, you can avoid losing messages that could not be processed by the Lambda function due to database errors, timeouts, or other issues.

NEW QUESTION 66

A company has many applications. Different teams in the company developed the applications by using multiple languages and frameworks. The applications run on premises and on different servers with different operating systems. Each team has its own release protocol and process. The company wants to reduce the complexity of the release and maintenance of these applications.

The company is migrating its technology stacks, including these applications, to AWS. The

company wants centralized control of source code, a consistent and automatic delivery pipeline, and as few maintenance tasks as possible on the underlying infrastructure.

What should a DevOps engineer do to meet these requirements?

- A. Create one AWS CodeCommit repository for all application
- B. Put each application's code in a different branch
- C. Merge the branches, and use AWS CodeBuild to build the application
- D. Use AWS CodeDeploy to deploy the applications to one centralized application server.
- E. Create one AWS CodeCommit repository for each of the application
- F. Use AWS CodeBuild to build the applications one at a time
- G. Use AWS CodeDeploy to deploy the applications to one centralized application server.
- H. Create one AWS CodeCommit repository for each of the application
- I. Use AWS CodeBuild to build the applications one at a time and to create one AMI for each server
- J. Use AWS CloudFormation StackSets to automatically provision and decommission Amazon EC2 fleets by using these AMIs.
- K. Create one AWS CodeCommit repository for each of the application
- L. Use AWS CodeBuild to build one Docker image for each application in Amazon Elastic Container Registry (Amazon ECR). Use AWS CodeDeploy to deploy the applications to Amazon Elastic Container Service (Amazon ECS) on infrastructure that AWS Fargate manages.

Answer: D

Explanation:

because of "as few maintenance tasks as possible on the underlying infrastructure". Fargate does that better than "one centralized application server"

NEW QUESTION 69

An ecommerce company is receiving reports that its order history page is experiencing delays in reflecting the processing status of orders. The order processing system consists of an AWS Lambda function that uses reserved concurrency. The Lambda function processes order messages from an Amazon Simple Queue Service (Amazon SQS) queue and inserts processed orders into an Amazon DynamoDB table. The DynamoDB table has auto scaling enabled for read and write capacity.

Which actions should a DevOps engineer take to resolve this delay? (Choose two.)

- A. Check the ApproximateAgeOfOldestMessage metric for the SQS queue
- B. Increase the Lambda function concurrency limit.
- C. Check the ApproximateAgeOfOldestMessage metric for the SQS queue Configure a redrive policy on the SQS queue.
- D. Check the NumberOfMessagesSent metric for the SQS queue

- E. Increase the SQS queue visibility timeout.
- F. Check the WriteThrottleEvents metric for the DynamoDB tabl
- G. Increase the maximum write capacity units (WCUs) for the table's scaling policy.
- H. Check the Throttles metric for the Lambda functio
- I. Increase the Lambda function timeout.

Answer: AD

Explanation:

A: If the ApproximateAgeOfOldestMessages indicate that orders are remaining in the SQS queue for longer than expected, the reserved concurrency limit may be set too small to keep up with the number of orders entering the queue and is being throttled. D: The DynamoDB table is using Auto Scaling. With Auto Scaling, you create a scaling policy that specifies whether you want to scale read capacity or write capacity (or both), and the minimum and maximum provisioned capacity unit settings for the table. The ThrottledWriteRequests metric will indicate if there is a throttling issue on the DynamoDB table, which can be resolved by increasing the maximum write capacity units for the table's Auto Scaling policy. <https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/AutoScaling.html>

NEW QUESTION 71

A DevOps engineer needs to configure a blue green deployment for an existing three-tier application. The application runs on Amazon EC2 instances and uses an Amazon RDS database. The EC2 instances run behind an Application Load Balancer (ALB) and are in an Auto Scaling group.

The DevOps engineer has created a launch template and an Auto Scaling group for the blue environment. The DevOps engineer also has created a launch template and an Auto Scaling group for the green environment. Each Auto Scaling group deploys to a matching blue or green target group. The target group also specifies which software blue or green gets loaded on the EC2 instances. The ALB can be configured to send traffic to the blue environment's target group or the green environment's target group. An Amazon Route 53 record for www.example.com points to the ALB.

The deployment must move traffic all at once between the software on the blue environment's EC2 instances to the newly deployed software on the green environment's EC2 instances.

What should the DevOps engineer do to meet these requirements?

- A. Start a rolling restart to the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances. When the rolling restart is complete, use an AWS CLI command to update the ALB to send traffic to the green environment's target group.
- B. Use an AWS CLI command to update the ALB to send traffic to the green environment's target group.
- C. Then start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances.
- D. Update the launch template to deploy the green environment's software on the blue environment's EC2 instances. Keep the target groups and Auto Scaling groups unchanged in both environments. Perform a rolling restart of the blue environment's EC2 instances.
- E. Start a rolling restart of the Auto Scaling group for the green environment to deploy the new software on the green environment's EC2 instances. When the rolling restart is complete, update the Route 53 DNS to point to the green environment's endpoint on the ALB.

Answer: A

Explanation:

This solution will meet the requirements because it will use a rolling restart to gradually replace the EC2 instances in the green environment with new instances that have the new software version installed. A rolling restart is a process that terminates and launches instances in batches, ensuring that there is always a minimum number of healthy instances in service. This way, the green environment can be updated without affecting the availability or performance of the application. When the rolling restart is complete, the DevOps engineer can use an AWS CLI command to modify the listener rules of the ALB and change the default action to forward traffic to the green environment's target group. This will switch the traffic from the blue environment to the green environment all at once, as required by the question.

NEW QUESTION 74

A company has its AWS accounts in an organization in AWS Organizations. AWS Config is manually configured in each AWS account. The company needs to implement a solution to centrally configure AWS Config for all accounts in the organization. The solution also must record resource changes to a central account. Which combination of actions should a DevOps engineer perform to meet these requirements? (Choose two.)

- A. Configure a delegated administrator account for AWS Config
- B. Enable trusted access for AWS Config in the organization.
- C. Configure a delegated administrator account for AWS Config
- D. Create a service-linked role for AWS Config in the organization's management account.
- E. Create an AWS CloudFormation template to create an AWS Config aggregator
- F. Configure a CloudFormation stack set to deploy the template to all accounts in the organization.
- G. Create an AWS Config organization aggregator in the organization's management account
- H. Configure data collection from all AWS accounts in the organization and from all AWS Regions.
- I. Create an AWS Config organization aggregator in the delegated administrator account
- J. Configure data collection from all AWS accounts in the organization and from all AWS Regions.

Answer: AE

Explanation:

<https://aws.amazon.com/blogs/mt/org-aggregator-delegated-admin/> <https://docs.aws.amazon.com/organizations/latest/userguide/services-that-can-integrate-config.html>

NEW QUESTION 77

A company needs to ensure that flow logs remain configured for all existing and new VPCs in its AWS account. The company uses an AWS CloudFormation stack to manage its VPCs. The company needs a solution that will work for any VPCs that any IAM user creates.

Which solution will meet these requirements?

- A. Add the resource to the CloudFormation stack that creates the VPCs.
- B. Create an organization in AWS Organization
- C. Add the company's AWS account to the organization
- D. Create an SCP to prevent users from modifying VPC flow logs.
- E. Turn on AWS Config
- F. Create an AWS Config rule to check whether VPC flow logs are turned on
- G. Configure automatic remediation to turn on VPC flow logs.
- H. Create an IAM policy to deny the use of API calls for VPC flow log

I. Attach the IAM policy to all IAM users.

Answer: C

Explanation:

To meet the requirements of ensuring that flow logs remain configured for all existing and new VPCs in the AWS account, the company should use AWS Config and automatic remediation. AWS Config is a service that enables customers to assess, audit, and evaluate the configurations of their AWS resources. AWS Config continuously monitors and records the configuration changes of the AWS resources and evaluates them against desired configurations. Customers can use AWS Config rules to define the desired configuration state of their AWS resources and trigger actions when a resource configuration violates a rule.

One of the AWS Config rules that customers can use is `vpc-flow-logs-enabled`, which checks whether VPC flow logs are enabled for all VPCs in an AWS account. Customers can also configure automatic remediation for this rule, which means that AWS Config will automatically enable VPC flow logs for any VPCs that do not have them enabled. Customers can specify the destination (CloudWatch Logs or S3) and the traffic type (all, accept, or reject) for the flow logs as remediation parameters. By using AWS Config and automatic remediation, the company can ensure that flow logs remain configured for all existing and new VPCs in its AWS account, regardless of who creates them or how they are created.

The other options are not correct because they do not meet the requirements or follow best practices. Adding the resource to the CloudFormation stack that creates the VPCs is not a sufficient solution because it will only work for VPCs that are created by using the CloudFormation stack. It will not work for VPCs that are created by using other methods, such as the console or the API. Creating an organization in AWS Organizations and creating an SCP to prevent users from modifying VPC flow logs is not a good solution because it will not ensure that flow logs are enabled for all VPCs in the first place. It will only prevent users from disabling or changing flow logs after they are enabled. Creating an IAM policy to deny the use of API calls for VPC flow logs and attaching it to all IAM users is not a valid solution because it will prevent users from enabling or disabling flow logs at all.

It will also not work for VPCs that are created by using other methods, such as the console or CloudFormation.

References:

? 1: AWS::EC2::FlowLog - AWS CloudFormation

? 2: Amazon VPC Flow Logs extends CloudFormation Support to custom format subscriptions, 1-minute aggregation intervals and tagging

? 3: Logging IP traffic using VPC Flow Logs - Amazon Virtual Private Cloud

? : About AWS Config - AWS Config

? : `vpc-flow-logs-enabled` - AWS Config

? : Remediate Noncompliant Resources with AWS Config Rules - AWS Config

NEW QUESTION 78

A company is deploying a new application that uses Amazon EC2 instances. The company needs a solution to query application logs and AWS account API activity Which solution will meet these requirements?

- A. Use the Amazon CloudWatch agent to send logs from the EC2 instances to Amazon CloudWatch Logs Configure AWS CloudTrail to deliver the API logs to Amazon S3 Use CloudWatch to query both sets of logs.
- B. Use the Amazon CloudWatch agent to send logs from the EC2 instances to Amazon CloudWatch Logs Configure AWS CloudTrail to deliver the API logs to CloudWatch Logs Use CloudWatch Logs Insights to query both sets of logs.
- C. Use the Amazon CloudWatch agent to send logs from the EC2 instances to Amazon Kinesis Configure AWS CloudTrail to deliver the API logs to Kinesis Use Kinesis to load the data into Amazon Redshift Use Amazon Redshift to query both sets of logs.
- D. Use the Amazon CloudWatch agent to send logs from the EC2 instances to Amazon S3 Use AWS CloudTrail to deliver the API logs to Amazon S3 Use Amazon Athena to query both sets of logs in Amazon S3.

Answer: D

Explanation:

This solution will meet the requirements because it will use Amazon S3 as a common data lake for both the application logs and the API logs. Amazon S3 is a service that provides scalable, durable, and secure object storage for any type of data. You can use the Amazon CloudWatch agent to send logs from your EC2 instances to S3 buckets, and use AWS CloudTrail to deliver the API logs to S3 buckets as well. You can also use Amazon Athena to query both sets of logs in S3 using standard SQL, without loading or transforming them. Athena is a serverless interactive query service that allows you to analyze data in S3 using a variety of data formats, such as JSON, CSV, Parquet, and ORC.

NEW QUESTION 79

A rapidly growing company wants to scale for developer demand for AWS development environments. Development environments are created manually in the AWS Management Console. The networking team uses AWS CloudFormation to manage the networking infrastructure, exporting stack output values for the Amazon VPC and all subnets. The development environments have common standards, such as Application Load Balancers, Amazon EC2 Auto Scaling groups, security groups, and Amazon DynamoDB tables.

To keep up with demand, the DevOps engineer wants to automate the creation of development environments. Because the infrastructure required to support the application is expected to grow, there must be a way to easily update the deployed infrastructure. CloudFormation will be used to create a template for the development environments.

Which approach will meet these requirements and quickly provide consistent AWS environments for developers?

- A. Use `Fn::ImportValue` intrinsic functions in the Resources section of the template to retrieve Virtual Private Cloud (VPC) and subnet value
- B. Use CloudFormation StackSets for the development environments, using the Count input parameter to indicate the number of environments needed
- C. Use the `UpdateStackSet` command to update existing development environments.
- D. Use nested stacks to define common infrastructure component
- E. To access the exported values, use `TemplateURL` to reference the networking team's template
- F. To retrieve Virtual Private Cloud (VPC) and subnet values, use `Fn::ImportValue` intrinsic functions in the Parameters section of the root template
- G. Use the `CreateChangeSet` and `ExecuteChangeSet` commands to update existing development environments.
- H. Use nested stacks to define common infrastructure component
- I. Use `Fn::ImportValue` intrinsic functions with the resources of the nested stack to retrieve Virtual Private Cloud (VPC) and subnet value
- J. Use the `CreateChangeSet` and `ExecuteChangeSet` commands to update existing development environments.
- K. Use `Fn::ImportValue` intrinsic functions in the Parameters section of the root template to retrieve Virtual Private Cloud (VPC) and subnet value
- L. Define the development resources in the order they need to be created in the CloudFormation nested stack
- M. Use the `CreateChangeSet`
- N. and `ExecuteChangeSet` commands to update existing development environments.

Answer: C

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.html>

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/intrinsic-function-reference-importvalue.html> CF of network exports the VPC, subnet or

needed information CF of application imports the above information to its stack and UpdateChangeSet/ ExecuteChangeSet

NEW QUESTION 83

A company uses an organization in AWS Organizations that has all features enabled. The company uses AWS Backup in a primary account and uses an AWS Key Management Service (AWS KMS) key to encrypt the backups.

The company needs to automate a cross-account backup of the resources that AWS Backup backs up in the primary account. The company configures cross-account backup in the Organizations management account. The company creates a new AWS account in the organization and configures an AWS Backup backup vault in the new account. The company creates a KMS key in the new account to encrypt the backups. Finally, the company configures a new backup plan in the primary account. The destination for the new backup plan is the backup vault in the new account.

When the AWS Backup job in the primary account is invoked, the job creates backups in the primary account. However, the backups are not copied to the new account's backup vault.

Which combination of steps must the company take so that backups can be copied to the new account's backup vault? (Select TWO.)

- A. Edit the backup vault access policy in the new account to allow access to the primary account.
- B. Edit the backup vault access policy in the primary account to allow access to the new account.
- C. Edit the backup vault access policy in the primary account to allow access to the KMS key in the new account.
- D. Edit the key policy of the KMS key in the primary account to share the key with the new account.
- E. Edit the key policy of the KMS key in the new account to share the key with the primary account.

Answer: AE

Explanation:

To enable cross-account backup, the company needs to grant permissions to both the backup vault and the KMS key in the destination account. The backup vault access policy in the destination account must allow the primary account to copy backups into the vault. The key policy of the KMS key in the destination account must allow the primary account to use the key to encrypt and decrypt the backups. These steps are described in the AWS documentation¹². Therefore, the correct answer is A and E.

References:

? 1: Creating backup copies across AWS accounts - AWS Backup

? 2: Using AWS Backup with AWS Organizations - AWS Backup

NEW QUESTION 88

A DevOps engineer has implemented a CI/CO pipeline to deploy an AWS CloudFormation template that provisions a web application. The web application consists of an Application Load Balancer (ALB) a target group, a launch template that uses an Amazon Linux 2 AMI an Auto Scaling group of Amazon EC2 instances, a security group and an Amazon RDS for MySQL database. The launch template includes user data that specifies a script to install and start the application.

The initial deployment of the application was successful. The DevOps engineer made changes to update the version of the application with the user data. The CI/CD pipeline has deployed a new version of the template. However, the health checks on the ALB are now failing. The health checks have marked all targets as unhealthy.

During investigation the DevOps engineer notices that the CloudFormation stack has a status of UPDATE_COMPLETE. However, when the DevOps engineer connects to one of the EC2 instances and checks /var/log messages, the DevOps engineer notices that the Apache web server failed to start successfully because of a configuration error.

How can the DevOps engineer ensure that the CloudFormation deployment will fail if the user data fails to successfully finish running?

- A. Use the cfn-signal helper script to signal success or failure to CloudFormation. Use the WaitOnResourceSignals update policy within the CloudFormation template. Set an appropriate timeout for the update policy.
- B. Create an Amazon CloudWatch alarm for the UnhealthyHostCount metric.
- C. Include an appropriate alarm threshold for the target group. Create an Amazon Simple Notification Service (Amazon SNS) topic as the target to signal success or failure to CloudFormation.
- D. Create a lifecycle hook on the Auto Scaling group by using the AWS AutoScaling LifecycleHook resource. Create an Amazon Simple Notification Service (Amazon SNS) topic as the target to signal success or failure to CloudFormation. Set an appropriate timeout on the lifecycle hook.
- E. Use the Amazon CloudWatch agent to stream the cloud-init logs. Create a subscription filter that includes an AWS Lambda function with an appropriate invocation timeout. Configure the Lambda function to use the SignalResource API operation to signal success or failure to CloudFormation.

Answer: A

Explanation:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-attribute-updatepolicy.html>

NEW QUESTION 89

A company has a single AWS account that runs hundreds of Amazon EC2 instances in a single AWS Region. New EC2 instances are launched and terminated each hour in the account. The account also includes existing EC2 instances that have been running for longer than a week.

The company's security policy requires all running EC2 instances to use an EC2 instance profile. If an EC2 instance does not have an instance profile attached, the EC2 instance must use a default instance profile that has no IAM permissions assigned.

A DevOps engineer reviews the account and discovers EC2 instances that are running without an instance profile. During the review, the DevOps engineer also observes that new EC2 instances are being launched without an instance profile.

Which solution will ensure that an instance profile is attached to all existing and future EC2 instances in the Region?

- A. Configure an Amazon EventBridge rule that reacts to EC2 RunInstances API call.
- B. Configure the rule to invoke an AWS Lambda function to attach the default instance profile to the EC2 instances.
- C. Configure the ec2-instance-profile-attached AWS Config managed rule with a trigger type of configuration change.
- D. Configure an automatic remediation action that invokes an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- E. Configure an Amazon EventBridge rule that reacts to EC2 StartInstances API call.
- F. Configure the rule to invoke an AWS Systems Manager Automation runbook to attach the default instance profile to the EC2 instances.
- G. Configure the iam-role-managed-policy-check AWS Config managed rule with a trigger type of configuration change.
- H. Configure an automatic remediation action that invokes an AWS Lambda function to attach the default instance profile to the EC2 instances.

Answer: B

Explanation:

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-instance-profile-attached.html>

NEW QUESTION 91

A company uses AWS Secrets Manager to store a set of sensitive API keys that an AWS Lambda function uses. When the Lambda function is invoked, the Lambda function retrieves the API keys and makes an API call to an external service. The Secrets Manager secret is encrypted with the default AWS Key Management Service (AWS KMS) key.

A DevOps engineer needs to update the infrastructure to ensure that only the Lambda function's execution role can access the values in Secrets Manager. The solution must apply the principle of least privilege.

Which combination of steps will meet these requirements? (Select TWO.)

- A. Update the default KMS key for Secrets Manager to allow only the Lambda function's execution role to decrypt.
- B. Create a KMS customer managed key that trusts Secrets Manager and allows the Lambda function's execution role to decrypt
- C. Update Secrets Manager to use the new customer managed key.
- D. Create a KMS customer managed key that trusts Secrets Manager and allows the account's :root principal to decrypt
- E. Update Secrets Manager to use the new customer managed key.
- F. Ensure that the Lambda function's execution role has the KMS permissions scoped on the resource level
- G. Configure the permissions so that the KMS key can encrypt the Secrets Manager secret.
- H. Remove all KMS permissions from the Lambda function's execution role.

Answer: BD

Explanation:

The requirement is to update the infrastructure to ensure that only the Lambda function's execution role can access the values in Secrets Manager. The solution must apply the principle of least privilege, which means granting the minimum permissions necessary to perform a task.

To do this, the DevOps engineer needs to use the following steps:

? Create a KMS customer managed key that trusts Secrets Manager and allows the Lambda function's execution role to decrypt. A customer managed key is a symmetric encryption key that is fully managed by the customer. The customer can define the key policy, which specifies who can use and manage the key. By creating a customer managed key, the DevOps engineer can restrict the decryption permission to only the Lambda function's execution role, and prevent other principals from accessing the secret values. The customer managed key also needs to trust Secrets Manager, which means allowing Secrets Manager to use the key to encrypt and decrypt secrets on behalf of the customer.

? Update Secrets Manager to use the new customer managed key. Secrets Manager allows customers to choose which KMS key to use for encrypting each secret. By default, Secrets Manager uses the default KMS key for Secrets Manager, which is a service-managed key that is shared by all customers in the same AWS Region. By updating Secrets Manager to use the new customer managed key, the DevOps engineer can ensure that only the Lambda function's execution role can decrypt the secret values using that key.

? Ensure that the Lambda function's execution role has the KMS permissions scoped on the resource level. The Lambda function's execution role is an IAM role that grants permissions to the Lambda function to access AWS services and resources. The role needs to have KMS permissions to use the customer managed key for decryption. However, to apply the principle of least privilege, the role should have the permissions scoped on the resource level, which means specifying the ARN of the customer managed key as a condition in the IAM policy statement. This way, the role can only use that specific key and not any other KMS keys in the account.

NEW QUESTION 92

A global company manages multiple AWS accounts by using AWS Control Tower. The company hosts internal applications and public applications.

Each application team in the company has its own AWS account for application hosting. The accounts are consolidated in an organization in AWS Organizations. One of the AWS Control Tower member accounts serves as a centralized DevOps account with CI/CD pipelines that application teams use to deploy applications to their respective target AWS accounts. An IAM role for deployment exists in the centralized DevOps account.

An application team is attempting to deploy its application to an Amazon Elastic Kubernetes Service (Amazon EKS) cluster in an application AWS account. An IAM role for deployment exists in the application AWS account. The deployment is through an AWS CodeBuild project that is set up in the centralized DevOps account. The CodeBuild project uses an IAM service role for CodeBuild. The deployment is failing with an Unauthorized error during attempts to connect to the cross-account EKS cluster from CodeBuild.

Which solution will resolve this error?

- A. Configure the application account's deployment IAM role to have a trust relationship with the centralized DevOps account
- B. Configure the trust relationship to allow the sts:AssumeRole action
- C. Configure the application account's deployment IAM role to have the required access to the EKS cluster
- D. Configure the EKS cluster aws-auth ConfigMap to map the role to the appropriate system permissions.
- E. Configure the centralized DevOps account's deployment IAM role to have a trust relationship with the application account
- F. Configure the trust relationship to allow the sts:AssumeRole action
- G. Configure the centralized DevOps account's deployment IAM role to allow the required access to CodeBuild.
- H. Configure the centralized DevOps account's deployment IAM role to have a trust relationship with the application account
- I. Configure the trust relationship to allow the sts:AssumeRoleWithSAML action
- J. Configure the centralized DevOps account's deployment IAM role to allow the required access to CodeBuild.
- K. Configure the application account's deployment IAM role to have a trust relationship with the AWS Control Tower management account
- L. Configure the trust relationship to allow the sts:AssumeRole action
- M. Configure the application account's deployment IAM role to have the required access to the EKS cluster
- N. Configure the EKS cluster aws-auth ConfigMap to map the role to the appropriate system permissions.

Answer: A

Explanation:

In the source AWS account, the IAM role used by the CI/CD pipeline should have permissions to access the source code repository, build artifacts, and any other resources required for the build process. In the destination AWS accounts, the IAM role used for deployment should have permissions to access the AWS resources required for deploying the application, such as EC2 instances, RDS databases, S3 buckets, etc. The exact permissions required will depend on the specific resources being used by the application. The IAM role used for deployment in the destination accounts should also have permissions to assume the IAM role for deployment in the centralized DevOps account. This is typically done using an IAM role trust policy that allows the destination account to assume the DevOps account role.

NEW QUESTION 93

A company updated the AWS CloudFormation template for a critical business application. The stack update process failed due to an error in the updated template and AWS CloudFormation automatically began the stack rollback process. Later a DevOps engineer discovered that the application was still unavailable and that the stack was in the UPDATE_ROLLBACK_FAILED state.

Which combination of actions should the DevOps engineer perform so that the stack rollback can complete successfully? (Select TWO.)

- A. Attach the AWS CloudFormation FullAccess IAM policy to the AWS CloudFormation role.
- B. Automatically recover the stack resources by using AWS CloudFormation drift detection.
- C. Issue a `ContinueUpdateRollback` command from the AWS CloudFormation console or the AWS CLI.
- D. Manually adjust the resources to match the expectations of the stack.
- E. Update the existing AWS CloudFormation stack by using the original template.

Answer: CD

Explanation:

<https://docs.aws.amazon.com/cli/latest/reference/cloudformation/continue-update-rollback.html> For a specified stack that is in the `UPDATE_ROLLBACK_FAILED` state, continues rolling it back to the `UPDATE_ROLLBACK_COMPLETE` state. Depending on the cause of the failure, you can manually fix the error and continue the rollback. By continuing the rollback, you can return your stack to a working state (the `UPDATE_ROLLBACK_COMPLETE` state), and then try to update the stack again.

NEW QUESTION 98

A DevOps engineer manages a web application that runs on Amazon EC2 instances behind an Application Load Balancer (ALB). The instances run in an EC2 Auto Scaling group across multiple Availability Zones. The engineer needs to implement a deployment strategy that:

Launches a second fleet of instances with the same capacity as the original fleet. Maintains the original fleet unchanged while the second fleet is launched.

Transitions traffic to the second fleet when the second fleet is fully deployed. Terminates the original fleet automatically 1 hour after transition.

Which solution will satisfy these requirements?

- A. Use an AWS CloudFormation template with a retention policy for the ALB set to 1 hour.
- B. Update the Amazon Route 53 record to reflect the new ALB.
- C. Use two AWS Elastic Beanstalk environments to perform a blue/green deployment from the original environment to the new one.
- D. Create an application version lifecycle policy to terminate the original environment in 1 hour.
- E. Use AWS CodeDeploy with a deployment group configured with a blue/green deployment configuration. Select the option `Terminate the original instances in the deployment group with a waiting period of 1 hour`.
- F. Use AWS Elastic Beanstalk with the configuration set to `Immutable`.
- G. Create an `EBExtension` using the `Resources` key that sets the deletion policy of the ALB to 1 hour, and deploy the application.

Answer: C

Explanation:

https://docs.aws.amazon.com/codedeploy/latest/APIReference/API_BlueInstanceTerminationOption.html

The original revision termination settings are configured to wait 1 hour after traffic has been rerouted before terminating the blue task set.

<https://docs.aws.amazon.com/AmazonECS/latest/developerguide/deployment-type-bluegreen.html>

NEW QUESTION 102

A company uses AWS Organizations to manage multiple accounts. Information security policies require that all unencrypted Amazon EBS volumes be marked as non-compliant. A DevOps engineer needs to automatically deploy the solution and ensure that this compliance check is always present.

Which solution will accomplish this?

- A. Create an AWS CloudFormation template that defines an AWS Inspector rule to check whether EBS encryption is enabled.
- B. Save the template to an Amazon S3 bucket that has been shared with all accounts within the company.
- C. Update the account creation script pointing to the CloudFormation template in Amazon S3.
- D. Create an AWS Config organizational rule to check whether EBS encryption is enabled and deploy the rule using the AWS CLI.
- E. Create and apply an SCP to prohibit stopping and deleting AWS Config across the organization.
- F. Create an SCP in the organization.
- G. Set the policy to prevent the launch of Amazon EC2 instances without encryption on the EBS volumes using a conditional expression.
- H. Apply the SCP to all AWS accounts.
- I. Use Amazon Athena to analyze the AWS CloudTrail output, looking for events that deny an `ec2:RunInstances` action.
- J. Deploy an IAM role to all accounts from a single trusted account.
- K. Build a pipeline with AWS CodePipeline with a stage in AWS Lambda to assume the IAM role, and list all EBS volumes in the account.
- L. Publish a report to Amazon S3.

Answer: B

Explanation:

<https://docs.aws.amazon.com/config/latest/developerguide/ec2-ebs-encryption-by-default.html>

NEW QUESTION 105

A business has an application that consists of five independent AWS Lambda functions.

The DevOps engineer has built a CI/CD pipeline using AWS CodePipeline and AWS CodeBuild that builds test packages and deploys each Lambda function in sequence. The pipeline uses an Amazon EventBridge rule to ensure the pipeline starts as quickly as possible after a change is made to the application source code.

After working with the pipeline for a few months the DevOps engineer has noticed the pipeline takes too long to complete.

What should the DevOps engineer implement to BEST improve the speed of the pipeline?

- A. Modify the CodeBuild projects within the pipeline to use a compute type with more available network throughput.
- B. Create a custom CodeBuild execution environment that includes a `symmetric multiprocessing` configuration to run the builds in parallel.
- C. Modify the CodePipeline configuration to run actions for each Lambda function in parallel by specifying the same `runorder`.
- D. Modify each CodeBuild project to run within a VPC and use dedicated instances to increase throughput.

Answer: C

Explanation:

<https://docs.aws.amazon.com/codepipeline/latest/userguide/reference-pipeline-structure.html>

AWS doc: "To specify parallel actions, use the same integer for each action you want to run in parallel. For example, if you want three actions to run in sequence in

a stage, you would give the first action the runOrder value of 1, the second action the runOrder value of 2, and the third the runOrder value of 3. However, if you want the second and third actions to run in parallel, you would give the first action the runOrder value of 1 and both the second and third actions the runOrder value of 2."

NEW QUESTION 110

A company is divided into teams. Each team has an AWS account and all the accounts are in an organization in AWS Organizations. Each team must retain full administrative rights to its AWS account. Each team also must be allowed to access only AWS services that the company approves for use. AWS services must gain approval through a request and approval process.

How should a DevOps engineer configure the accounts to meet these requirements?

- A. Use AWS CloudFormation StackSets to provision IAM policies in each account to deny access to restricted AWS service.
- B. In each account, configure AWS Config rules that ensure that the policies are attached to IAM principals in the account.
- C. Use AWS Control Tower to provision the accounts into OUs within the organization. Configure AWS Control Tower to enable AWS IAM Identity Center (AWS Single Sign-On). Configure IAM Identity Center to provide administrative access. Include deny policies on user roles for restricted AWS services.
- D. Place all the accounts under a new top-level OU within the organization. Create an SCP that denies access to restricted AWS services. Attach the SCP to the OU.
- E. Create an SCP that allows access to only approved AWS service.
- F. Attach the SCP to the root OU of the organization.
- G. Remove the FullAWSAccess SCP from the root OU of the organization.

Answer: C

Explanation:

<https://docs.aws.amazon.com/vpc/latest/userguide/managed-prefix-lists.html> A managed prefix list is a set of one or more CIDR blocks. You can use prefix lists to make it easier to configure and maintain your security groups and route tables. <https://docs.aws.amazon.com/vpc/latest/userguide/sharing-managed-prefix-lists.html> With AWS Resource Access Manager (AWS RAM), the owner of a prefix list can share a prefix list with the following: Specific AWS accounts inside or outside of its organization in AWS Organizations. An organizational unit inside its organization in AWS Organizations. An entire organization in AWS Organizations.

NEW QUESTION 111

A company needs to implement failover for its application. The application includes an Amazon CloudFront distribution and a public Application Load Balancer (ALB) in an AWS Region. The company has configured the ALB as the default origin for the distribution.

After some recent application outages, the company wants a zero-second RTO. The company deploys the application to a secondary Region in a warm standby configuration. A DevOps engineer needs to automate the failover of the application to the secondary Region so that HTTP GET requests meet the desired RTO. Which solution will meet these requirements?

- A. Create a second CloudFront distribution that has the secondary ALB as the default origin.
- B. Create Amazon Route 53 alias records that have a failover policy and Evaluate Target Health set to Yes for both CloudFront distributions.
- C. Update the application to use the new record set.
- D. Create a new origin on the distribution for the secondary ALB.
- E. Create a new origin group.
- F. Set the original ALB as the primary origin.
- G. Configure the origin group to fail over for HTTP 5xx status code.
- H. Update the default behavior to use the origin group.
- I. Create Amazon Route 53 alias records that have a failover policy and Evaluate Target Health set to Yes for both ALBs.
- J. Set the TTL of both records to 0. Update the distribution's origin to use the new record set.
- K. Create a CloudFront function that detects HTTP 5xx status code.
- L. Configure the function to return a 307 Temporary Redirect error response to the secondary ALB if the function detects 5xx status code.
- M. Update the distribution's default behavior to send origin responses to the function.

Answer: B

Explanation:

The best solution to implement failover for the application is to use CloudFront origin groups. Origin groups allow CloudFront to automatically switch to a secondary origin when the primary origin is unavailable or returns specific HTTP status codes that indicate a failure¹. This way, CloudFront can serve the requests from the secondary ALB in the secondary Region without any delay or redirection. To set up origin groups, the DevOps engineer needs to create a new origin on the distribution for the secondary ALB, create a new origin group with the original ALB as the primary origin and the secondary ALB as the secondary origin, and configure the origin group to fail over for HTTP 5xx status codes. Then, the DevOps engineer needs to update the default behavior to use the origin group instead of the single origin².

The other options are not as effective or efficient as the solution in option B. Option A is not suitable because creating a second CloudFront distribution will increase the complexity and cost of the application. Moreover, using Route 53 alias records with a failover policy will introduce some delay in detecting and switching to the secondary CloudFront distribution, which may not meet the zero-second RTO requirement. Option C is not feasible because CloudFront does not support using Route 53 alias records as origins³. Option D is not advisable because using a CloudFront function to redirect the requests to the secondary ALB will add an extra round-trip and latency to the failover process, which may also not meet the zero-second RTO requirement.

References:

? 1: Optimizing high availability with CloudFront origin failover - Amazon CloudFront

? 2: Creating an origin group - Amazon CloudFront

? 3: Values That You Specify When You Create or Update a Web Distribution - Amazon CloudFront

NEW QUESTION 112

A company builds an application that uses an Application Load Balancer in front of Amazon EC2 instances that are in an Auto Scaling group. The application is stateless. The Auto Scaling group uses a custom AMI that is fully prebuilt. The EC2 instances do not have a custom bootstrapping process.

The AMI that the Auto Scaling group uses was recently deleted. The Auto Scaling group's scaling activities show failures because the AMI ID does not exist.

Which combination of steps should a DevOps engineer take to meet these requirements? (Select THREE.)

- A. Create a new launch template that uses the new AMI.
- B. Update the Auto Scaling group to use the new launch template.
- C. Reduce the Auto Scaling group's desired capacity to 0.
- D. Increase the Auto Scaling group's desired capacity by 1.
- E. Create a new AMI from a running EC2 instance in the Auto Scaling group.
- F. Create a new AMI by copying the most recent public AMI of the operating system that the EC2 instances use.

Answer: ABF

Explanation:

To restore the functionality of the Auto Scaling group after the AMI was deleted, the DevOps engineer needs to create a new AMI and update the Auto Scaling group to use it. The DevOps engineer can create a new AMI by copying the most recent public AMI of the operating system that the EC2 instances use. This will ensure that the new AMI has the same operating system as the custom AMI that was deleted. The DevOps engineer can then create a new launch template that uses the new AMI and update the Auto Scaling group to use the new launch template. This will allow the Auto Scaling group to launch new instances with the new AMI.

NEW QUESTION 115

A company's security team requires that all external Application Load Balancers (ALBs) and Amazon API Gateway APIs are associated with AWS WAF web ACLs. The company has hundreds of AWS accounts, all of which are included in a single organization in AWS Organizations. The company has configured AWS Config for the organization. During an audit, the company finds some externally facing ALBs that are not associated with AWS WAF web ACLs. Which combination of steps should a DevOps engineer take to prevent future violations? (Choose two.)

- A. Delegate AWS Firewall Manager to a security account.
- B. Delegate Amazon GuardDuty to a security account.
- C. Create an AWS Firewall Manager policy to attach AWS WAF web ACLs to any newly created ALBs and API Gateway APIs.
- D. Create an Amazon GuardDuty policy to attach AWS WAF web ACLs to any newly created ALBs and API Gateway APIs.
- E. Configure an AWS Config managed rule to attach AWS WAF web ACLs to any newly created ALBs and API Gateway APIs.

Answer: AC

Explanation:

If instead you want to automatically apply the policy to existing in-scope resources, choose Auto remediate any noncompliant resources. This option creates a web ACL in each applicable account within the AWS organization and associates the web ACL with the resources in the accounts. When you choose Auto remediate any noncompliant resources, you can also choose to remove existing web ACL associations from in-scope resources, for the web ACLs that aren't managed by another active Firewall Manager policy. If you choose this option, Firewall Manager first associates the policy's web ACL with the resources, and then removes the prior associations. If a resource has an association with another web ACL that's managed by a different active Firewall Manager policy, this choice doesn't affect that association.

NEW QUESTION 116

A company is using AWS to run digital workloads. Each application team in the company has its own AWS account for application hosting. The accounts are consolidated in an organization in AWS Organizations. The company wants to enforce security standards across the entire organization. To avoid noncompliance because of security misconfiguration, the company has enforced the use of AWS CloudFormation. A production support team can modify resources in the production environment by using the AWS Management Console to troubleshoot and resolve application-related issues. A DevOps engineer must implement a solution to identify in near real time any AWS service misconfiguration that results in noncompliance. The solution must automatically remediate the issue within 15 minutes of identification. The solution also must track noncompliant resources and events in a centralized dashboard with accurate timestamps. Which solution will meet these requirements with the LEAST development overhead?

- A. Use CloudFormation drift detection to identify noncompliant resource
- B. Use drift detection events from CloudFormation to invoke an AWS Lambda function for remediation
- C. Configure the Lambda function to publish logs to an Amazon CloudWatch Logs log group
- D. Configure an Amazon CloudWatch dashboard to use the log group for tracking.
- E. Turn on AWS CloudTrail in the AWS account
- F. Analyze CloudTrail logs by using Amazon Athena to identify noncompliant resource
- G. Use AWS Step Functions to track query results on Athena for drift detection and to invoke an AWS Lambda function for remediation
- H. For tracking, set up an Amazon QuickSight dashboard that uses Athena as the data source.
- I. Turn on the configuration recorder in AWS Config in all the AWS accounts to identify noncompliant resource
- J. Enable AWS Security Hub with the `--no-enable-default-standards` option in all the AWS account
- K. Set up AWS Config managed rules and custom rule
- L. Set up automatic remediation by using AWS Config conformance pack
- M. For tracking, set up a dashboard on Security Hub in a designated Security Hub administrator account.
- N. Turn on AWS CloudTrail in the AWS account
- O. Analyze CloudTrail logs by using Amazon CloudWatch Logs to identify noncompliant resource
- P. Use CloudWatch Logs filters for drift detection
- Q. Use Amazon EventBridge to invoke the Lambda function for remediation
- R. Stream filtered CloudWatch logs to Amazon OpenSearch Service
- S. Set up a dashboard on OpenSearch Service for tracking.

Answer: C

Explanation:

The best solution is to use AWS Config and AWS Security Hub to identify and remediate noncompliant resources across multiple AWS accounts. AWS Config enables continuous monitoring of the configuration of AWS resources and evaluates them against desired configurations. AWS Config can also automatically remediate noncompliant resources by using conformance packs, which are a collection of AWS Config rules and remediation actions that can be deployed as a single entity. AWS Security Hub provides a comprehensive view of the security posture of AWS accounts and resources. AWS Security Hub can aggregate and normalize the findings from AWS Config and other AWS services, as well as from partner solutions. AWS Security Hub can also be used to create a dashboard for tracking noncompliant resources and events in a centralized location.

The other options are not optimal because they either require more development overhead, do not provide near real time detection and remediation, or do not provide a centralized dashboard for tracking.

Option A is not optimal because CloudFormation drift detection is not a near real time solution. Drift detection has to be manually initiated on each stack or resource, or scheduled using a cron expression. Drift detection also does not provide remediation actions, so a custom Lambda function has to be developed and invoked. CloudWatch Logs and dashboard can be used for tracking, but they do not provide a comprehensive view of the security posture of the AWS accounts and resources.

Option B is not optimal because CloudTrail logs analysis using Athena is not a near real time solution. Athena queries have to be manually run or scheduled using a cron expression. Athena also does not provide remediation actions, so a custom Lambda function has to be developed and invoked. Step Functions can be used to orchestrate the query and remediation workflow, but it adds more complexity and cost. QuickSight dashboard can be used for tracking, but it does not provide a

comprehensive view of the security posture of the AWS accounts and resources.

Option D is not optimal because CloudTrail logs analysis using CloudWatch Logs is not a near real time solution. CloudWatch Logs filters have to be manually created or updated for each resource type and configuration change. CloudWatch Logs also does not provide remediation actions, so a custom Lambda function has to be developed and invoked. EventBridge can be used to trigger the Lambda function, but it adds more complexity and cost. OpenSearch Service dashboard can be used for tracking, but it does not provide a comprehensive view of the security posture of the AWS accounts and resources. References:

? AWS Config conformance packs

? Introducing AWS Config conformance packs

? Managing conformance packs across all accounts in your organization

NEW QUESTION 117

A DevOps engineer manages a large commercial website that runs on Amazon EC2. The website uses Amazon Kinesis Data Streams to collect and process web logs. The DevOps engineer manages the Kinesis consumer application, which also runs on Amazon EC2.

Sudden increases of data cause the Kinesis consumer application to fall behind and the Kinesis data streams drop records before the records can be processed.

The DevOps engineer must implement a solution to improve stream handling.

Which solution meets these requirements with the MOST operational efficiency?

A. Modify the Kinesis consumer application to store the logs durably in Amazon S3. Use Amazon EMR to process the data directly on Amazon S3 to derive customer insights. Store the results in Amazon S3.

B. Horizontally scale the Kinesis consumer application by adding more EC2 instances based on the Amazon CloudWatch GetRecords.IteratorAge.Milliseconds metric. Increase the retention period of the Kinesis data streams.

C. Convert the Kinesis consumer application to run as an AWS Lambda function.

D. Configure the Kinesis data streams as the event source for the Lambda function to process the data streams.

E. Increase the number of shards in the Kinesis data streams to increase the overall throughput so that the consumer application processes the data faster.

Answer: B

Explanation:

<https://docs.aws.amazon.com/streams/latest/dev/monitoring-with-cloudwatch.html>

GetRecords.IteratorAge.Milliseconds - The age of the last record in all GetRecords calls made against a Kinesis stream, measured over the specified time period.

Age is the difference between the current time and when the last record of the GetRecords call was written to the stream. The Minimum and Maximum statistics can be used to track the progress of Kinesis consumer applications. A value of zero indicates that the records being read are completely caught up.

NEW QUESTION 121

A company plans to use Amazon CloudWatch to monitor its Amazon EC2 instances. The company needs to stop EC2 instances when the average of the NetworkPacketsIn metric is less than 5 for at least 3 hours in a 12-hour time window. The company must evaluate the metric every hour. The EC2 instances must continue to run if there is missing data for the NetworkPacketsIn metric during the evaluation period.

A DevOps engineer creates a CloudWatch alarm for the NetworkPacketsIn metric. The DevOps engineer configures a threshold value of 5 and an evaluation period of 1 hour.

Which set of additional actions should the DevOps engineer take to meet these requirements?

A. Configure the Datapoints to Alarm value to be 3 out of 12. Configure the alarm to treat missing data as breaching the threshold.

B. Add an AWS Systems Manager action to stop the instance when the alarm enters the ALARM state.

C. Configure the Datapoints to Alarm value to be 3 out of 12. Configure the alarm to treat missing data as not breaching the threshold.

D. Add an EC2 action to stop the instance when the alarm enters the ALARM state.

E. Configure the Datapoints to Alarm value to be 9 out of 12. Configure the alarm to treat missing data as breaching the threshold.

F. Add an EC2 action to stop the instance when the alarm enters the ALARM state.

G. Configure the Datapoints to Alarm value to be 9 out of 12. Configure the alarm to treat missing data as not breaching the threshold.

H. Add an AWS Systems Manager action to stop the instance when the alarm enters the ALARM state.

Answer: B

Explanation:

To meet the requirements, the DevOps engineer needs to configure the CloudWatch alarm to stop the EC2 instances when the average of the NetworkPacketsIn metric is less than 5 for at least 3 hours in a 12-hour time window. This means that the alarm should trigger when 3 out of 12 datapoints are below the threshold of 5. The alarm should also treat missing data as not breaching the threshold, so that the EC2 instances continue to run if there is no data for the metric during the evaluation period. The DevOps engineer can add an EC2 action to stop the instance when the alarm enters the ALARM state, which is a built-in action type for CloudWatch alarms.

NEW QUESTION 123

A DevOps engineer is setting up a container-based architecture. The engineer has decided to use AWS CloudFormation to automatically provision an Amazon ECS cluster and an Amazon EC2 Auto Scaling group to launch the EC2 container instances. After successfully creating the CloudFormation stack, the engineer noticed that, even though the ECS cluster and the EC2 instances were created successfully and the stack finished the creation, the EC2 instances were associating with a different cluster.

How should the DevOps engineer update the CloudFormation template to resolve this issue?

A. Reference the EC2 instances in the AWS::ECS::Cluster resource and reference the ECS cluster in the AWS::ECS::Service resource.

B. Reference the ECS cluster in the AWS::AutoScaling::LaunchConfiguration resource of the UserData property.

C. Reference the ECS cluster in the AWS::EC2::Instance resource of the UserData property.

D. Reference the ECS cluster in the AWS::CloudFormation::CustomResource resource to trigger an AWS Lambda function that registers the EC2 instances with the appropriate ECS cluster.

Answer: B

Explanation:

The UserData property of the AWS::AutoScaling::LaunchConfiguration resource can be used to specify a script that runs when the EC2 instances are launched.

This script can include the ECS cluster name as an environment variable for the ECS agent running on the EC2 instances. This way, the EC2 instances will register with the correct ECS cluster. Option A is incorrect because the AWS::ECS::Cluster resource does not have a property to reference the EC2 instances.

Option C is incorrect because the EC2 instances are launched by the Auto Scaling group, not by the AWS::EC2::Instance resource. Option D is incorrect because using a custom resource and a Lambda function is unnecessary and overly complex for this scenario. References: AWS::AutoScaling::LaunchConfiguration, Amazon ECS Container Agent Configuration

NEW QUESTION 126

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

DOP-C02 Practice Exam Features:

- * DOP-C02 Questions and Answers Updated Frequently
- * DOP-C02 Practice Questions Verified by Expert Senior Certified Staff
- * DOP-C02 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * DOP-C02 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The DOP-C02 Practice Test Here](#)