

## Exam Questions 300-715

Implementing and Configuring Cisco Identity Services Engine (SISE)

<https://www.2passeasy.com/dumps/300-715/>



**NEW QUESTION 1**

Which personas can a Cisco ISE node assume?

- A. policy service, gatekeeping, and monitoring
- B. administration, monitoring, and gatekeeping
- C. administration, policy service, and monitoring
- D. administration, policy service, gatekeeping

**Answer: C**

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_dis\\_deploy.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html)

**NEW QUESTION 2**

What occurs when a Cisco ISE distributed deployment has two nodes and the secondary node is deregistered?

- A. The secondary node restarts.
- B. The primary node restarts.
- C. Both nodes restart.
- D. The primary node becomes standalone.

**Answer: C**

**NEW QUESTION 3**

DRAG DROP

Drag the steps to configure a Cisco ISE node as a primary administration node from the left into the correct order on the right.

Select the check box next to the current node, and then click Edit.	Step 1
Click Save.	Step 2
Choose Administration > System > Deployment.	Step 3
Click Make Primary.	Step 4

- A. Mastered
- B. Not Mastered

**Answer: A**

**Explanation:**

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_dis\\_deploy.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_dis_deploy.html)

**NEW QUESTION 4**

What is a method for transporting security group tags throughout the network?

- A. by embedding the security group tag in the 802.1Q header
- B. by the Security Group Tag Exchange Protocol
- C. by enabling 802.1AE on every network device
- D. by embedding the security group tag in the IP header

**Answer: B**

**NEW QUESTION 5**

How is policy services node redundancy achieved in a deployment?

- A. by creating a node group
- B. by deploying both primary and secondary node
- C. by enabling VIP
- D. by utilizing RADIUS server list on the NAD

**Answer: B**

**NEW QUESTION 6**

Which two fields are available when creating an endpoint on the context visibility page of Cisco ISE? (Choose two.)

- A. Security Group Tag
- B. Endpoint Family

- C. Policy Assignment
- D. Identity Group Assignment
- E. IP Address

**Answer:** CD

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin\\_guide/b\\_ise\\_admin\\_guide\\_22/b\\_ise\\_admin\\_guide\\_22\\_chapter\\_010101.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-2/admin_guide/b_ise_admin_guide_22/b_ise_admin_guide_22_chapter_010101.html)

**NEW QUESTION 7**

Which permission is common to the Active Directory Join and Leave operations?

- A. Remove the Cisco ISE machine account from the domain.
- B. Search Active Directory to see if a Cisco ISE machine account already exists.
- C. Set attributes on the Cisco ISE machine account.
- D. Create a Cisco ISE machine account in the domain if the machine account does not already exist.

**Answer:** B

**NEW QUESTION 8**

What does the dot1x system-auth-control command do?

- A. globally enables 802.1x
- B. causes a network access switch not to track 802.1x sessions
- C. enables 802.1x on a network access device interface
- D. causes a network access switch to track 802.1x sessions

**Answer:** A

**Explanation:**

Reference: <https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst4500/XE3-8-0E/15-24E/configuration/guide/xe-380-configuration/dot1x.html>

**NEW QUESTION 9**

Refer to the exhibit.

```
Interface: GigabitEthernet2/0/36
MAC Address: 000e.84af.59af
Status: Authz Success
Domain: DATA
Oper host mode: single-host
Authorized By: Authentication Server
Vlan Policy: 10
Handle: 0xE0000000
Runnable methods list:
Method State
dot1x Authc Success
```

Which command is typed within the CLI of a switch to view the troubleshooting output?

- A. show authentication sessions mac 000e.84af.59af details
- B. show authentication registrations
- C. show authentication interface gigabitethernet2/0/36
- D. show authentication sessions method

**Answer:** A

**NEW QUESTION 10**

A network administrator has just added a front desk receptionist account to the Cisco ISE Guest Service sponsor group. Using the Cisco ISE Guest Sponsor Portal, which guest services can the receptionist provide?

- A. Keep track of guest user activities.
- B. Create and manage guest user accounts.
- C. Configure authorization settings for guest users.
- D. Authenticate guest users to Cisco ISE.

**Answer:** B

#### NEW QUESTION 10

Which two methods should a sponsor select to create bulk guest accounts from the sponsor portal? (Choose two.)

- A. Known
- B. Monthly
- C. Daily
- D. Imported
- E. Random

**Answer:** AE

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor\\_guide/b\\_spons\\_SponsorPortalUserGuide\\_13/b\\_spons\\_SponsorPortalUserGuide\\_13\\_chapter\\_01.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/sponsor_guide/b_spons_SponsorPortalUserGuide_13/b_spons_SponsorPortalUserGuide_13_chapter_01.html)

#### NEW QUESTION 13

What is a valid guest portal type?

- A. Sponsor
- B. Sponsored-Guest
- C. Captive-Guest
- D. My Devices

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin\\_guide/b\\_ise\\_admin\\_guide\\_13/b\\_ise\\_admin\\_guide\\_sample\\_chapter\\_01111.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_01111.html)

#### NEW QUESTION 17

What is the purpose of the ip http server command on a switch?

- A. It enables the https server for users for web authentication.
- B. It enables dot1x authentication on the switch.
- C. It enables MAB authentication on the switch.
- D. It enables the switch to redirect users for web authentication.

**Answer:** C

#### NEW QUESTION 18

Which configuration is required in the Cisco ISE authentication policy to allow Central Web Authentication?

- A. MAB and if user not found, continue
- B. MAB and if authentication failed, continue
- C. Dot1x and if authentication failed, continue
- D. Dot1x and if user not found, continue

**Answer:** A

#### NEW QUESTION 22

Which profiling probe collects the user-agent string?

- A. DHCP
- B. HTTP
- C. NMAP
- D. AD

**Answer:** B

#### NEW QUESTION 26

Which default endpoint identity group does an endpoint that does not match any profile in Cisco ISE become a member of?

- A. blacklist
- B. unknown
- C. whitelist
- D. profiled
- E. endpoint

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_man\\_identities.html](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_man_identities.html)

#### NEW QUESTION 30

Which two probes must be enabled for the ARP cache to function in the Cisco ISE profiling service so that a user can reliably bind the IP addresses and MAC addresses of endpoints? (Choose two.)

- A. SNMP
- B. HTTP
- C. RADIUS
- D. DHCP
- E. NetFlow

**Answer:** CD

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin\\_guide/b\\_ise\\_admin\\_guide\\_21/b\\_ise\\_admin\\_guide\\_20\\_chapter\\_010100.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010100.html)

**NEW QUESTION 35**

Which two events trigger a CoA for an endpoint when CoA is enabled globally for ReAuth? (Choose two.)

- A. addition of endpoint to My Devices Portal
- B. endpoint marked as lost in My Devices Portal
- C. updating of endpoint dACL
- D. endpoint profile transition from Apple-device to Apple-iPhone
- E. endpoint profile transition from Unknown to Windows10-Workstation

**Answer:** DE

**NEW QUESTION 37**

What allows an endpoint to obtain a digital certificate from Cisco ISE during a BYOD flow?

- A. Application Visibility and Control
- B. Supplicant Provisioning Wizard
- C. My Devices Portal
- D. Network Access Control

**Answer:** C

**NEW QUESTION 39**

Which two components are required for creating a Native Supplicant Profile within a BYOD flow? (Choose two.)

- A. Redirect ACL
- B. Connection Type
- C. Operating System
- D. Windows Settings
- E. iOS Settings

**Answer:** CE

**NEW QUESTION 44**

If a user reports a device lost or stolen, which portal should be used to prevent the device from accessing the network while still providing information about why the device is blocked?

- A. Client Provisioning
- B. BYOD
- C. Guest
- D. Blacklist

**Answer:** D

**Explanation:**

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin\\_guide/b\\_ise\\_admin\\_guide\\_13/b\\_ise\\_admin\\_guide\\_sample\\_chapter\\_010000.html](https://www.cisco.com/c/en/us/td/docs/security/ise/1-3/admin_guide/b_ise_admin_guide_13/b_ise_admin_guide_sample_chapter_010000.html)

**NEW QUESTION 48**

Which portal is used to customize the settings for a user to log in and download the compliance module?

- A. Client Provisioning
- B. Client Endpoint
- C. Client Profiling
- D. Client Guest

**Answer:** A

**NEW QUESTION 51**

Which Cisco ISE service allows an engineer to check the compliance of endpoints before connecting to the network?

- A. qualys
- B. posture
- C. personas
- D. nexpose

**Answer:** B

#### NEW QUESTION 55

What are two components of the posture requirement when configuring Cisco ISE posture? (Choose two.)

- A. Client Provisioning portal
- B. remediation actions
- C. updates
- D. access policy
- E. conditions

**Answer:** BE

#### NEW QUESTION 56

Which term refers to an endpoint agent that tries to join an 802.1X- enabled network?

- A. EAP server
- B. authenticator
- C. supplicant
- D. client

**Answer:** C

#### NEW QUESTION 58

Which port does Cisco ISE use for native supplicant provisioning of a Windows laptop?

- A. TCP 8905
- B. TCP 8909
- C. TCP 443
- D. UDP 1812

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin\\_guide/b\\_ise\\_admin\\_guide\\_21/b\\_ise\\_admin\\_guide\\_20\\_chapter\\_010101.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_010101.html)

#### NEW QUESTION 59

Which two task types are included in the Cisco ISE common tasks support for TACACS+ profiles? (Choose two.)

- A. ASA
- B. Firepower
- C. Shell
- D. WLC
- E. IOS

**Answer:** CD

#### Explanation:

Reference: [https://www.cisco.com/c/en/us/td/docs/security/ise/2--1/admin\\_guide/b\\_ise\\_admin\\_guide\\_21/b\\_ise\\_admin\\_guide\\_20\\_chapter\\_0100010.html](https://www.cisco.com/c/en/us/td/docs/security/ise/2--1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_0100010.html)

#### NEW QUESTION 60

Which are two characteristics of TACACS+? (Choose two.)

- A. It separates authorization and authentication functions.
- B. It combines authorization and authentication functions.
- C. It uses UDP port 49.
- D. It encrypts the password only.
- E. It uses TCP port 49.

**Answer:** AE

#### Explanation:

Reference: <https://www.cisco.com/c/en/us/support/docs/security-vpn/remote-authentication-dial-user-service-radius/13838-10.html>

#### NEW QUESTION 62

A user reports that the RADIUS accounting packets are not being seen on the Cisco ISE server. Which command is the user missing in the switch's configuration?

- A. aaa accounting resource default start-stop group radius
- B. radius-server vsa send accounting
- C. aaa accounting network default start-stop group radius
- D. aaa accounting exec default start-stop group radius

**Answer:** B

#### Explanation:

Reference: [https://www.cisco.com/en/US/docs/security/ise/1.0/user\\_guide/ise10\\_sw\\_cnfg.pdf](https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_sw_cnfg.pdf)

**NEW QUESTION 64**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 300-715 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 300-715 Product From:

<https://www.2passeasy.com/dumps/300-715/>

### Money Back Guarantee

#### **300-715 Practice Exam Features:**

- \* 300-715 Questions and Answers Updated Frequently
- \* 300-715 Practice Questions Verified by Expert Senior Certified Staff
- \* 300-715 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 300-715 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year