

AZ-801 Dumps

Configuring Windows Server Hybrid Advanced Services

<https://www.certleader.com/AZ-801-dumps.html>



NEW QUESTION 1

- (Exam Topic 3)

You have five Azure virtual machines.

You need to collect performance data and Windows Event logs from the virtual machines. The data collected must be sent to an Azure Storage account.

What should you install on the virtual machines?

- A. the Azure Connected Machine agent
- B. the Azure Monitor agent
- C. the Dependency agent
- D. the Telegraf agent
- E. the Azure Diagnostics extension

Answer: E

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/agents/diagnostics-extension-overview>

NEW QUESTION 2

- (Exam Topic 3)

You have two file servers named Server1 and Server2 that run Windows Server. Server1 contains a shared folder named Data. Data contains 10 TB of data.

You plan to decommission Server1.

You need to migrate the files from Data to a new shared folder on Server2. The solution must meet the following requirements:

- Ensure that share, file, and folder permissions are copied.
- After the initial copy occurs, ensure that changes in \\Server1\Data can be synced to the destination without initiating a full copy.
- Minimize administrative effort.

What should you use?

- A. xcopy
- B. Storage Replica
- C. Storage Migration Service
- D. azcopy

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview#why-use-storage>

NEW QUESTION 3

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The domain contains the organizational units (OUs) shown in the following table.

Name	Contents
Domain Controllers	All the domain controllers in the domain
Domain Servers	All the servers that run Windows Server in the domain
Domain Client Computers	All the client computers that run Windows 10 in the domain
Domain Users	All the users in the domain

In the domain, you create the Group Policy Objects (GPOs) shown in the following table.

Name	IPsec setting
GPO1	Require authentication by using Kerberos V5 for inbound connections
GPO2	Request authentication by using Kerberos V5 for inbound connections
GPO3	Require authentication by using X.509 certificates for inbound connections
GPO4	Request authentication by using X.509 certificates for inbound connections

You need to implement IPsec authentication to ensure that only authenticated computer accounts can connect to the members in the domain. The solution must minimize administrative effort.

Which GPOs should you apply to the Domain Controllers OU and the Domain Servers OU? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Domain Controllers:	<div><div>▼</div><div>GPO1</div><div>GPO2</div><div>GPO3</div><div>GPO4</div></div>
Domain Servers:	<div><div>▼</div><div>GPO1</div><div>GPO2</div><div>GPO3</div><div>GPO4</div></div>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-firewall/configure-authentication->

NEW QUESTION 4

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains 20 Active Directory sites. All user management is performed from a central site.

You add users to a group.

You discover that group changes do NOT appear on a domain controller in a remote site. You need to identify whether the group changes appear on other domain controllers. What should you use?

- A. Microsoft Support and Recovery Assistant
- B. File Replication Service (FRS) Status Viewer
- C. Active Directory Replication Status Tool
- D. Active Directory Sites and Services

Answer: D

NEW QUESTION 5

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains two servers named Server1 and Server2 that run Windows Server.

You need to ensure that you can use the Computer Management console to manage Server2. The solution must use the principle of least privilege.

Which two Windows Defender Firewall with Advanced Security rules should you enable on Server2? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. the COM+ Network Access (DCOM-In) rule
- B. all the rules in the Remote Event Log Management group
- C. the Windows Management Instrumentation (WMI-In) rule
- D. the COM+ Remote Administration (DCOM-In) rule
- E. the Windows Management Instrumentation (DCOM-In) rule

Answer: AB

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/administration/server-manager/configure-remote-management>

NEW QUESTION 6

- (Exam Topic 3)

You have a server that runs Windows Server.

You plan to back up the server to an Azure Recovery Services vault once per week starting on the next Saturday.

You need to schedule the weekly backup and perform the initial backup as soon as possible.

In which order should you perform the actions? To answer, move all actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run the Register Server Wizard.	
From Microsoft Azure Backup, run the Schedule Backup Wizard.	
From Microsoft Azure Backup, run the Back Up Now Wizard.	
Download the Microsoft Azure Recovery Services (MARS) agent and the Vault Credentials file.	
Run the Microsoft Azure Recovery Services Agent Setup Wizard.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/backup/install-mars-agent#download-the-mars-agent> <https://docs.microsoft.com/en-us/azure/backup/backup-windows-with-mars-agent>

NEW QUESTION 7

- (Exam Topic 3)

You have three Azure virtual machines named VM1, VM2, and VM3 that host a multitier application. You plan to implement Azure Site Recovery.

You need to ensure that VM1, VM2, and VM3 fail over as a group. What should you configure?

- A. an availability zone
- B. a recovery plan
- C. an availability set

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/site-recovery-overview>

NEW QUESTION 8

- (Exam Topic 3)

You deploy Azure Migrate to an on-premises network.

You have an on-premises physical server named Server1 that runs Windows Server and has the following configuration.

* Operating system disk 600 GB

* Data disic 3 TB

* NIC Teaming: Enabled

* Mobility service: installed

* Windows Firewall: Enabled

* Microsoft Defender Antivirus: Enabled

You need to ensure that you can use Azure Migrate to migrate Server1. Solution: You disable NIC Teaming on Server1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 9

- (Exam Topic 3)

You have two physical servers named AppSrv1 and AppSrv2 and an unconfigured server named Server1. All the servers run Windows Server. Only Server1 can access the internet.

You plan to use Azure Site Recovery to replicate AppSrv1 and AppSrv2 to Azure. You need to deploy the required components to AppSrv1, AppSrv2, and Server1.

Which components should you deploy? To answer, drag the appropriate components to the correct servers. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components

The Azure Connected Machine agent

An Azure Site Recovery configuration server

The Azure Site Recovery Mobility Service

The Microsoft Azure Recovery Services (MARS) agent

Answer Area

To AppSrv1 and AppSrv2:

To Server1:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/azure/site-recovery/physical-azure-architecture> <https://docs.microsoft.com/en-us/azure/site-recovery/physical-azure-set-up-source>

NEW QUESTION 10

- (Exam Topic 3)
You have an Azure subscription that contains an Azure Recovery Services vault. You have an on-premises physical server that runs Windows Server. You need to back up the server daily to Azure. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

On Server1, install and register the Azure Connected Machine agent.

Schedule a backup.

On Server1, install and register the Azure Site Recovery Mobility service agent.

Download the Vault Credentials file.

Install and register the Microsoft Azure Recovery Services (MARS) agent.

Create a recovery plan.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text, application Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/azure/backup/tutorial-backup-windows-server-to-azure>

NEW QUESTION 10

- (Exam Topic 3)
You have an on-premises server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have an Azure subscription. You plan to back up Server1 to Azure by using Azure Backup. Which two Azure Backup options require you to deploy Microsoft Azure Backup Server (MABS)? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Bare Metal Recovery
- B. Files and folders
- C. System State
- D. Hyper-V Virtual Machines

Answer: AC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/backup/backup-mabs-system-state-and-bmr>

NEW QUESTION 11

- (Exam Topic 3)

You have an Azure Active Directory Domain Services (Azure AD DS) domain named aadds.contoso.com. You have an Azure virtual network named Vnet1. Vnet1 contains two virtual machines named VM1 and VM2 that run Windows Server. VM1 and VM2 are joined to aadds.contoso.com.

You create a new Azure virtual network named Vnet2. You add a new server named VM3 to Vnet2. When you attempt to join VM3 to aadds.contoso.com, you get an error message that the domain cannot be found.

You need to ensure that you can join VM3 to aadds.contoso.com.

Answer Area

Network configuration:

- Add a subnet to Vnet1.
- Add a subnet to Vnet2.
- Add a private endpoint to Vnet2.
- Configure virtual network peering between Vnet1 and Vnet2.

DNS configuration:

- Add a custom DNS server to Vnet1.
- Add a custom DNS server to Vnet2.
- Create an Azure private DNS zone named aadds.contoso.com.
- Add a virtual network link to an existing Azure private DNS zone.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Network configuration:

- Add a subnet to Vnet1.
- Add a subnet to Vnet2.
- Add a private endpoint to Vnet2.
- Configure virtual network peering between Vnet1 and Vnet2.

DNS configuration:

- Add a custom DNS server to Vnet1.
- Add a custom DNS server to Vnet2.
- Create an Azure private DNS zone named aadds.contoso.com.
- Add a virtual network link to an existing Azure private DNS zone.

NEW QUESTION 13

- (Exam Topic 3)


You have a failover cluster named Cluster1 that contains three Windows Server nodes named Node 1, Node2. and Node3.

You need to deploy a Storage Spaces Direct virtual disk to Cluster1. You add the following disks to each node:

- Three 512-GB NVMe disks
- Three 3-TB diskS
- Three 1-TB SSD disks

On Cluster1, you enable Storage Spaces Direct and add the new disks.


What is the total amount of disk space available for the Storage Spaces Direct virtual disk, and which operations are cached for the SSD and HDD disks? To answer, select the appropriate options in the answer area.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 17

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain that has the Active Directory Recycle Bin enabled. All domain controllers are backed up daily.

You accidentally remove all the users from a domain group.

You need to get a list of the users that were previously in the group.

Which four actions should you perform in sequence from a domain controller? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Action	Answer Area
Mount Active Directory to port 51389.	
View the membership of the group.	
Restore the system state to an alternate location.	
From the Deleted Objects container in Active Directory Administrative Center, run the Restore task.	
From Active Directory Users and Computers, change the domain controller to localhost:51389.	
Restore the group from the Active Directory Recycle Bin.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, table Description automatically generated with medium confidence

Reference:

<http://sysadmindoc.blogspot.com/2018/10/mount-active-directory-database-from.html>

NEW QUESTION 20

- (Exam Topic 2)

Which domain controller should be online to meet the technical requirements for DC4?

- A. DC1
- B. DC2
- C. DC3

Answer: B

NEW QUESTION 23

- (Exam Topic 3)

Your company uses Storage Spaces Direct.

You need to view the available storage in a Storage Space Direct storage pool. What should you use?

- A. File Server Resource Manager (FSRM)
- B. the Get-StorageSubsystem cmdlet
- C. Disk Management
- D. Windows Admin Center

Answer: D

NEW QUESTION 28

- (Exam Topic 3)

You have a Site-to-Site VPN between an on-premises network and an Azure VPN gateway. BGP is disabled for the Site-to-Site VPN.

You have an Azure virtual network named Vnet1 that contains a subnet named Subnet1. Subnet1 contains a virtual machine named Server1.

You can connect to Server1 from the on-premises network.

You extend the address space of Vnet1. You add a subnet named Subnet2 to Vnet1. Subnet2 uses the extended address space. You deploy an Azure virtual machine named Server2 to Subnet2.

You cannot connect to Server2 from the on-premises network. Server1 can connect to Server2. You need to ensure that you can connect to Subnet2 from the on-premises network.

What should you do?

- A. Add an additional Site-to-Site VPN between the on-premises network and Vnet1.
- B. Add a private endpoint to Subnet2.
- C. To Subnet2, add a route table that contains a user-defined route.
- D. Update the routing information on the on-premises routers.

Answer: D

NEW QUESTION 31

- (Exam Topic 3)

You have an Azure virtual machine named VM1 that runs Windows Server. VM1 has boot diagnostics configured to use a managed storage account.

You are troubleshooting connectivity issue on VM1.

You need to run a PowerShell cmdlet on VM1 by using the Azure Serial Console.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

From the Azure portal, configure the Boot diagnostics settings for VM1 to use a custom storage account.

From the Azure portal, open the Run command blade.

From the Azure portal, open the Serial console blade of VM1.

From the Azure portal, enable just in time (JIT) VM access to VM1.

From the Serial console, run `ch -si 1` and sign in by using a local account.

From the Serial console, run `cmd`.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/serial-console-overview> <https://docs.microsoft.com/en-us/troubleshoot/azure/virtual-machines/serial-console-windows>

NEW QUESTION 34

- (Exam Topic 3)

You have a Hyper-V failover cluster named Cluster1 at a main datacenter. Cluster1 contains two nodes that have the Hyper-V server role installed. Cluster1 hosts 10 highly available virtual machines.

You have a cluster named Cluster2 in a disaster recovery site. Cluster2 contains two nodes that have the Hyper-V server role installed.

You plan to use Hyper-V Replica to replicate the virtual machines from Cluster1 to Cluster2. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Cluster role to create on Cluster2:

- ☐ Distributed Transaction Coordinator (DTC)
- ☐ Generic Script
- ☐ Hyper-V Replica Broker
- ☐ Virtual machine

Replication target name to specify:

- ☐ Cluster2
- ☐ The name of a node on Cluster2
- ☐ The name of each virtual machine
- ☐ The name of the Hyper-V Replica Broker

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/virtualization/community/team-blog/2012/20120327-why-is-the-hyper-v-replic>

NEW QUESTION 35

- (Exam Topic 3)

You have a failover cluster named FC1 that contains two nodes named Server1 and Server2. FC1 is configured to use a file share witness.

You plan to configure FC1 to use a cloud witness.

You need to configure Azure Storage accounts for the cloud witness.

Which storage account type and authorization method should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Storage account type:

Premium block blobs

Premium file shares

Premium page blobs

Standard

Authentication method:

Access key

Shared access signature (SAS)

System-assigned managed identity in Azure Active Directory (Azure AD)

User-assigned managed identity in Azure Active Directory (Azure AD)

- A. Mastered
B. Not Mastered

Answer: A

Explanation:
Graphical user interface, text Description automatically generated with medium confidence
Reference:
<https://docs.microsoft.com/en-us/windows-server/failover-clustering/deploy-cloud-witness>

NEW QUESTION 36

- (Exam Topic 3)
You have a Storage Spaces Direct configuration that has persistent memory and contains the data volumes shown in the following table.

Name	File system
Volume1	NTFS
Volume2	ReFS

You plan to add data volumes to Storage Spaces Direct as shown in the following table.

Name	File system
Volume3	NTFS
Volume4	ReFS

On which volumes can you use direct access (DAX)?

- A. Volume3 only
B. Volume4 only
C. Volume1 and Volume3 only
D. Volume2 and Volume4 only
E. Volume3 and Volume4 only

Answer: A

Explanation:
DAX can only be used on one volume and the volume has to be NTFS. You could configure DAX on Volume1 (although that would require reformatting the volume) or Volume3. However, 'Volume1 only' isn't an answer option so Volume3 is the correct answer.
'Volume1 and Volume3' is incorrect because of the single volume limitation. Reference:
<https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/persistent-memory-direct-access>

NEW QUESTION 37

- (Exam Topic 3)
You have two Azure virtual machines named VM1 and VM2. VM1 is backed up to an Azure Recovery Services vault daily and retains backups for 30 days. You need to restore an individual file named C:\Data\Important.docx from VM1 to VM2. The solution must minimize administrative effort. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Unmount the disks.

Download the file recovery script for VM1.

Copy the file by using Azure Storage Explorer.

Copy the file by using File Explorer.

Restore the file by using Windows Server Backup.

Run the file recovery script on VM2.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/backup/backup-azure-restore-files-from-vm>

NEW QUESTION 38

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains a failover cluster named Cluster1.

You need to configure Cluster-Aware Updating (CAU) on the cluster by using Windows Admin Center (WAC).

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Enable CredSSP.

Add Cluster1 to WAC.

Add the Cluster-Aware Updating role.

Add a group managed service account (gMSA).

Add a WAC gateway.

Answer Area

➤

➤

⬅

⬅

⬅

⬅

⬆

⬆

⬆

⬆

⬆

⬆

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Enable CredSSP.

Add Cluster1 to WAC.

Add the Cluster-Aware Updating role.

Add a group managed service account (gMSA).

Add a WAC gateway.

Answer Area

Add a group managed service account (gMSA).

Add Cluster1 to WAC.

Enable CredSSP.

➤

➤

⬅

⬅

⬅

⬅

⬆

⬆

⬆

⬆

⬆

⬆

NEW QUESTION 43

- (Exam Topic 3)

You have an on-premises server that runs Windows Server and has the Web Server (IIS) server role installed. The server hosts a web app that connects to an on-premises Microsoft SQL Server database.

You plan to migrate the web app to an Azure App Services web app. The database will remain on-premises. You need to ensure that the migrated web app can access the database.

What should you configure in Azure?

- A. an Azure SQL managed instance
- B. an on-premises data gateway
- C. Azure Extended Network
- D. a Hybrid Connection

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/app-service/app-service-hybrid-connections>

NEW QUESTION 47

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain. The domain contains the servers shown in the following table.

Name	Operating system	Server role
Server1	Windows Server 2019	DHCP Server
Server2	Windows Server 2022	DHCP Server
Server3	Windows Server 2019	File Server

Server3 contains a share named Share1.

On Server1, DHCP has the following configurations:

Conflict detection attempts: 3

An IPv4 scope named Scope1 that has the following settings:

* 1.Address Pool: 172.16.10.100 - 172.16.10.130

* 2. Address Leases:

- 172.16.10.100 computer1.contoso.com

- 172.16.10.101 computer2.contoso.com

Reservations: 172.16.10.101 computer2.contoso.com Policies: Policy1

You perform the following actions:

➤ On Server1, you run

Export-DhcpServer -File \\Server3\Share1\File1.xml.

➤ On Server2, you run

Import-DhcpServer -File \\Server3\Share1\File1.xml

-BackupPath \\Server3\Share1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
On Server2, Conflict detection attempts is set to 3.	<input type="radio"/>	<input type="radio"/>
On Server2, there is a reservation for computer2.contoso.com.	<input type="radio"/>	<input type="radio"/>
On Server2, Policy1 is applied to Scope1.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/powershell/module/dhcpserver/export-dhcpserver?view=windowsserver2022-p> <https://docs.microsoft.com/en-us/powershell/module/dhcpserver/import-dhcpserver?view=windowsserver2022-p>

NEW QUESTION 52

- (Exam Topic 3)

You have two servers that run Windows Server as shown in the following table.

Name	Location	Domain/workgroup
Server1	On-premises	Domain
Server2	Azure virtual machine	Workgroup

You need to copy the contents of volume E from Server1 to Server2. The solution must meet the following requirements:

➤ Ensure that files in-use are copied.

➤ Minimize administrative effort.

What should you use?

A. Storage Migration Service

B. Azure File Sync

C. Azure Backup

D. Storage Replica

Answer: A

NEW QUESTION 56

- (Exam Topic 3)

You need to create a Hyper-V hyper-converged cluster that stores virtual machines by using Storage Spaces Owed

Which three actions should you perform in sequence? To answer, move the appropriate anions from the list of actions to the answer area and arrange them in the correct order.

Actions

Enable Storage Spaces Direct.

Add a Scale-Out File Server for application role.

Create a Distributed File System (DFS) namespace.

Create a failover cluster.

Create a file share.

Create a volume.

>

<

Answer Area

<

>

⬆


⬇

A. Mastered

B. Not Mastered

Answer: A

Explanation:

**NEW QUESTION 59**

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You enable BGP on the gateway of Vnet1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 61

- (Exam Topic 3)

You have an Azure virtual machine named VM1.

You enable Microsoft Defender SmartScreen on VM1.

You need to ensure that the SmartScreen messages displayed to users are logged. What should you do?

- A. From a command prompt, run WinRM quickconfig.
- B. From the local Group Policy, modify the Advanced Audit Policy Configuration settings.
- C. From Event Viewer, enable the Debug log.
- D. From the Windows Security app, enable the Windows Defender SmartScreen settings.
- E. configure the Virus & threat protection settings.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-smartscreen/microsoft>

NEW QUESTION 62

- (Exam Topic 3)

You deploy Azure Migrate to an on-premises network.

You have an on-premises physical server named Server1 that runs Windows Server and has the following configuration.

- * Operating system disk 600 GB
- * Data disk 3 TB
- * NIC Teaming: Enabled
- * Mobility service: installed
- * Windows Firewall: Enabled
- * Microsoft Defender Antivirus: Enabled

You need to ensure that you can use Azure Migrate to migrate Server1. Solution: You shrink the data disk on Server1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 63

- (Exam Topic 3)

Your on-premises network has a 200-Mbps connection to Azure and contains a server named Server1 that stores 70 TB of data files.

You have an Azure Storage account named storage1.

You plan to migrate the data files from Server1 to a blob storage container in storage1. Testing shows that copying the data files by using azcopy will take approximately 35 days.

You need to minimize how long it will take to migrate the data to Azure. What should you use?

- A. Storage Migration Service
- B. Azure Storage Explorer
- C. Azure Data Box
- D. Azure File Sync

Answer: C

NEW QUESTION 68

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2.

Solution: You download and reinstall the VPN client configuration. Does this meet the goal?

A. Yes

B. No

Answer: A

NEW QUESTION 70

- (Exam Topic 3)

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed. You import the Azure Migrate appliance as VM1.

You need to register VM1 with Azure Migrate.

What should you do in Azure Migrate? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Create a project.

B. Add a migration tool.

C. Add an assessment tool.

D. Generate a project key.

E. Download the Azure Migrate installer script ZIP file.

Answer: ADE

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/migrate/how-to-set-up-appliance-hyper-v>

NEW QUESTION 75

- (Exam Topic 3)

You have a server named Server1 that runs Windows Server and has the Hyper-V server role installed. You have a Hyper-V failover cluster named Cluster1. All servers are members of the same domain.

You need to ensure that you use Hyper-V Replica with Kerberos authentication on the default port to replicate virtual machines from Cluster1 to Server1.

What should you do on Server1?

A. Add primary servers to the Hyper-V Replica Broker configuration.

B. From Hyper-V Settings, select Enable incoming and outgoing live migrations

C. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTPS Listener (TCP-In) rule.

D. From Windows Defender Firewall with Advanced Security, enable the Hyper-V Replica HTTP Listener (TCP-In) rule.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/virtualization/hyper-v/manage/set-up-hyper-v-replica>

NEW QUESTION 76

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) forest. The forest contains the domains shown in the following table.

Name	Domain controller	Configuration
fabrikam.com	DC1	PDC emulator
	DC2	Infrastructure master
	DC3	Read-only domain controller (RODC)
eu.fabrikam.com	DC4	PDC emulator
	DC5	Infrastructure master
	DC6	Read-only domain controller (RODC)

You are implementing Microsoft Defender for Identity sensors.

You need to install the sensors on the minimum number of domain controllers. The solution must ensure that Defender for Identity will detect all the security risks in both the domains.

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Domain controllers that require the sensors:

- ▼
- DC1 and DC4 only
- DC2 and DC5 only
- DC1, DC2, DC4, and DC5 only
- All the domain controllers in the forest

Authentication information that must be provided during the sensor installation:

- ▼
- An AD DS group managed service account (gMSA)
- A cloud-only user from Azure Active Directory (Azure AD)
- The access key generated by the Microsoft Defender for Identity portal

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text, table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/defender-for-identity/technical-faq#deployment> <https://docs.microsoft.com/en-us/defender-for-identity/install-step4>

NEW QUESTION 77

- (Exam Topic 3)

You plan to deploy the Azure Monitor agent to 100 on-premises servers that run Windows Server. Which parameters should you provide when you install the agent?

- A. the client ID and the secret of an Azure service principal
B. the name and the access key of an Azure Storage account
C. a connection string for an Azure SQL database
D. the ID and the key of an Azure Log Analytics workspace

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-spaces/configure-azure-monitor>

NEW QUESTION 79

- (Exam Topic 3)

You have an Azure subscription that contains an Azure key vault named Vault1. You plan to deploy a virtual machine named VM1 that will run Windows Server.

You need to enable encryption at host for VM1. The solution must use customer-managed keys.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Create VM1 and associate the disks of the virtual machine with the disk encryption set.

Assign the Virtual Machine Contributor role to the system-assigned managed identity of VM1.

Enable a system-assigned managed identity on VM1.

Create a disk encryption set and generate RSA keys.

Grant Vault1 the managed identity permission for the disk encryption set.

>

<


↑

↓

- A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 84

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)

The screenshot shows the "App1 Properties" dialog box with the "General" tab selected. The "Name" field is set to "App1". Under "Preferred Owners", there is a list of servers: "Server1" and "Server2". The "Priority" is set to "Medium". The "Status" is "Running" and the "Node" is "Server2". The "OK", "Cancel", and "Apply" buttons are at the bottom.

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

App1 Properties

General

Failover

Failover

Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.

If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.

Maximum failures in the specified period: 3

Period (hours): 6

Failback

Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).

☐ Prevent failback

☒ Allow failback

☒ Immediately

☐ Failback between 0 and 0 hours

OK

Cancel

Apply

Server1 shuts down unexpectedly.
You need to ensure that when you start Server1, App1 continues to run on Server2. Solution: From the Failover settings, you select Prevent failback.
Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

The Prevent failback setting will prevent the cluster failing back to Server1.

NEW QUESTION 89

- (Exam Topic 3)

You have an on-premises IIS web server that hosts a web app named App1. You plan to migrate App1 to a container and run the container in Azure. You need to perform the following tasks:

- Export App1 to a ZIP file.
 - Create a container image based on App1.
- The solution must minimize administrative effort.

Azure Migrate

The Azure portal

Web Deploy

Windows Admin Center

Windows Server Migration Tools

Answer Area

Export App1 to a ZIP file: Tool

Create a container image with App1: Tool

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Azure Migrate Web deploy

NEW QUESTION 90

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your network contains a single-domain Active Directory Domain Services (AD DS) forest named contoso.com. The functional level of the forest is Windows Server

2012 R2. All domain controllers run Windows Server 2012 R2.
Sysvol replicates by using the File Replication Service (FRS).
You plan to replace the existing domain controllers with new domain controllers that will run Windows Server 2022.
You need to ensure that you can add the first domain controller that runs Windows Server 2022. Solution: You run the Active Directory Migration Tool (ADMT).
Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 93

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From Virus & threat protection, you configure Controlled folder access.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlled-folders?view=>

NEW QUESTION 97

- (Exam Topic 3)

Your network contains an Active Directory Domain Services (AD DS) domain named contoso.com. The functional level of the forest and the domain is Windows Server 2012 R2. The domain contains the domain controllers shown in the following table.

Name	Operating system	FSMO role
DC1	Windows Server 2012 R2	All
DC2	Windows Server 2022	None
DC3	Windows Server 2019	None

You need to raise the forest functional level to Windows Server 2016. The solution must meet the following requirements:

- Ensure that there are three domain controllers after you raises the level.
- Minimize how long the FSMO roles are unavailable.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Install the Active Directory Migration Tool (ADMT).
- Deploy an additional domain controller.
- Raise the domain and forest functional level.
- Upgrade DC3.
- Migrate computer accounts by using the Active Directory Migration Tool (ADMT).
- Upgrade DC1.
- Create a custom AD DS partition.
- Move the FSMO roles to DC2.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, email Description automatically generated

NEW QUESTION 99

- (Exam Topic 3)

You have two Azure Virtual machines that run Windows Server.

You plan to create a failover cluster that will host the virtual machines.

You need to configure an Azure Storage account that will be used by the cluster as a cloud witness. The solution must maximize resiliency.

Which type of redundancy should you configure for the storage account?

- A. Geo-zone-redundant storage (GZRS)
- B. Geo-redundant storage (GRS)
- C. Zone-redundant storage (ZRS)
- D. Locally-redundant storage (LRS)

Answer: C

NEW QUESTION 100

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server.

You need to ensure that only specific applications can modify the data in protected folders on Server1. Solution: From App & browser control, you configure the Exploit protection settings.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-controlled-folders?view=>

NEW QUESTION 101


- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a failover cluster named Cluster1 that hosts an application named App1.

The General tab in App1 Properties is shown in the General exhibit. (Click the General tab.)



App1 Properties

General Failover

App1

Name:
App1

Preferred Owners
Select the preferred owners for this clustered role. Use the buttons to list them in order from most preferred at the top to least preferred at the bottom.

☐ Server1
☐ Server2

Up Down

Priority: Medium

Status: Running
Node: Server2

OK Cancel Apply

The Failover tab in App1 Properties is shown in the Failover exhibit. (Click the Failover tab.)

App1 Properties

General Failover

Failover

Specify the number of times the Cluster service will attempt to restart or fail over the clustered role in the specified period.

If the clustered role fails more than the maximum in the specified period, it will be left in the failed state.

Maximum failures in the specified period: 3

Period (hours): 6

Fallback

Specify whether the clustered role will automatically fail back to the most preferred owner (which is set on the General tab).

☐ Prevent fallback

☒ Allow fallback

☒ Immediately

☐ Failback between 0 and 0 hours

OK Cancel Apply

Server1 shuts down unexpectedly.

You need to ensure that when you start Server1, App1 continues to run on Server2. Solution: From the General settings, you move Server2 up. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Server1 and Server2 are both unticked so the order they are listed in has no effect on whether the cluster will fail back.

NEW QUESTION 106

- (Exam Topic 3)

You have an Azure virtual machine named VM1 that runs Windows Server. You plan to deploy a new line-of-business (LOB) application to VM1. You need to ensure that the application can create child processes. What should you configure on VM1?

- A. Microsoft Defender Credential Guard
- B. Microsoft Defender Application Control
- C. Microsoft Defender SmartScreen
- D. Exploit protection

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/customize-exploit-protection?view=>

NEW QUESTION 108

- (Exam Topic 3)

You have three servers named Host1, Host2, and VM1 that run Windows Server. Host1 and Host2 have the Hyper-V server role installed. VM1 is a virtual machine hosted on Host1.

You configure VM1 to replicate to Host2 by using Hyper-V Replica.

Which types of failovers can you perform on VM1 on each host? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

VM1 on Host1:

Failover only
Test Failover only
Planned Failover only
Failover and Planned Failover only
Test Failover and Failover only

VM1 on Host2:

Failover only
Test Failover only
Planned Failover only
Failover and Planned Failover only
Test Failover and Failover only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

NEW QUESTION 112

- (Exam Topic 3)

You have 100 Azure virtual machines that run Windows Server. The virtual machines are onboarded to Microsoft Defender for Cloud.

You need to shut down a virtual machine automatically if Microsoft Defender for Cloud generates the "Antimalware disabled in the virtual machine" alert for the virtual machine.

What should you use in Microsoft Defender for Cloud?

- A. a logic app
- B. a workbook
- C. a security policy
- D. adaptive network hardening

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/defender-for-cloud/managing-and-responding-alerts>

NEW QUESTION 116

- (Exam Topic 3)

Your network contains an on-premises Active Directory Domain Services (AD DS) domain named contos.com. The domain contains the accounts shown in the following table.

Name	Account type	In organizational unit (OU)
Admin1	User	OU1
Admin2	User	OU2
Server1	Computer	OU3
Server2	Computer	OU4

The domain is configured to store BitLocker recovery keys in Active Directory.

* Admin1 turns on BitLocker Drive Encryption (BitLocker) for volume C on Server1.

* Admin1 moves Server1 to OU1.

* Admin2 turns on BitLocker for removable volume E on Server2.

* Admin2 moves removable volume E from Server2 to Server1 and unlocks the volume.

On which Active Directory object can you each BitLocker recovery key? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth on point.

Answer Area

The BitLocker recovery key for volume C: ☐ ☒ ☐ ☐

The BitLocker recovery for key volume E: ☒ ☐ ☐ ☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 118

- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You resize the gateway of Vnet1 to a larger SKU. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 123

- (Exam Topic 3)

You have an Azure virtual machine named VM1 that runs Windows Server.

You need to encrypt the contents of the disks on VM1 by using Azure Disk Encryption. What is a prerequisite for implementing Azure Disk Encryption?

- A. Customer Lockbox for Microsoft Azure
- B. an Azure key vault
- C. a BitLocker recovery key
- D. data-link layer encryption in Azure

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-machines/windows/disk-encryption-overview>

NEW QUESTION 128

- (Exam Topic 3)


The Default Domain Policy Group Policy Object (GPO) is shown in the GPO exhibit. (Click the GPO tab.)

The screenshot displays the Group Policy Management console for the Forest: Fabrikam.com. The left-hand tree view shows the hierarchy: Group Policy Management > Forest: Fabrikam.com > Domains > Fabrikam.com > Default Domain Policy. The right-hand pane shows the 'Default Domain Policy' settings, with tabs for Scope, Details, Settings, and Delegation. The 'Settings' tab is active, showing a list of policy categories with expand/collapse arrows and 'show'/'hide' links. The 'Computer Configuration (Enabled)' section is expanded, revealing a list of policies. The 'Account Policies/Password Policy' is selected, displaying a table of password-related settings.


Policy	Setting
Enforce password history	24 passwords remembered
Maximum password age	42 days
Minimum password age	1 days
Minimum password length	7 characters
Password must meet complexity requirements	Enabled
Store passwords using reversible encryption	Disabled

Below the table, other policy categories are listed with 'show' links: Account Policies/Account Lockout Policy, Account Policies/Kerberos Policy, Local Policies/Security Options, and Public Key Policies/Encrypting File System. The 'User Configuration (Enabled)' section is collapsed, showing 'No settings defined.'

The members of a group named Service Accounts are shown in the Group exhibit. (Click the Group tab.)



An organizational unit (OU) named ServiceAccounts is shown in the OU exhibit. (Click the OU tab.)



You create a Password Settings Object (PSO) as shown in the PSO exhibit. (Click the PSO tab.)

The screenshot shows the 'Service Accounts Policy' configuration window. The 'Password Settings' section is expanded, showing the following settings:

- Name: Service Accounts Policy
- Precedence: 10
- ☒ Enforce minimum password length: Minimum password length (character): 16
- ☒ Enforce password history: Number of passwords remembered: 12
- ☒ Password must meet complexity requirements
- ☐ Store password using reversible encryption
- ☒ Protect from accidental deletion
- Description: (empty)
- Password age options:
 - ☒ Enforce minimum password age: User cannot change the password... 1
 - ☒ Enforce maximum password age: User must change the password af... 30
 - ☒ Enforce account lockout policy:
 - Number of failed logon attempts allo... 5
 - Reset failed logon attempts count aft... 30
 - Account will be locked out:
 - ☒ For a duration of (mins): 60
 - ☐ Until an administrator manually unlocks the a...

The 'Directly Applies To' section shows a list of accounts with 'ServiceAccounts' selected. The 'Extensions' section is empty.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The password of ServiceAccount1 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
The password of ServiceAccount2 must be at least 16 characters long.	<input type="radio"/>	<input type="radio"/>
Accounts that have the Service Accounts Policy applied can change their password to P@\$w0rd1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/windows-server/identity/ad-ds/get-started/adac/introduction-to-active-directory>

NEW QUESTION 129

- (Exam Topic 2)

You need to meet technical requirements for Share1. What should you use?

- A. Storage Migration Service
B. File Server Resource Manager (FSRM)
C. Server Manager
D. Storage Replica

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-server/storage/storage-migration-service/overview>

NEW QUESTION 132

- (Exam Topic 2)

What is the effective minimum password length for User1 and Admin1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

User1:

8

9

10

11

12

Admin1:

8

9

10

11

12

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Box 1: 9

When multiple PSOs apply to a user, the PSO with the highest precedence (lowest precedence number) applies which in this case is PSO1.

Box 2: 8

There are no PSOs applied to Admin1 so the password policy from the Default Domain GPO applies. The Minimum password length setting in GPO1 would only apply to local user accounts on computers in OU1. It does not apply to domain user accounts.

NEW QUESTION 133

- (Exam Topic 2)

You need to implement alerts for the domain controllers. The solution must meet the technical requirements. What should you do on the domain controllers, and what should you create on Azure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

On the domain controllers:

Create a Data Collector Set in Performance Monitor.

Modify the Performance Monitor Users group.

Install the Azure Monitor agent.

In Azure:

Create an Azure SQL database.

Create a Storage Sync Service.

Create an Azure Log Analytics workspace.

Create an Azure Storage account.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/agents/azure-monitor-agent-overview?tabs=PowerShellW>

NEW QUESTION 137

- (Exam Topic 2)

You need to meet the technical requirements for Cluster2.

Which four actions should you perform in sequence before you can enable replication? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an Azure Recovery Services vault.	
Install Azure Connected Machine agents.	
Install and register Azure Site Recovery Providers.	
Create and associate replication policies.	
Create a Hyper-V site.	

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/site-recovery/hyper-v-azure-tutorial>

NEW QUESTION 139

- (Exam Topic 1)

You need to implement a security policy solution to authorize the applications. The solution must meet the security requirements.

Which service should you use to enforce the security policy, and what should you use to manage the policy

settings? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Enforce the security policy:	<div>▼</div> <div>Microsoft Defender Application Control</div> <div>Microsoft Defender Application Guard</div> <div>Microsoft Defender Credential Guard</div> <div>Microsoft Defender for Endpoint</div>
Manage the policy settings:	<div>▼</div> <div>Configuration profiles in Microsoft Intune</div> <div>Compliance policies in Microsoft Intune</div> <div>Group Policy Objects (GPOs)</div>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application, chat or text message Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-application-control/wda>

NEW QUESTION 144

- (Exam Topic 1)

You are planning the migration of Archive1 to support the on-premises migration plan.

What is the minimum number of IP addresses required for the node and cluster roles on Cluster3?

- A. 2
B. 3
C. 4
D. 5

Answer: B

Explanation:

One IP for each of the two nodes in the cluster and one IP for the cluster virtual IP (VIP).

NEW QUESTION 148

- (Exam Topic 1)

You are planning the europe.fabrikam.com migration to support the on-premises migration plan-Where should you install the Password Export Server (PES) service, where should you generate the encryption key? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Install the PES service on:

aadc1.corp.fabrikam.com

admtcomputer.fabrikam.com

dc1.corp.fabrikam.com

dc2.europe.fabrikam.com

Generate the encryption key on:

aadc1.corp.fabrikam.com

admtcomputer.fabrikam.com

dc1.corp.fabrikam.com

dc2.europe.fabrikam.com

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Install the PES service on:

aadc1.corp.fabrikam.com

admtcomputer.fabrikam.com

dc1.corp.fabrikam.com

dc2.europe.fabrikam.com

Generate the encryption key on:

aadc1.corp.fabrikam.com

admtcomputer.fabrikam.com

dc1.corp.fabrikam.com

dc2.europe.fabrikam.com

NEW QUESTION 151

- (Exam Topic 1)

You are planning the www.fabrikam.com website migration to support the Azure migration plan. How should you configure WebApp1? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To enable WebApp1 to handle requests for the website:

Add a custom domain name.

Create a deployment slot.

Create a private endpoint.

To point client connections to WebApp1:

Add HTTP redirect rules on WEB1 and WEB2.

Implement Azure Front Door.

Implement Azure Traffic Manager.

Modify a DNS record.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Add a custom domain name

To migrate www.fabrikam.com website to an Azure App Service web app, you need to add Fabrikam.com as a custom domain in Azure. This will make the domain name available to use in the web app.

Box 2: Modify a DNS record

You need to change the DNS record for www.fabrikam.com to point to the Azure web app. HTTP redirect rules won't work because WEB1 and WEB2 will be decommissioned. Reference:

<https://docs.microsoft.com/en-us/azure/app-service/app-service-web-tutorial-custom-domain?tabs=a%2Cazurecl>

NEW QUESTION 154

.....

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your AZ-801 Exam with Our Prep Materials Via below:

<https://www.certleader.com/AZ-801-dumps.html>