

Exam Questions AWS-Certified-Advanced-Networking-Specialty

Amazon AWS Certified Advanced Networking - Specialty

<https://www.2passeasy.com/dumps/AWS-Certified-Advanced-Networking-Specialty/>



NEW QUESTION 1

Considering your knowledge of both the OSI and TCP/IP models - select the following statement which you consider to NOT be true.

- A. The TCP/IP Application layer maps to 2 of the OSI Layers
- B. The top layer in the OSI model is named the Application layer
- C. The TCP/IP Application layer maps to 3 of the OSI Layers
- D. The top layer in the TCP/IP model is named the Application layer

Answer: A

Explanation:

Reference:
https://en.wikipedia.org/wiki/OSI_model

NEW QUESTION 2

Select the answer/s that correctly state how Jumbo Frames work

- A. Jumbo Frames assist with application disk storage
- B. Jumbo Frames can assist with application performance
- C. Jumbo Frames are supported across Virtual Private Gateway connections
- D. Jumbo Frames are enabled by increasing the MTU size to 9000 kilobytes

Answer: B

Explanation:

Reference:
http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 3

You are your company's AWS cloud architect. You have created a VPC topology that consists of 3 VPCs. You have a centralised VPC (VPC-Shared) that provides shared services to the remaining 2 departmental dedicated VPCs (VPC-Dept1 and VPC-Dept2). The centralised VPC is VPC peered to both of the departmental VPCs, that is a VPC peering connection exists between VPC-Shared and VPC-Dept1, and a VPC peering connection exists between VPC-Shared and VPC-Dept2. Select the correct option from the list below.

- A. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been disabled.
- B. Instances within VPC-Dept1 can communicate directly with instances in VPC-Shared, as long as the appropriate routes and security groups are in place, and vice versa regardless of who initiates communication
- C. All network communication remains blocked between all VPCs until the respective peering bidirectional communication flags are set to the appropriate setting that allows traffic to flow.
- D. Network traffic is possible between VPC-Shared instances and VPC-Dept1 and VPC-Dept2 instances as long as the appropriate routes and security groups are in place, but only for communication that is initiated from VPC1-Shared instances as the default peering bi-directional communication flag has been enabled.

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonVPC/latest/PeeringGuide/peering-configurations-partialaccess.html#one-to-two-vpcs-instances>

NEW QUESTION 4

In your current role as the corporate network architect - you have decided to replace your existing hardware firewall appliances with a pair of Juniper SRX-Series Services Gateways. You have chosen these as AWS lists these as supportable devices for establishing IPsec connections. With this in mind, select the minimum set of options to ensure that you can establish IPsec connectivity between your on premise private corporate network and your AWS hosted VPC. Select which option is NOT required

- A. Initiate network connections from somewhere within your corporate network, this is required to bring the tunnels UP
- B. Deploy a Customer Gateway within your corporate network
- C. Deploy a Customer Gateway within your VPC
- D. Deploy a Virtual Private Gateway within your VPC

Answer: B

Explanation:

Reference:
<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 5

Convert the following IPv4 address in presented in binary form, into dotted decimal form 10101100.01111011.00001101.10011101

- A. 172.123.13.157
- B. 173.13.13.157
- C. 172.122.13.15
- D. 172.124.13.57

Answer: A

Explanation:

Reference:

<https://en.wikipedia.org/wiki/IPv4>

NEW QUESTION 6

You have been tasked with migrating your company's proprietary massively large dataset sorting application to AWS. The application currently runs on 4 highly spec'd servers that are in a cluster arrangement and runs 24x7, with the average CPU utilisation across any 24hr period being approx 85% - the migration of this cluster once up and running on AWS is expected to run similarly. The servers shuffle data internally and between themselves. Your company's financial performance is entirely dependent on the speed at which it can sort your customers datasets, that is the faster a sorted result can be returned the better your company's bottom line. Of the choices presented below, select the optimal network configuration that will ensure the best financial results for your company.

- A. Disable Jumbo Frames to ensure better data throughput between instances
- B. Enable Jumbo Frames to ensure better data throughput between instances
- C. Create an autoscaled group of c4.8xlarge instances - with min 1 and max 4 - this will ensure your operational costs a minimal
- D. Configure a CloudWatch Alarm to add more CPUs to the instances when average cluster CPU utilisation breaches 85%

Answer: B

Explanation:

Reference:

http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/network_mtu.html

NEW QUESTION 7

To connect to public AWS products such as Amazon EC2 and Amazon S3 through the AWS Direct Link, which step is NOT required?

- A. Provide public IP address (/31) for each Border Gateway Protocol (BGP) session.
- B. Allocate a Private IP address to your network in 172.x.x.x range.
- C. Provide the public routes that you will advertise over Border Gateway Protocol (BGP).
- D. Provide a public Autonomous System Number (ASN) that you own or a private one to identify your network on the Internet.

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

NEW QUESTION 8

Which of the following physical layer standards is required for connection to AWS Direct Connect over a standard 1 gigabit or 10 gigabit Ethernet fiber-optic cable?

- A. Single mode fiber, 1000BASE-LX for 1 gigabit Ethernet, or 10GBASE-ER for 10 gigabit Ethernet
- B. Multi mode fiber, 1000BASE-LX for 1 gigabit Ethernet, or 10GBASE-ER for 10 gigabit Ethernet
- C. Single mode fiber, 1000BASE-LX for 1 gigabit Ethernet, or 10GBASE-LR for 10 gigabit Ethernet
- D. Multi mode fiber, 1000BASE-SX for 1 gigabit Ethernet, or 10GBASE-SR for 10 gigabit Ethernet

Answer: C

Explanation:

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Welcome.html>

NEW QUESTION 9

In AWS Direct Connect, which of the following is true of configuring your router to connect to the AWS Direct Connect router?

- A. After creating a virtual interface for your AWS Direct Connect connection, you can download the router configuration file from the available link
- B. After Completing the Cross Connect step, the download link for router configuration will be available
- C. After submitting your AWS Direct Connect connection request, you will receive the router configuration details by email within 72 hours
- D. In Create a Virtual Interface step, the general configuration of your router would be available for downloading.

Answer: A

Explanation:

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#routerconfig>

NEW QUESTION 10

Does Amazon VPC support multicast or broadcast?

- A. Yes, both.
- B. It doesn't support any of them.
- C. Multicast yes, Broadcast no.
- D. Both, but only outside Amazon VP

Answer: B

Explanation:

Reference:

<https://aws.amazon.com/vpc/faqs/>

NEW QUESTION 10

Imagine you are using AWS Direct Connect with just one connection from your router to the AWS Direct Connect router. If your connection becomes unavailable, the communication with AWS cloud is lost. What is the best method to prevent this from happening?

- A. AWS Direct Connect neither provides BGP nor provides the failover.
- B. AWS Direct Connect recommends to have the same configuration set up in a multi AZ zone to prevent such loss in connections.
- C. AWS Direct Connect recommends that you request and configure two dedicated connections to AWS either using BGP Multipath (Active/Active) connection or the failover (Active/Passive) connection.
- D. AWS Direct connect does not have a provision to prevent the situation but when you design the system, it is recommended to request a back-up instance to which the traffic can be re-routed.

Answer: C

Explanation:

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/getstarted.html#RedundantConnections>

NEW QUESTION 14

In the "start using the AWS Direct Connect steps," when can you complete the Cross Connect step?

- A. After verifying your virtual interface
- B. After you have received your Letter of Authorization and Connecting Facility Assignment (LOA-CFA) from AWS
- C. 72 hours after submitting your request for AWS Direct Connect Connection
- D. Immediately after submitting your request for AWS Direct Connect Connection

Answer: B

Explanation:

Reference:

<http://docs.aws.amazon.com/directconnect/latest/UserGuide/Colocation.html>

NEW QUESTION 19

By default, all AWS accounts are limited to EIPs, because public (IPv4) Internet addresses are a scarce public resource.

- A. 5
- B. 8
- C. 6
- D. 2

Answer: A

Explanation:

Reference:

<http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/elastic-ip-addresses-eip.html>

NEW QUESTION 24

In the context of CloudFront RTMP Distribution, the Adobe Flash Media Server _____ file specifies which domains can access media files in a particular domain.

- A. accessdomain.JSON
- B. crossdomain.xml
- C. accessdomain.xml
- D. crossdomain.JSON

Answer: B

Explanation:

Reference:

http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming_CrossDomain.html

NEW QUESTION 28

In Amazon CloudFront, you cannot configure CloudFront to process cookies for _____.

- A. HTTPS web distributions
- B. Web and RTMP distributions
- C. RTMP distributions
- D. HTTP web distributions

Answer: C

Explanation:

Reference:

<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 31

With respect to Amazon CloudFront, which one of the following statements is correct?

- A. For HTTPS web distributions, you cannot forward cookies to your origin.
- B. For both HTTP and HTTPS web distributions, you can choose to forward cookies to your origin.
- C. For HTTP web distributions, you cannot forward cookies to your origin.
- D. For Real Time Messaging Protocol (RTMP) distributions, you can configure CloudFront to process cookies.

Answer: B

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 32

In the context of Amazon CloudFront, when you configure the media player, the path you specify to the media file must contain the characters _____ .

- A. flv/std just before the domain name
- B. flv/std immediately after the domain name
- C. cfx/st just before the domain name
- D. cfx/st immediately after the domain name

Answer: D

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Streaming_URLs.html

NEW QUESTION 34

Which of the following is true when you don't configure Amazon CloudFront to forward cookies to your origin?

- A. CloudFront removes the Cookie header from requests that it forwards to your origin.
- B. CloudFront disables viewer requests to your origin, including all cookies.
- C. CloudFront caches your objects based on cookie values.
- D. CloudFront automates code deployments to any instanc

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 38

What is the maximum size of a response body that Amazon CloudFront will return to the viewer?

- A. Unlimited
- B. 5 GB
- C. 100 MB
- D. 20 GB

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBehaviorS3Origin.html#ResponseBehaviorS3Origin>

NEW QUESTION 41

Which of the following does not configure Amazon CloudFront cache behaviors to forward cookies to an origin for web distributions?

- A. Origin server
- B. AWS CLI
- C. Amazon EMR
- D. Amazon S3

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/Cookies.html>

NEW QUESTION 45

What is the maximum number of CloudTrails that you can create per AWS region?

- A. 10
- B. 2
- C. 16
- D. 5

Answer: D

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/faqs/>

NEW QUESTION 47

Which CloudWatch attributes are used for the statistics generation?

- A. All the options are used
- B. Dimension
- C. Data point unit
- D. NameSpace

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/APIReference/API_MetricDatum.html

NEW QUESTION 49

AWS CloudTrail can be configured to _____ log files across multiple accounts and regions so that log files are delivered to a single bucket.

- A. aggregate
- B. disperse
- C. replicate
- D. encrypt

Answer: A

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/>

NEW QUESTION 52

Which of the following statements is true of AWS Elastic Beanstalk?

- A. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, meaning CloudWatch costs are applied to your AWS account for any alarms that you use.
- B. AWS Elastic Beanstalk uses CloudWatch for monitoring and alarms, and both are free of charge.
- C. AWS Elastic Beanstalk doesn't use CloudWatch for monitoring and alarms, but you pay extra for any AWS Elastic Beanstalk Alarm you set in the monitoring tool.
- D. AWS Elastic Beanstalk has its own free-of-charge monitoring tool, and you are not charged for the alarm you set.

Answer: A

Explanation:

Reference:
<http://docs.aws.amazon.com/elasticbeanstalk/latest/dg/using-features.alarms.html>

NEW QUESTION 54

To determine whether a log file was modified, deleted, or unchanged after CloudTrail delivered it, you can use _____.

- A. trusted signers
- B. optimistic locking
- C. integrity validation
- D. root credentialing

Answer: C

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/>

NEW QUESTION 59

An AWS CloudTrail log file provides the identity and source IP address of the API caller, and a time of the API call, request parameters, and _____.

- A. response elements
- B. event selectors
- C. port alarms
- D. destination buckets

Answer: A

Explanation:

Reference:
<https://aws.amazon.com/cloudtrail/>

NEW QUESTION 64

You can use the _____ command of the AWS Config service CLI to see the compliance state for each AWS resource of a specific type.

- A. describe-compliance-by-resource
- B. get-compliance-details-by-config-rule
- C. describe-compliance-by-config-rule
- D. get-compliance-details-by-config-rule

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html

NEW QUESTION 65

When using AWS Config, which two items are stored on S3 as a part of its operation?

- A. Configuration Items and Configuration History
- B. Configuration Recorder and Configuration Snapshots
- C. Configuration History and Configuration Snapshots
- D. Configuration Snapshots and Configuration Streams

Answer: C

Explanation:

Reference:
<http://docs.aws.amazon.com/config/latest/developerguide/config-concepts.html#config-items>

NEW QUESTION 70

An AWS Config rule can be set to be evaluated if a certain set of resources undergoes a configuration change. The set of resources to which the rule applies can be restricted by the rule's _____, which can include a combination of a resource type and a resource ID, for example.

- A. trigger
- B. domain
- C. manifest
- D. scope

Answer: D

Explanation:

Reference:
<http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config-rules.html>

NEW QUESTION 73

A user is trying to understand the detailed CloudWatch monitoring concept. Which of the below mentioned services does not provide detailed monitoring with CloudWatch?

- A. AWS Route53
- B. AWS EMR
- C. AWS ELB
- D. AWS RDS

Answer: B

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/supported_services.html

NEW QUESTION 74

A user is trying to send custom metrics to CloudWatch using the PutMetricData APIs. Which of the below mentioned points should the user needs to take care while sending the data to CloudWatch?

- A. The size of a request is limited to 128KB for HTTP GET requests and 64KB for HTTP POST requests
- B. The size of a request is limited to 40KB for HTTP GET requests and 8KB for HTTP POST requests
- C. The size of a request is limited to 16KB for HTTP GET requests and 80KB for HTTP POST requests
- D. The size of a request is limited to 8KB for HTTP GET requests and 40KB for HTTP POST requests

Answer: D

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/cloudwatch_concepts.html

NEW QUESTION 78

When an AWS Config rule is triggered a JSON object known as an AWS Config Event is created. This object contains a(n) _____ attribute, which is a JSON-formatted set of key/value pairs the receiving AWS Lambda function processes as part of its evaluation logic.

- A. invokingEvent
- B. mappingTemplate
- C. ruleConfiguration
- D. inputParameters

Answer: D

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_example-events.html

NEW QUESTION 82

You have several Amazon Glacier vaults you would like to monitor. How might you monitor those vaults?

- A. Create a custom AWS Config rule.
- B. Use an AWS master Config rule.
- C. Use an AWS managed Config rule.
- D. Create a KMS policy and attach it to your Amazon Glacier vault

Answer: A

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_developrules_nodejs.html#creating-custom-rules-for-additional-resource-types

NEW QUESTION 87

Which of the following characters is not allowed while creating a Namespace for a CloudWatch metric?

- A. /
- B. :
- C. #
- D. @

Answer: D

Explanation:

Reference:
http://docs.aws.amazon.com/AmazonCloudWatch/latest/DeveloperGuide/cloudwatch_concepts.html

NEW QUESTION 91

You can use the _____ command of the AWS Config service CLI to see the compliance state of each resource that AWS Config evaluates for a specific rule.

- A. describe-compliance-by-resource
- B. describe-compliance-by-config-rule
- C. get-compliance-details-by-config-rule
- D. get-compliance-details-by-config-rule

Answer: C

Explanation:

Reference:
http://docs.aws.amazon.com/config/latest/developerguide/evaluate-config_view-compliance.html

NEW QUESTION 95

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual AWS-Certified-Advanced-Networking-Specialty Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the AWS-Certified-Advanced-Networking-Specialty Product From:

<https://www.2passeasy.com/dumps/AWS-Certified-Advanced-Networking-Specialty/>

Money Back Guarantee

AWS-Certified-Advanced-Networking-Specialty Practice Exam Features:

- * AWS-Certified-Advanced-Networking-Specialty Questions and Answers Updated Frequently
- * AWS-Certified-Advanced-Networking-Specialty Practice Questions Verified by Expert Senior Certified Staff
- * AWS-Certified-Advanced-Networking-Specialty Most Realistic Questions that Guarantee you a Pass on Your First Try
- * AWS-Certified-Advanced-Networking-Specialty Practice Test Questions in Multiple Choice Formats and Updates for 1 Year