

LPI

Exam Questions 201-450

LPIC-2 Exam 201 Part 1 of 2 version 4.5



NEW QUESTION 1

When is historical data of resource usage important? (Select THREE correct answers.)

- A. Predicting when resources will need to be increased.
- B. Selecting a computer vendor.
- C. Identifying processes killed during out of memory occurrences.
- D. Diagnosing capacity problems.
- E. Troubleshooting a software problem.

Answer: ADE

NEW QUESTION 2

Which of the following is a side effect of extensive usage of swap space?

- A. The root filesystem may become full because swap space is always located on the system root partition.
- B. The overall system performance may degrade because of heavy hard disk use and memory reorganization.
- C. Since processes always exist completely in either RAM or swap, regular RAM may become unused if the kernel does not move processes back from the swap space to memory.
- D. The memory may become fragmented and slow down the access to memory page
- E. However, this can be kept to a minimum by the regular use of memfrag -d.
- F. Applications need to restart because their virtual memory addresses change to reflect memory relocation to the swap address area.

Answer: B

NEW QUESTION 3

In the following output, what percentage of time was the CPU waiting for pending I/O?

```
# vmstat 1 100
procs -----memory----- ---swap-- ----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. 100
- B. 35.9
- C. 57.7
- D. 36.6

Answer: A

NEW QUESTION 4

When planning a web server which of the following choices will impact system sizing? (Choose THREE correct answers.)

- A. How many concurrent users are expected.
- B. Which hardware vendor has better Linux support.
- C. What type of content will be served.
- D. What scripting languages will the web server support.
- E. Will the OS install be CD, DVD or network based.

Answer: ACD

NEW QUESTION 5

In this example output, which descriptions match the purpose of the free, buff and cache columns? (Choose THREE correct answers.)

```
# vmstat 1 100
procs -----memory----- ---swap-- ----io---- --system-- ----cpu----
r b swpd free buff cache si so bi bo in cs us sy id wa
0 0 0 282120 134108 5797012 0 0 0 2 0 0 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 359 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1117 577 0 0 100 0
0 0 0 282120 134108 5797012 0 0 0 0 1007 366 0 0 100 0
```

- A. Used swap space
- B. RAM available for filesystem buffers
- C. Available free RAM
- D. RAM used for buffers
- E. RAM used for filesystem cache

Answer: CDE

NEW QUESTION 6

What option in the collectd configuration file is required in order to define what to start monitoring?

- A. LoadModule
- B. Module
- C. Plugin

D. LoadPlugin

Answer: D

NEW QUESTION 7

In capacity planning exercises, which tools assist in listing and identifying processes of interest? (Choose TWO correct answers.)

- A. acpid
- B. lsof
- C. pstree
- D. telinit

Answer: BC

NEW QUESTION 8

In the following output, what is the 5 minute load average for the system?

uptime

12:10:05 up 18 days, 19:00, 2 users, load average: 0.47, 24.71, 35.31

- A. 0.47
- B. 24.71
- C. 35.31
- D. There is no 5 minute interval
- E. It is some value between 0.47 and 24.71.
- F. There is no 5 minute interval
- G. It is some value between 24.71 and 35.31.

Answer: B

NEW QUESTION 9

In the following output, the load averages represent the system load averages for what time frames? 12:10:05 up 18 days, 19:00, 2 users, load average: 0.47, 24.71, 35.31

- A. 1, 5 and 15 minutes
- B. 1, 15 and 30 minutes
- C. 1, 15, and 30 seconds
- D. 15, 30 and 60 minutes
- E. 15, 30 and 60 seconds

Answer: A

NEW QUESTION 10

Which commands are used to load modules into the Linux kernel? (Choose TWO correct answers.)

- A. insmod
- B. loadmod
- C. kernload
- D. modprobe
- E. probemod

Answer: AD

NEW QUESTION 10

How is the source code for the main Linux kernel modules distributed?

- A. It is included with the Linux kernel source code.
- B. The kernel modules are downloaded on demand as they are used during compilation.
- C. The kernel modules have their own release cycle and can be maintained separately from the Linux kernel source.
- D. It is provided as a separate download alongside the Linux kernel source code of the same version.

Answer: A

NEW QUESTION 14

Which directory contains the system-specific udev rule files? (Specify the absolute path including the directory name)

Answer:

Explanation: /etc/udev/rules.d, /etc/udev/rules.d/

NEW QUESTION 15

According to the Filesystem Hierarchy Standard (FHS), what is the path to the Linux kernel source and may be a symbolic link to the real Linux source code? (Please specify the full path with no version information.)

Answer:

Explanation: /usr/src/linux, /usr/src/linux/

NEW QUESTION 20

What is the purpose of the command udevadm monitor?

- A. It listens to kernel events produced by a udev rule and print information to the console.
- B. It monitors the /dev directory for new devices.
- C. It monitors the udev process and prints performance statistics to the console.
- D. It communicates with D-Bus to setup new devices.

Answer: A

NEW QUESTION 25

A new kernel version needs to be compiled to use a new feature. If the old kernel configuration file is available, which make target creates a configuration file for the new kernel based on the configuration of the old kernel?

Answer:

Explanation: oldconfig, make oldconfig

NEW QUESTION 27

How can the kernel parameter for the maximum size of the shared memory segment (shmmax) be changed to 2GB (2147483648 Bytes) on a running system? (Choose TWO correct answers.)

- A. Edit /etc/shmmax and set the parameter to 2147483648.
- B. sysctl shmmax=2147483648
- C. sysctl kernel.shmmax=2147483648
- D. echo 2147483648 > /proc/sys/kernel/shmmax
- E. export kernel.shmmax=2147483648

Answer: CD

NEW QUESTION 32

After configuring a new kernel, what file under /usr/src/linux/ contains the configuration?

Answer:

Explanation: /usr/src/linux/.config, .config

NEW QUESTION 34

Which of the following terms are used to describe 3.x kernel releases? (Choose TWO correct answers.)

- A. beta
- B. final
- C. longterm
- D. prerelease
- E. stable

Answer: CE

NEW QUESTION 36

What information does the file modules.dep provide?

- A. A list of all modules, compiled or not, that are available to the kernel.
- B. A list of modules trusted by the installed kernel.
- C. A list of devices and their module name.
- D. A list of all compiled modules and their dependencies.
- E. A list of modules the kernel needs to run.

Answer: D

NEW QUESTION 38

Which keyword is used in the /etc/inittab file to define the SysV-init default system runlevel?

Answer:

Explanation: initdefault

NEW QUESTION 43

What happens if the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown and the administrator is asked by the kernel to specify a valid root filesystem to continue the boot process.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown showing which device couldn't be mounted or informing that init couldn't be found.
- E. An error message is shown stating that the corresponding kernel module couldn't be loaded.

Answer: D

NEW QUESTION 47

Which command is used to install a new LILO boot loader?

- A. lilo
- B. lilo-config
- C. lilo-install
- D. install-lilo

Answer: A

NEW QUESTION 51

Which option to the update-rc.d command will cause the removal of all symlinks to /etc/rcX.d/*test2 even when the script /etc/init.d/test2 still exists?

- A. -d
- B. -f
- C. -n
- D. -r

Answer: B

NEW QUESTION 56

Please enter the complete path to the main SysV init process configuration file.

Answer:

Explanation: /etc/inittab

NEW QUESTION 59

A Linux server is running in single user mode for regular maintenance. Which commands are used to restore the server to its usual runlevel? (Choose TWO correct answers.)

- A. telinit 0
- B. shutdown -r now
- C. sync
- D. shutdown -h now
- E. reboot

Answer: BE

NEW QUESTION 64

What is the full path to the directory which contains the scripts (or links to the original scripts) to run while the system boots to SysV-init runlevel 2?

Answer:

Explanation: /etc/rc2.d, /etc/rc2.d/, /etc/init.d/rc2.d, /etc/init.d/rc2.d/

NEW QUESTION 69

Which of the following best describes the format of the /etc/fstab file?

- A. device name; filesystem type; mount point; mount options; dump filesystem; fsck order
- B. device name; mount point; filesystem type; mount options; dump filesystem; fsck order
- C. device name; mount point; mount options; filesystem type; dump filesystem; fsck order
- D. mount point; filesystem type; device name; mount options; dump filesystem; fsck order
- E. mount point; device name; filesystem type; mount options; dump filesystem; fsck order

Answer: B

NEW QUESTION 71

Which command turns an existing ext2 filesystem non-destructively into an ext3 filesystem? (Specify ONLY the command without any path or parameters.)

Answer:

Explanation: /sbin/tune2fs, tune2fs

NEW QUESTION 72

After a lot of write operations, the administrator want to ensure that the kernel flushes the file system buffers to disk. Which command will accomplish this? (Specify ONLY the command without any path or parameters.)

Answer:

Explanation: sync

NEW QUESTION 74

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

Answer: C

NEW QUESTION 76

Which files are updated as devices are mounted and unmounted to provide information on the currently mounted devices and the options used? (Choose TWO correct answers.)

- A. /proc/dtab
- B. /etc/mtab
- C. /etc/fstab
- D. /proc/mounts
- E. /proc/devices

Answer: BD

NEW QUESTION 78

Which of the following is a CD-ROM filesystem standard?

- A. OSI9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

Answer: B

NEW QUESTION 82

Consider the following /etc/fstab file:

```
/dev/hda1 swap swap defaults 0 0
/dev/hda2 / ext2 defaults 1 1
/dev/hda3 /home ext2 defaults 1 2
none /proc proc defaults 0 0
/dev/sdb1 /media/usb0 vfat user,noauto 0 0
```

What is one of the possible commands that an ordinary (non-root) user can use to mount the /dev/sdb1 partition on the /media/usb0 mount point? (Please enter the command with all parameters and/or options but without any file system type options.)

Answer:

Explanation: mount /dev/sdb1, mount /media/usb0, /bin/mount /dev/sdb1, /bin/mount /media/usb0, mount /media/usb0/, /bin/mount /media/usb0/

NEW QUESTION 85

Which command is used to create a ISO9660 filesystem? (Specify ONLY the command without any path or parameters.)

Answer:

Explanation: mkisofs, genisoimage

NEW QUESTION 86

Which file in /proc contains information on the status of local software RAID devices?

- A. /proc/raidstat
- B. /proc/mdstat
- C. /proc/raidstatus
- D. /proc/mdstatus
- E. /proc/raid/status

Answer: B

NEW QUESTION 89

The correct command sequence to create and mount logical volumes on a Linux system is:

- A. lvcreate, pvcreate, vgcreate, mkfs, mount
- B. pvcreate, vgcreate, lvcreate, mkfs, mount
- C. vgcreate, lvcreate, pvcreate, mount, mkfs
- D. mkfs, pvcreate, vgcreate, lvcreate, mount
- E. pvcreate, lvcreate, vgcreate, mkfs, mount

Answer: B

NEW QUESTION 91

Where would fsck put any unreferenced file or file fragments on a ext4 filesystem?

- A. recover
- B. lost+found
- C. back
- D. lost

Answer: B

NEW QUESTION 92

Which directory in /dev/disk/ can be used to determine the UUID of a connected hard disk?

Answer:

Explanation: /dev/disk/by-uuid, by-uuid, /dev/disk/by-uuid/

NEW QUESTION 95

What keyword is missing in the following line from /etc/fstab in order to make a USB flash device writeable by the user fred when mounted:
/dev/sda1 /mnt/usbflash vfat defaults,users, _____ =fred,umask=022, 0 0
(Provide the option name only without any settings)

Answer:

Explanation: uid

NEW QUESTION 97

What is the purpose of the command vgextend?

- A. Extend a volume group's footprint on disk.
- B. Add physical volumes to an existing volume group.
- C. Increase the number of days between scheduled error checking.
- D. Create a volume group which uses all available space on disk.

Answer: B

NEW QUESTION 99

Which two LVM commands are missing from the following sequence which is used to create a logical volume and make use of it on a Linux system?
pvcreate, _____, _____, mkfs, mount

- A. lvcreate, mdadm
- B. lvcreate, vgcreate
- C. lvmcreate, vgcreate
- D. vgcreate, lvcreate
- E. vgcreate, mdadm

Answer: D

NEW QUESTION 104

The IDE hard drive /dev/hda does not have DMA enabled. Which command must be run to enable DMA on it?

- A. hdparm -d /dev/hda
- B. hdparm --dma /dev/hda
- C. hdparm --dma /dev/hda1
- D. hdparm -d /dev/hda1
- E. hdparm -d 1 /dev/hda

Answer: E

NEW QUESTION 108

What action should be performed after increasing the size of a logical volume?

- A. Run vgresize.
- B. Increase the size of the filesystem used for the logical volume.
- C. Run lvresize.
- D. Remount the logical volume.

Answer: B

NEW QUESTION 111

What are the options to node.startup in the iscsid.conf file? (Choose TWO correct answers.)

- A. login
- B. initiate
- C. manual
- D. discover
- E. automatic

Answer: CE

NEW QUESTION 116

Considering the following kernel IP routing table below, which of the following commands must be used to remove the route to the network 10.10.1.0/24? (Select TWO answers)

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
203.0.113.162	0.0.0.0	255.255.255.255	UH	0	0	0	ppp0
172.16.87.0	0.0.0.0	255.255.255.0	U	0	0	0	eth0
192.168.246.0	0.0.0.0	255.255.255.0	U	0	0	0	eth1
10.10.1.0	192.168.246.11	255.255.255.0	UG	0	0	0	eth1
127.0.0.0	0.0.0.0	255.0.0.0	U	0	0	0	lo
0.0.0.0	203.0.113.162	0.0.0.0	UG	0	0	0	ppp0

- A. ip net delete 10.10.1.0/24
- B. route del 10.10.1.0/24
- C. route del -net 10.10.1.0/24
- D. route del 10.10.1.0/24 gw 192.168.246.11
- E. ip route delete 10.10.1.0/24

Answer: CE

NEW QUESTION 119

A correctly formatted entry has been added to /etc/hosts.deny to prevent certain clients from connecting to a service but this is having no effect. What could be the cause of this? (Choose TWO correct answers.)

- A. tcpd needs to be sent the HUP signal.
- B. The service needs to be restarted.
- C. The machine needs to be restarted.
- D. There is a conflicting entry in /etc/hosts.allow.
- E. The service does not support tcpwrapper.

Answer: DE

NEW QUESTION 123

Which of the following filter keywords for tcpdump specify the transfer direction for network packets? (Choose TWO correct answers.)

- A. source
- B. src
- C. dest
- D. src or dst
- E. both

Answer: BD

NEW QUESTION 126

A network client has an ethernet interface (eth0) configured with an IP address in the subnet 192.168.0.0/24. This subnet has a router, with the IP address 192.168.0.1, that connects this subnet to the Internet. What needs to be done on the client to enable it to use the router as its default gateway? (Choose TWO correct answers.)

- A. route add default gw 192.168.0.1 eth0
- B. ifconfig eth0 defaultroute 192.168.0.1
- C. ip route add default via 192.168.0.1 dev eth0
- D. echo defaultroute 192.168.0.1 >> /etc/resolv.conf
- E. route add defaultgw=192.168.0.1 if=eth0

Answer: AC

NEW QUESTION 129

Which of the following commands will list the IPv4 neighbors of the current system? This includes IP and MAC addresses. (Choose TWO correct answers.)

- A. arp
- B. ifconfig -lv eth0
- C. netstat -al
- D. ip neigh show

Answer: AD

NEW QUESTION 131

Which of the following commands can be used to list IPv4 addresses and MAC addresses for IP devices that the system has seen on the local network?

- A. arp
- B. ifconfig
- C. ipadm
- D. iwlist

Answer: A

NEW QUESTION 133

According to the tcpdump output below, what is the IP address of the client host?

```
02:12:40.511381 IP 192.168.246.11.1045 > 192.168.246.1.22: S 3838532429:3838532429(0) win 5840 <mss 1460,sackOK,timestamp 31325740,nop,wscale 2>
02:12:40.511540 IP 192.168.246.1.22 > 192.168.246.11.1045: S 1209330085:1209330085(0) ack 3838532430 win 5792 <mss 1460,sackOK,timestamp 11553457 3132574,nop,wscale 0>
02:12:40.511755 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 1 win 1460 <nop,nop,timestamp 3 132574 11553457>
02:12:40.515122 IP 192.168.246.1.22 > 192.168.246.11.1045: P 1:26(25) ack 1 win 5792 <nop,nop,timestamp 11553460 3132574>
02:12:40.515511 IP 192.168.246.11.1045 > 192.168.246.1.22: . ack 26 win 1460 <nop,nop,timestamp 3132578 11553460>
02:12:40.515952 IP 192.168.246.11.1045 > 192.168.246.1.22: P 1:23(22) ack 26 win 1460 <nop,nop,timestamp 3132578 11553460>
```

Answer:

Explanation: 192.168.246.11

NEW QUESTION 135

What is incorrect about these entries in /etc/hosts which could be causing host name lookup problems with host2?

```
host1 192.168.1.12
host2 192.168.1.12
```

- A. Two host names are using the same IP address.
- B. The server doing the query is on a different subnet.
- C. The fields are out of order.
- D. host2 is not a fully qualified domain name.

Answer: C

NEW QUESTION 138

Which of the following files are used to resolve hostnames to IP addresses? (Choose TWO correct answers.)

- A. /etc/systems
- B. /etc/hosts
- C. /etc/network
- D. /etc/dns.conf
- E. /etc/resolv.conf

Answer: BE

NEW QUESTION 139

What is the command to add another IP address (192.168.1.2) to a network interface (eth0) that already has (at least) one IP address in the 192.168.1.0/24 subnet?

- A. ip add addr 192.168.1.2/32 dev eth0
- B. ifconfig eth0 192.168.1.2 netmask 255.255.255.255
- C. ip addr add 192.168.1.2/32 dev eth0
- D. ipconfig eth0 192.168.1.2

Answer: C

NEW QUESTION 142

Which of the following are common backup systems used in Linux? (Choose TWO correct answers.)

- A. Amanda
- B. Bacula
- C. DrBackup
- D. BREWBackup
- E. SARcheck

Answer: AB

NEW QUESTION 146

What is the device name for the first SCSI tape drive on a system when used without automatic rewinding after each write operation? (Please specify the full path to the device.)

Answer:

Explanation: /dev/nst0

NEW QUESTION 148

A regular user, joe, has just run:

`./configure && make && make install`

to build and install a program. However, the installation fails. What could be done to install the program? (Choose TWO correct answers.)

- A. Install the binaries manually with `suinstall`.
- B. Run `make install` with root privileges.
- C. Do not run `./configure` in order to maintain the default configuration for correct installation.
- D. Rerun `./configure` with a `--prefix` option where the user has permissions to write.
- E. Run `make install_local` to install into `/usr/local/`.

Answer: BD

NEW QUESTION 150

When a makefile is included in a source code package, what are commonly defined targets in the file?

- A. CFLAGS, CPPFLAGS, LIBS, LDFLAGS
- B. clean, install, uninstall
- C. PATHS, DESTDIR, LIBS, LDFLAGS
- D. prefix, exec_prefix, bindir, mandir

Answer: B

NEW QUESTION 152

The following command has just been run successfully: `cd /opt; tar xvf /dev/nst0;`

What will happen if the command sequence is run again?

- A. An error saying that there is no tape present is generated because the tape has been ejected after being used.
- B. The contents of `/opt` will be restored again.
- C. The entire contents of `/opt` will be replaced with the contents of the next file on the tape.
- D. The contents of `/opt` will have additional content added from the next file on the tape.

Answer: D

NEW QUESTION 155

Which sub command to `crypsetup` shows information about an encrypted LUKS partition?

- A. `luksDump`
- B. `luksInfo`
- C. `luksDebug`
- D. `luksLS`
- E. `luksShow`

Answer: A

NEW QUESTION 158

Which of the following commands erases the contents of the /dev/sdb3 partition?

- A. rm /dev/sdb3
- B. dd if=/dev/zero of=/dev/sdb3
- C. dd of=/dev/zero if=/dev/sdb3
- D. umount /dev/sdb3

Answer: B

NEW QUESTION 161

Which of the following properties should be recorded in order to monitor the quality of a network link? (Choose two.)

- A. Bandwidth in both directions
- B. Number of nodes using the link
- C. Effective Latency
- D. Number of IPv4 and IPv6 packets
- E. Number of used TCP ports

Answer: AC

NEW QUESTION 162

What effect does the -f option to the update-rc.d command have on files in the /etc/rcX.d/ and /etc/init.d/ directories?

- A. It will force the removal of the symlinks in /etc/rcX.d/ even when the links are read only
- B. It will remove both the symlinks in /etc/rcX.d/ and the init script in /etc/init.d/
- C. It will remove the init script in /etc/init.d/ and the symlinks in /etc/rcX.d/ and update the package information of installed files
- D. It will force the removal of symlinks in /etc/rcX.d/ even if the corresponding init script still exists in/etc/init.d/

Answer: D

NEW QUESTION 166

After manually compiling and installing a new kernel, what has to be done regarding the initramfs?

- A. To initramfs is independent of the kernel and should not be modified unless the hardware configuration of the machine has changed
- B. Since the initramfs contains kernel modules, a new initramfs must be built for the new kernel
- C. During the compilation of the Linux kernel, a new initramfs is built automaticall
- D. The new initramfs only needs to be installed
- E. The system should be restarted since the initramfs reconfigures itself for the new kernel during the startup of the system

Answer: C

NEW QUESTION 168

What command is used to send messages to all users currently logged in? (Specify ONLY the command without any path or parameters.)

Answer:

Explanation: wall

NEW QUESTION 169

In the output of sar -b, what does tps stand for?

- A. Terrabyte per second
- B. Traffic per second
- C. Transfers per second
- D. Total data per second
- E. Terrabit per second

Answer: C

NEW QUESTION 171

A Linux server running systemd booted to rescue.target for maintenance. Which commands are used to restore the server to its usual target? (Choose two.)

- A. telinit 0
- B. systemctl default
- C. sync
- D. systemctl emergency
- E. systemctl reboot

Answer: AB

NEW QUESTION 174

Which of the following commands shows capabilities and usable frequencies for the wireless interface wlan0?

- A. iw phy phy0 info
- B. iw dev wlan0 info
- C. iw dev wlan0 show
- D. iw phy wlan0 show
- E. iw phy0 show

Answer: A

NEW QUESTION 178

A web application server contains 64GB of RAM and two swap partitions on normal hard disk drives, each with a size of 64 GB. Within the last month, the average number of user sessions on this server has grown by 20 percent. At the same time, the average usage of RAM increased from 65 to 75 percent, while the swap space is almost not used at all. It is expected that the number of user sessions will continue to increase by about 15 to 20 percent each month. Which of the following reactions would be appropriate in response to these observations? (Choose two.)

- A. Delay any hardware upgrade until there is a significant consumption of swap space to ensure an efficient usage of the available hardware
- B. Create a RAID 1 device on the two swap partitions to avoid data loss in case swap space has to be used in the future
- C. Consider the installation of an additional application server to distribute the load if the expected growth continues over several months
- D. Move the web application's scripts and content to a ram disk in order to ensure fast access and to avoid the need for swap space
- E. Update the hardware to increase the amount of available RAM to avoid using swap space

Answer: CE

NEW QUESTION 182

Which is the main configuration file for the SystemV init process? (Specify the full name of the file, including path.)

Answer:

Explanation: /etc/inittab

NEW QUESTION 183

Which directory contains system-specific systemd unit files? (Specify the full path to the directory.)

Answer:

Explanation: /lib/systemd/system

NEW QUESTION 184

Which command is used to install a GRUB boot loader into the master boot record?

- A. grub-install
- B. grub-mkconfig
- C. grub-install-mbr
- D. grub-glue-mbr
- E. grub-mbr-setup

Answer: A

NEW QUESTION 189

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

201-450 Practice Exam Features:

- * 201-450 Questions and Answers Updated Frequently
- * 201-450 Practice Questions Verified by Expert Senior Certified Staff
- * 201-450 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 201-450 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 201-450 Practice Test Here](#)