

## Platform-Developer-I Dumps

### Platform Developer I

<https://www.certleader.com/Platform-Developer-I-dumps.html>



**NEW QUESTION 1**

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A. Use the schema describe calls to determine if the logged-in users has access to the Account object.
- B. Use the without sharing keyword on the class declaration.
- C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- D. Use the with sharing keyword on the class declaration.

**Answer: D**

**Explanation:**

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with sharing keyword in the official Salesforce documentation ([https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex\\_classes\\_keywords\\_sharing.htm](https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm))

**NEW QUESTION 2**

What are two ways for a developer to execute tests in an org?

- A. Tooling API
- B. Developer console
- C. Bulk API
- D. Metadata API

**Answer: AB**

**NEW QUESTION 3**

The sales management team at Universal Container requires that the Lead Source field of the Lead record be populated when a.. converted. What should be done to ensure that a user populates the Lead Source field prior to converting a Lead?

- A. Use a formula field.
- B. Use a validation rule.
- C. Use Lead Conversation field mapping.
- D. Create an after trigger on Lead.

**Answer: B**

**NEW QUESTION 4**

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.

Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, It fails with system. Exception errors.

Which two actions should the developer take to fix the code segment shown above? Choose 2 answers

- A. Check if all the required fields for Opportunity are being added on creation.
- B. Use Database.query to query the opportunities.
- C. Move the DML that saves opportunities outside the for loop.
- D. Query for existing opportunities outside the for loop.

**Answer: CD**

**NEW QUESTION 5**

A developer created a child Lightning web component nested inside a parent Lightning web component, parent component needs to pass a string value to the child component.

In which two ways can this be accomplished? Choose 2 answers

- A. The parent component can use a custom event to pass the data to the child component,
- B. The parent component can use the Apex controller class to send data to the child component.
- C. The parent component can invoke a method in the child component
- D. The parent component can use a public property to pass the data to the child component.

**Answer: AD**

**NEW QUESTION 6**

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

**Answer: AB**

**NEW QUESTION 7**

Which two statements are true about using the @testSetup annotation in an Apex test class? Choose 2 answers

- A. Records created in the test setup method cannot be updated in individual test methods.
- B. The @testSetup annotation is not supported when the GisTest(SeeAllData=True) annotation is used.
- C. Test data is inserted once for all test methods in a class.
- D. A method defined with the @testSetup annotation executes once for each test method in the test class and counts towards system limits.

**Answer:** BD

**NEW QUESTION 8**

A developer created a custom order management app that uses an Apex class. The order is represented by an Order object and an OrderItem object that has a master-detail relationship to Order. During order processing, an order may be split into multiple orders.

What should a developer do to allow their code to move some existing OrderItem records to a new Order record?

- A. Change the master-detail relationship to an external lookup relationship.
- B. Add without sharing to the Apex class declaration.
- C. Create a junction object between OrderItem and Order.
- D. Select the Allow reparenting option on the master-detail relationship.

**Answer:** D

**NEW QUESTION 9**

Cloud Kicks has a multi-screen flow its call center agents use when handling inbound service desk calls.

At one of the steps in the flow, the agents should be presented with a list of order number and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. An invoke method
- B. An apex REST class
- C. An outbound message
- D. An Apex Controller

**Answer:** B

**NEW QUESTION 10**

Universal Containers has a large number of custom applications that were built using a third-party JavaScript framework and exposed using Visualforce pages. The Company wants to update these applications to apply styling that resembles the look and feel of Lightning Experience. What should the developer do to fulfill the business request in the quickest and most effective manner?

- A. Incorporate the Salesforce Lightning Design System CSS stylesheet into the JavaScript applications.
- B. Rewrite all Visualforce pages as Lightning components.
- C. Set the attribute enableLightning to true in the definition.
- D. Enable Available for Lightning Experience, Lightning Communities, and the mobile app on Visualforce pages used by the custom application.

**Answer:** A

**NEW QUESTION 10**

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. emit()
- B. fireEvent()
- C. fire()
- D. registerEvent()

**Answer:** C

**NEW QUESTION 12**

An org has an existing Flow that creates an Opportunity with an Update Records element. A developer updates the Flow to also create a Contact and store the created Contact's ID on the Opportunity.

Which update should the developer make in the Flow?

- A. Add a new Get Records element.
- B. Add a new Update Records element.
- C. Add a new Quick Action element (of type Create).
- D. Add a new Create Records element.

**Answer:** D

**NEW QUESTION 17**

Which Lightning code segment should be written to declare dependencies on a Lightning component, c:accountList, that is used in a Visualforce page?

- A)
- B)
- C)

D)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** A

**NEW QUESTION 19**

Which three resources in an Azure Component can contain JavaScript functions?

- A. Controllers
- B. helper
- C. Design
- D. Style
- E. Renderer

**Answer:** ABE

**NEW QUESTION 20**

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

**Answer:** B

#### NEW QUESTION 24

The Account object in an organization has a master detail relationship to a child object called Branch. The following automations exist:

- Rollup summary fields
- Custom validation rules
- Duplicate rules

A developer created a trigger on the Account object.

What two things should the developer consider while testing the trigger code? Choose 2 answers

- A. Rollup summary fields can cause the parent record to go through Save.
- B. The trigger may fire multiple times during a transaction.
- C. Duplicate rules are executed once all DML operations commit to the database.
- D. The validation rules will cause the trigger to fire again.

**Answer:** AB

#### NEW QUESTION 29

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer sandboxes
- B. Scratch orgs
- C. Full Copy sandboxes
- D. Developer orgs

**Answer:** B

#### NEW QUESTION 30

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

- A. The test method has a syntax error in the code.
- B. The test method relies on existing data in the sandbox.
- C. The test method is calling an @future method.
- D. The test method does not use System.runAs to execute as a specific user.

**Answer:** B

#### NEW QUESTION 33

Which action may cause triggers to fire?

- A. Updates to Feed Items
- B. Renaming or replacing a picklist entry
- C. Changing a user's default division when the transfer division option is checked
- D. Cascading delete operations

**Answer:** A

#### NEW QUESTION 37

A developer must create a DrawList class that provides capabilities defined in the Sortable and Drawable interfaces. `public interface Sortable { void sort(); }` `public interface Drawable { void draw(); }` Which is the correct implementation?

- A. `Public class DrawList implements Sortable, Implements Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}`
- B. `Public class DrawList extends Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}`
- C. `Public class DrawList implements Sortable, Drawable { public void sort() { /*implementation*/}public void draw() { /*implementation*/}}`
- D. `Public class DrawList extends Sortable, extends Sortable, extends Drawable { public void sort() { /*implementation*/ }public void draw() { /* implementation */}}`

**Answer:** C

#### NEW QUESTION 38

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. `ApexPages.currentPage().getParameters().get('url_param')`
- B. `ApexPages.currentPage().getParameters().get('url_param').escapeHtml4()`
- C. `String.ValueOf(ApexPages.currentPage().getParameters().get('url_param'))`
- D. `String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))`

**Answer:** B

#### NEW QUESTION 43

A custom picklist field, Food\_Preference\_\_c, exist on a custom object. The picklist contains the following options: 'Vegan','Kosher','No Preference'. The developer must ensure a value is populated every time a record is created or updated. What is the most efficient way to ensure a value is selected every time a record is

saved?

- A. Set "Use the first value in the list as the default value" as True.
- B. Set a validation rule to enforce a value is selected.
- C. Mark the field as Required on the field definition.
- D. Mark the field as Required on the object's page layout.

**Answer: C**

#### NEW QUESTION 47

A developer is debugging the following code to determinate why Accounts are not being created Account a = new Account(Name = 'A'); Database.insert(a, false); How should the code be altered to help debug the issue?

- A. Add a System.debug() statement before the insert method
- B. Add a try/catch around the insert method
- C. Set the second insert method parameter to TRUE
- D. Collect the insert method return value a Saveresult variable

**Answer: B**

#### NEW QUESTION 50

A custom object Trainer\_c has a lookup field to another custom object Gym c. Which SOQL query will get the record for the Viridian City gym and it's trainers?

- A. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_C WHERE Name = 'Viridian City Gym'
- B. SELECT Id, (SELECT Id FROM Trainer\_c) FROM Gym\_c WHERE Name = 'Viridian City Gym'
- C. SELECT ID FROM Trainer\_c WHERE Gym r.Name = 'Viridian City Gym'
- D. SELECT Id, (SELECT Id FROM Trainers) FROM Gym\_C WHERE Name = 'Viridian City Gym'

**Answer: A**

#### NEW QUESTION 55

A developer migrated functionality from JavaScript Remoting to a Lightning web component and wants to use the existing getOpportunities() method to provide data.

What to do now?

- A. The method must be decorated with (cacheable=true).
- B. The method must be decorated with @AuraEnabled.
- C. The method must return a JSON Object.
- D. The method must return a String of a serialized JSON Array.

**Answer: A**

#### NEW QUESTION 57

Einstein Next Best Action Is configured at Universal Containers to display recommendations to internal users on the Account detail page.

If the recommendation is approved, a new opportunity record and task should be generated. If the recommendation is rejected, an Apex method must be executed to perform a callout to an external system.

Which three factors should a developer keep Hi mind when implementing the Apex method? Choose 3 answers

- A. The method must use the @AuraEnabled annotation.
- B. The method must use the @Future annotation.
- C. The method must use the @invocableMethod annotation.
- D. The method must be defined as static.
- E. The method must be defined as public.

**Answer: BDE**

#### NEW QUESTION 61

A primaryid\_c custom field exists on the candidate\_c custom object. The filed is used to store each candidate's id number and is marked as Unique in the schema definition.

As part of a data enrichment process. Universal Containers has a CSV file that contains updated data for all candidates in the system, the file contains each Candidate's primary id as a data point. Universal Containers wants to upload this information into Salesforce, while ensuring all data rows are correctly mapped to a candidate in the system.

Which technique should the developer implement to streamline the data upload?

- A. Create a Process Builder on the Candidate\_c object to map the records.
- B. Create a before Insert trigger to correctly map the records.
- C. Update the primaryid c field definition to mark it as an External Id
- D. Upload the CSV into a custom object related to Candidate\_c.

**Answer: C**

#### NEW QUESTION 65

In terms of the MVC paradigm, what are two advantages of implementing the layer of a Salesforce application using Aura Component-based development over Visualforce? Choose 2 answers

- A. Self-contained and reusable units of an application
- B. Rich component ecosystem



- C. Automatic code generation
- D. Server-side run-time debugging

**Answer:** AB

#### NEW QUESTION 66

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use Test.loadDataO < > and reference a CSV file in a static resource.
- C. Use SOQL to query the org for the required data.
- D. Use Test.loadDataO and reference a JSON file in Documents.

**Answer:** B

#### NEW QUESTION 69

A developer must modify the following code snippet to prevent the number of SOQL queries issued from exceeding the platform governor limit. public class without sharing OpportunityService( public static List<OpportunityLineItem> getOpportunityProducts(Set<Id> opportunityIds){ List<OpportunityLineItem> oppLineItems = new List<OpportunityLineItem>(); for(Id thisOppld : opportunityIds){ oppLineItems.addAll([Select Id FROM OpportunityLineItems WHERE OpportunityId = :thisOppld]); } return oppLineItems; } }

The above method might be called during a trigger execution via a Lightning component. Which technique should be implemented to avoid reaching the governor limit?

- A. Use the System.Limits.getQueries() method to ensure the number of queries is less than 100.
- B. Use the System.Limits.getLimitQueries() method to ensure the number of queries is less than 100.
- C. Refactor the code above to perform the SOQL query only if the Set of opportunityIds contains less 100 Ids.
- D. Refactor the code above to perform only one SOQL query, filtering by the Set of opportunityIds.

**Answer:** D

#### NEW QUESTION 74

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

**Answer:** ABE

#### NEW QUESTION 79

An Apex method, getAccounts, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the getAccounts method? A)

B)

C)

D)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** C

#### NEW QUESTION 80

A developer is asked to prevent anyone other than a user with Sales Manager profile from changing the Opportunity Status to Closed Lost if the lost reason is blank.

Which automation allows the developer to satisfy this requirement in the most efficient manner?

- A. A record trigger flow on the Opportunity object
- B. An Apex trigger on the Opportunity object
- C. approval process on the Opportunity object
- D. An error condition formula on a validation rule on Opportunity

**Answer:** D

**NEW QUESTION 84**

A developer considers the following snippet of code:

Based on this code, what is the value of x?

- A. 3
- B. 1
- C. 4
- D. 2

**Answer:** C

**NEW QUESTION 89**

How should a developer write unit tests for a private method in an Apex class?

- A. Use the SeeAllData annotation.
- B. Add a test method in the Apex class.
- C. Use the TestVisible annotation.
- D. Mark the Apex class as global.

**Answer:** C

**NEW QUESTION 93**

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Prebuilt component that can be reused.
- C. Templates to create custom components.
- D. Support for Classic and Lightning UIS.

**Answer:** B

**NEW QUESTION 96**

which statement is true regarding execution order when triggers are associated to the same object and event?



- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

**Answer:** A

#### NEW QUESTION 101

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest
- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

**Answer:** C

#### NEW QUESTION 102

What are three ways for a developer to execute tests in an org? Choose 3.

- A. Bulk API
- B. Tooling API
- C. Setup Menu
- D. Salesforce DX
- E. Metadata API.

**Answer:** BCD

#### Explanation:

[https://developer.salesforce.com/docs/atlas.en-us.sfdx\\_dev.meta/sfdx\\_dev/sfdx\\_dev\\_testing.htm](https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_testing.htm) [https://developer.salesforce.com/docs/atlas.en-us.api\\_tooling.meta/api\\_tooling/tooling\\_api\\_objects\\_apextestsuit](https://developer.salesforce.com/docs/atlas.en-us.api_tooling.meta/api_tooling/tooling_api_objects_apextestsuit)

#### NEW QUESTION 106

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- A. Use WITH SECURITY\_ENFORCED in the SOQL that fetches the data for the component.
- B. Use Security
- C. stripInaccessible to remove fields inaccessible to the current user.
- D. Use Lightning Data Service to get the collection of sales records.
- E. Use Lightning Locker Service to enforce sharing rules and field-level security.

**Answer:** B

#### NEW QUESTION 109

When a user edits the Postal Code on an Account, a custom Account text field named "Timezone" must be updated based on the values in a postalCodeToTimezone\_c custom object.

What should be built to implement this feature?

- A. Account custom trigger
- B. Account approval process
- C. Account assignment rule
- D. Account workflow rule

**Answer:** A

#### NEW QUESTION 111

Which two settings must be defined in order to update a record of a junction object? Choose 2 answers

- A. Read access on the primary relationship
- B. Read/Write access on the secondary relationship
- C. Read/Write access on the primary relationship
- D. Read/Write access on the junction object

**Answer:** BC

#### NEW QUESTION 115

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data:bulk:upsert
- B. Forced: data: object :upsert
- C. Forced: data: tree: upsert
- D. Forced: data:async:upsert

**Answer:** AC

**NEW QUESTION 118**

A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org. Which tool should the developer use to troubleshoot?

- A. AppExchange
- B. Salesforce CLI
- C. Visual Studio Core IDE
- D. Developer Console

**Answer:** D

**NEW QUESTION 123**

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- A. A custom exception class must extend the system Exception class.
- B. A custom exception class can implement one or many interfaces.
- C. A custom exception class cannot contain member variables or methods.
- D. A custom exception class name must end with "Exception".
- E. A custom exception class can extend other classes besides the Exception class.

**Answer:** BDE

**NEW QUESTION 126**

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use the Flow properties page.
- B. Use the code Coverage Setup page
- C. Use the Apex testresult class
- D. Use SOQL and the Tooling API

**Answer:** D

**NEW QUESTION 127**

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL? Choose 2 answers

- A. SOSL is able to return more records.
- B. SOQL is faster for text searches.
- C. SOSL is faster for text searches.
- D. SOQL is able to return more records.

**Answer:** CD

**NEW QUESTION 132**

A developer is creating an app that contains multiple Lightning web components.

One of the child components is used for navigation purposes. When a user click a button called.. component, the parent component must be alerted so it can navigate to the next page.

How should this be accomplished?

- A. Fire a notification.
- B. Update a property on the parent.
- C. Call a method in the Apex controller.
- D. Create a custom event.

**Answer:** D

**NEW QUESTION 133**

A developer writes a trigger on the Account object on the before update event that increments a count field. A workflow rule also increments the count field every time that an Account is created or updated. The field update in the workflow rule is configured to not re-evaluate workflow rules.

What is the value of the count field if an Account is inserted with an initial value of zero, assuming no other automation logic is implemented on the Account?

- A. 1
- B. 3
- C. 4
- D. 2

**Answer:** D

**NEW QUESTION 137**

A developer must provide custom user interfaces when users edit a Contact in either Salesforce Classic or Lightning Experience.

What should the developer use to override the Contact's Edit button and provide this functionality?

- A. A Visualforce page in Salesforce Classic and a Lightning component in Lightning Experience
- B. A Lightning component in Salesforce Classic and a Lightning component in Lightning Experience
- C. A Visualforce page in Salesforce Classic and a Lightning page in Lightning Experience
- D. A Lightning page in Salesforce Classic and a Visualforce page in Lightning Experience

**Answer:** A

#### NEW QUESTION 142

A lead developer creates an Apex interface called "Laptop". Consider the following code snippet:

How can a developer use the Laptop Interface within the Silverlaptop class?

- A. @Extends(class=Laptop") public class SilverLaptop
- B. public class SilverLaptop extends Laptop
- C. @Interface (class="Laptop") public class SilverLaptop
- D. public class Silverlaptop implements Laptop

**Answer:** B

#### NEW QUESTION 147

A developer has the following requirements:

- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. Line Item has a re-parentable master-detail field to Order.
- B. Order has a re-parentable master-detail field to Line Item.
- C. Line Item has a re-parentable lookup field to Order.
- D. Order has a re-parentable lookup field to Line Item.

**Answer:** A

#### NEW QUESTION 151

A software company uses the following objects and relationships:

- Case: to handle customer support issues
- Defect\_c: a custom object to represent known issues with the company's software
- case\_Defect c: a junction object between Case and Defector to represent that a defect is a customer issue

What should be done to share a specific Case-Defect\_c record with a user?

- A. Share the Case\_Defect\_c record.
- B. Share the parent Case record.

- C. Share the parent Defect\_c record.
- D. Share the parent Case and Defect\_c records.

**Answer:** D

#### NEW QUESTION 155

What should a developer do to check the code coverage of a class after running all tests?

- A. View the code coverage percentage of the class using the Overall code Coverage panel in the Developer Console Test tab.
- B. View the Code Coverage column in the list on the Apex Classes page.
- C. Select and run the class on the Apex test Execution page in the Developer Console.
- D. View the Class test Percentage tab on the Apex Class list view in Salesforce Setup.

**Answer:** D

#### NEW QUESTION 160

The Job\_Application\_\_c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job\_Application\_\_c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job\_Applications\_r) FROM Contact WHERE Accounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job\_Applications\_c) FROM Contact WHERE Accounts.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job\_Application\_c) FROM Contact WHERE Account.Industry = 'Technology'];

**Answer:** B

#### NEW QUESTION 164

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your Platform-Developer-I Exam with Our Prep Materials Via below:**

<https://www.certleader.com/Platform-Developer-I-dumps.html>