

LPI

Exam Questions 202-450

LPIC-2 Exam 202 Part 2 of 2 version 4.5



NEW QUESTION 1

Which of the following lines in the sshd configuration file should, if present, be changed in order to increase the security of the server? (Choose two.)

- A. Protocol 2, 1
- B. PermitEmptyPasswords no
- C. Port 22
- D. PermitRootLogin yes
- E. IgnoreRhosts yes

Answer: AD

NEW QUESTION 2

What option in the client configuration file would tell OpenVPN to use a dynamic source port when making a connection to a peer?

- A. src-port
- B. remote
- C. source-port
- D. nobind
- E. dynamic-bind

Answer: D

NEW QUESTION 3

Which Linux user is used by vsftpd to perform file system operations for anonymous FTP users?

- A. The Linux user which runs the vsftpd process
- B. The Linux user that owns the root FTP directory served by vsftpd
- C. The Linux user with the same user name that was used to anonymously log into the FTP server
- D. The Linux user root, but vsftpd grants access to anonymous users only to globally read-/writeable files
- E. The Linux user specified in the configuration option ftp_username

Answer: E

NEW QUESTION 4

Which of the following sshd configuration should be set to no in order to fully disable password based logins? (Choose two.)

- A. PAMAuthentication
- B. ChallengegeResponseAuthentication
- C. PermitPlaintextLogin
- D. UsePasswords
- E. PasswordAuthentication

Answer: BE

NEW QUESTION 5

With fail2ban, what is a 'jail'?

- A. A netfilter rules chain blocking offending IP addresses for a particular service
- B. A group of services on the server which should be monitored for similar attack patterns in the log files
- C. A filter definition and a set of one or more actions to take when the filter is matched
- D. The chroot environment in which fail2ban runs

Answer: C

NEW QUESTION 6

The program vsftpd, running in a chroot jail, gives the following error:

```
/bin/vsftpd: error while loading shared libraries: libc.so.6:
cannot open shared object file: No such file or directory.
```

Which of the following actions would fix the error?

- A. The file /etc/ld.so.conf in the root filesystem must contain the path to the appropriate lib directory in the chroot jail
- B. Create a symbolic link that points to the required library outside the chroot jail
- C. Copy the required library to the appropriate lib directory in the chroot jail
- D. Run the program using the command chroot and the option--static_libs

Answer: C

NEW QUESTION 7

In which CIFS share must printer drivers be placed to allow Point'n'Print driver deployment on Windows?

- A. winx64drv\$

- B. print\$
- C. The name of the share is specified in the option print driver share within each printable share in smb.conf
- D. pnpdrivers\$
- E. NETLOGON

Answer: B

NEW QUESTION 8

Which of the following Samba services handles the membership of a file server in an Active Directory domain?

- A. winbindd
- B. nmbd
- C. msadd
- D. admemb
- E. samba

Answer: E

NEW QUESTION 9

Which of the following options are valid in /etc/exports? (Choose two.)

- A. rw
- B. ro
- C. rootsquash
- D. norootsquash
- E. uid

Answer: AB

NEW QUESTION 10

Which command is used to configure which file systems a NFS server makes available to clients?

- A. exportfs
- B. mkfs.nfs
- C. mount
- D. nfservct1
- E. telinit

Answer: A

NEW QUESTION 10

Performing a DNS lookup with dig results in this

```
;; QUESTION SECTION:
;5.123.168.192.in-addr.arpa.      IN      PTR

;; ANSWER SECTION:
5.123.168.192.in-addr.arpa.  600     IN      PTR  linuxerv.example.net.123.168.192.in-addr.arpa.

;; AUTHORITY SECTION:
123.168.192.in-addr.arpa.  600     IN      NS      linuxerv.example.net.

;; ADDITIONAL SECTION:
linuxerv.example.net.  600     IN      A       192.168.123.5
```

- A. There is no . after linuxerv.example.net in the PTR record in the forward lookup zone file
- B. There is no . after linuxerv in the PTR record in the forward lookup zone file
- C. There is no . after linuxerv.example.net in the PTR record in the reverse lookup zone file
- D. The . in the NS definition in the reverse lookup zone has to be removed

Answer: C

NEW QUESTION 14

What is DNSSEC used for?

- A. Encrypted DNS queries between nameservers
- B. Cryptographic authentication of DNS zones
- C. Secondary DNS queries for local zones
- D. Authentication of the user that initiated the DNS query
- E. Encrypting DNS queries and answers

Answer: B

NEW QUESTION 16

In a BIND zone file, what does the @ character indicate?

- A. It's the fully qualified host name of the DNS server
- B. It's an alias for the e-mail address of the zone master
- C. It's the name of the zone as defined in the zone statement in named.conf
- D. It's used to create an alias between two CNAME entries

Answer: C

NEW QUESTION 19

Which http_access directive for Squid allows users in the ACL named sales_net to only access the Internet at times specified in the time_acl named sales_time?

- A. http_access deny sales_time sales_net
- B. http_access allow sales_net sales_time
- C. http_access allow sales_net and sales-time
- D. allow http_access sales_net sales_time
- E. http_access sales_net sales_time

Answer: B

NEW QUESTION 22

Which global option in squid.conf sets the port number or numbers that Squid will use to listen for client requests?

- A. port
- B. client_port
- C. http_port
- D. server_port
- E. squid_port

Answer: C

NEW QUESTION 26

When using mod_authz_core, which of the following strings can be used as an argument to Require in an Apache HTTPD configuration file to specify the authentication provider? (Choose three.)

- A. method
- B. all
- C. regex
- D. header
- E. expr

Answer: ABE

NEW QUESTION 30

In response to a certificate signing request, a certification authority sent a web server certificate along with the certificate of an intermediate certification authority that signed the web server certificate. What should be done with the intermediate certificate in order to use the web server certificate with Apache HTTPD?

- A. The intermediate certificate should be merged with the web server's certificate into one file that is specified in SSLCertificateFile
- B. The intermediate certificate should be used to verify the certificate before its deployment on the web server and can be deleted
- C. The intermediate certificate should be stored in its own file which is referenced in SSLCaCertificateFile
- D. The intermediate certificate should be imported into the certificate store of the web browser used to test the correct operation of the web server
- E. The intermediate certificate should be archived and resent to the certification authority in order to request a renewal of the certificate

Answer: A

NEW QUESTION 32

A host, called lpi, with the MAC address 08:00:2b:4c:59:23 should always be given the IP address of 192.168.1.2 by a DHCP server running ISC DHCPD. Which of the following configurations will achieve this?

A

```
host lpi {  
    hardware-ethernet 08:00:2b:4c:59:23;  
    fixed-address 192.168.1.2;  
}
```

B

```
host lpi {  
    mac=08:00:2b:4c:59:23;  
    ip=192.168.1.2;  
}
```

C

```
host lpi = 08:00:2b:4c:59:23 192.168.1.2
```

D

```
host lpi {  
    hardware ethernet 08:00:2b:4c:59:23;  
    fixed-address 192.168.1.2;  
}
```

E

```
host lpi {  
    hardware-address 08:00:2b:4c:59:23;  
    fixed-ip 192.168.1.2;  
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: D

NEW QUESTION 36

How is the LDAP administrator account configured when the rootdn and rootpw directives are not present in the slapd.conf file?

- A. The default account admin with the password admin are used
- B. The account is defined by an ACL in slapd.conf
- C. The default account admin is used without a password
- D. The account is defined in the file /etc/ldap.secret
- E. The account is defined in the file /etc/ldap.root.conf

Answer: B

NEW QUESTION 40

Which of the following PAM modules allows the system administrator to use an arbitrary file containing a list of user and group names with restrictions on the system resources available to them?

- A. pam_filter
- B. pam_limits
- C. pam_listfile
- D. pam_unix

Answer: B

NEW QUESTION 42

In a PAM configuration file, which of the following is true about the required control flag?

- A. If the module returns success, no more modules of the same type will be invoked
- B. The success of the module is needed for the module-type facility to succeed
- C. If it returns a failure, control is returned to the calling application
- D. The success of the module is needed for the module-type facility to succeed
- E. However, all remaining modules of the same type will be invoked

- F. The module is not critical and whether it returns success or failure is not important
- G. If the module returns failure, no more modules of the same type will be invoked

Answer: C

NEW QUESTION 43

CORRECT TEXT

What is the name of the root element of the LDAP tree holding the configuration of an OpenLDAP server that is using directory based configuration? (Specify ONLY the element's name without any additional information.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

slapd

NEW QUESTION 47

How are PAM modules organized and stored?

- A. As plain text files in /etc/security/
- B. A statically linked binaries in /etc/pam.d/bin/
- C. As Linux kernel modules within the respective sub directory of /lib/modules/
- D. As shared object files within the /lib/ directory hierarchy
- E. As dynamically linked binaries in /usr/lib/pam/sbin/

Answer: E

NEW QUESTION 49

CORRECT TEXT

Which OpenLDAP client command can be used to change the password for an LDAP entry? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

ldappasswd

NEW QUESTION 50

After the installation of Dovecot, it is observed that the dovecot processes are shown in ps ax like this:

```
31248 ?      S      0:00 dovecot/imap
31253 ?      S      0:00 dovecot/imap-login
```

In order to associate the processes with users and peers, the username, IP address of the peer and the connection status, which of the following options must be set?

- A. --with-linux-extprocnames for ./configure when building Dovecot
- B. sys.ps.allow_descriptions = 1 in sysctl.conf or /proc
- C. proc.all.show_status = 1 in sysctl.conf or /proc
- D. verbose_proctitle = yes in the Dovecot configuration
- E. process_format = "%u %l %s" in the Dovecot configuration

Answer: D

NEW QUESTION 52

CORRECT TEXT

Which action in a Sieve filter forwards a message to another email address without changing the message? (Specify ONLY the action's name without any parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

redirect

NEW QUESTION 56

Which of the following authentication mechanisms are supported by Dovecot? (Choose three.)

- A. Idap

- B. digest-md5
- C. cram-md5
- D. plain
- E. krb5

Answer: BCD

NEW QUESTION 59

Which of the following services belongs to NFSv4 and does not exist in NFSv3?

- A. rpc.idmapd
- B. rpc.statd
- C. nfsd
- D. rpc.mountd

Answer: A

NEW QUESTION 62

CORRECT TEXT

What command displays NFC kernel statistics? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

nfsstat

NEW QUESTION 65

The following Apache HTTPD configuration has been set up to create a virtual host available at www.example.com and www2.example.com:

```
<VirtualHost *:80>
    ServerName www.example.com
    ServerName www2.example.com
    ServerAdmin webmaster@example.com
    DocumentRoot /var/www/
    <Directory /srv/www/>
        Require all granted
    </Directory>
</VirtualHost>
```

Even though Apache HTTPD correctly processed the configuration file, requests to both names are not handled correctly. What should be changed in order to ensure correct operations?

- A. The configuration must be split into two VirtualHost sections since each virtual host may only have one name.
- B. The port mentioned in opening VirtualHost tag has to be appended to the ServerName declaration's values.
- C. Both virtual host names have to be placed as comma separated values in one ServerName declaration.
- D. Both virtual host names have to be mentioned in the opening VirtualHost tag.
- E. Only one Server name declaration may exist, but additional names can be declared in ServerAlias options.

Answer: C

NEW QUESTION 66

Which Apache HTTPD configuration directive is used to specify the method of authentication, e.g. None or Basic?

- A. AuthUser
- B. AllowedAuthUser
- C. AuthType
- D. AllowAuth

Answer: C

NEW QUESTION 69

Which option within a Nginx server configuration section defines the file system path from which the content of the server is retrieved?

- A. location
- B. htdocs
- C. DocumentRoot
- D. root
- E. base_dir

Answer: D

NEW QUESTION 70

With Nginx, which of the following directives is used to proxy requests to a FastCGI application?

- A. fastcgi_pass
- B. fastcgi_proxy
- C. proxy_fastcgi
- D. proxy_fastcgi_pass
- E. fastcgi_forward

Answer: A

NEW QUESTION 74

Using its standard configuration, how does fail2ban block offending SSH clients?

- A. By rejecting connections due to its role as a proxy in front of SSHD.
- B. By modifying and adjusting the SSHD configuration.
- C. By creating and maintaining netfilter rules.
- D. By creating null routes that drop any answer packets sent to the client.
- E. By modifying and adjusting the TCP Wrapper configuration for SSH

Answer: B

NEW QUESTION 76

Which of the following commands can be used to connect and interact with remote TCP network services? (Choose two.)

- A. nettalk
- B. nc
- C. telnet
- D. cat
- E. netmap

Answer: BC

NEW QUESTION 80

To which destination will a route appear in the Linux routing table after activating IPv6 on a router's network interface, even when no global IPv6 addresses have been assigned to the interface?

- A. fe80::/10
- B. 0::/128
- C. 0::/0
- D. fe80::/64
- E. 2000::/3

Answer: A

NEW QUESTION 82

Which command is used to administer IPv6 netfilter rules?

- A. iptables
- B. iptablesv6
- C. iptables6
- D. ip6tables
- E. ipv6tables

Answer: D

NEW QUESTION 85

Which netfilter table contains built-in chains called INPUT, OUTPUT and FORWARD?

- A. ipconn
- B. filter
- C. nat
- D. default
- E. masq

Answer: B

NEW QUESTION 89

Which of these tools provides DNS information in the following format?

```
www.example.com has address 172.25.25.55  
www.example.com has address 172.25.25.63  
www.example.com has IPv6 address fdb4:8fbc:36e1::101f
```

- A. dig
- B. nslookup
- C. host
- D. named-checkconf
- E. named-checkzone

Answer: B

NEW QUESTION 91

Which rndc sub command can be used in conjunction with the name of a zone in order to make BIND reread the content of the specific zone file without reloading other zones as well?

- A. lookup
- B. reload
- C. fileupdate
- D. reread
- E. zoneupdate

Answer: AC

NEW QUESTION 96

What is the purpose of DANE?

- A. Verify the integrity of name information retrieved via DNS.
- B. Allow secure dynamic DNS updates.
- C. Invalidate name information stored on caching name servers to speed up DNS updates.
- D. Discover which servers within a DNS domain offer a specific service.
- E. Provide a way to verify the association of X 509 certificates to DNS host name

Answer: E

NEW QUESTION 100

Which of the following actions are available in Sieve core filters? (Choose three.)

- A. drop
- B. discard
- C. fileinto
- D. relay
- E. reject

Answer: CDE

NEW QUESTION 102

Which of the following statements allow the logical combinations of conditions in Sieve filters? (Choose two.)

- A. allof
- B. anyof
- C. noneof
- D. and
- E. or

Answer: AE

NEW QUESTION 104

Which configuration parameter on a Postfix server modifies only the sender address and not the recipient address?

- A. alias_maps
- B. alias_rewrite_maps
- C. sender_canonical_maps
- D. sender_rewrite_maps

Answer: C

NEW QUESTION 109

Which of the following commands is used to change user passwords in an OpenLDAP directory?

- A. setent

- B. ldpasswd
- C. olpasswd
- D. ldappasswd
- E. ldapchpw

Answer: D

NEW QUESTION 114

Which option within the ISC DHCPD configuration file defines the IPv4 DNS server address(es) to be sent to the DHCP clients?

- A. domain-name-servers
- B. domain-server
- C. name-server
- D. servers

Answer: A

NEW QUESTION 119

Which of the following lines is valid in a configuration file in /etc/pam.d/?

- A. authrequired pam_unix.sotry_first_pass nullok
- B. authtry_first_pass nullok, require pam_unix.so
- C. authrequired;pam_unix.so(try_first_pass nullok)
- D. authpam_unix.so(required try_first_pass nullok)

Answer: A

NEW QUESTION 124

Which of the following values can be used in the OpenLDAP attribute olcBackend for any object of the class olcBackendConfig to specify a backend? (Choose three.)

- A. xml
- B. bdb
- C. passwd
- D. ldap
- E. text

Answer: BDE

NEW QUESTION 127

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

202-450 Practice Exam Features:

- * 202-450 Questions and Answers Updated Frequently
- * 202-450 Practice Questions Verified by Expert Senior Certified Staff
- * 202-450 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 202-450 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 202-450 Practice Test Here](#)