



Cisco

Exam Questions 300-835

Automating Cisco Collaboration Solutions (CLAUTO)

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which two characteristics of REST APIs? (Choose two.)

- A. Resources are accessed using Uniform Resource Identifiers.
- B. API operations for Create/Read/Update/Delete are mapped to standard HTTP methods.
- C. Cookies are used for the duration of the session.
- D. REST API extends Remote Procedure Call.
- E. The server manages the session state.

Answer: AB

NEW QUESTION 2

Refer to the exhibit. When a Calling Search Space is updated and a new member is added, how is a member defined?

- A.

```
<member uuid="{F6E0CD00-EC18-F16D-32E1-80C9A7A3D602}">
  <routePartitionName uuid="{5F2B2FFD-C7D2-4F30-9EF5-60110B56B939}">pt_translation-
    pattern_n</routePartitionName>
  <index>1</index>
</member>
```
- B.

```
<member uuid="{F6E0CD00-EC18-F16D-32E1-80C9A7A3D602}">
  <routePartitionName>
    <uuid>"{5F2B2FFD-C7D2-4F30-9EF5-60110B56B939}"</uuid>
    <name>pt_translation-pattern_n</name>
  </routePartitionName>
  <index>1</index>
</member>
```
- C.

```
<member>
  <routePartitionName uuid="{5F2B2FFD-C7D2-4F30-9EF5-60110B56B939}">pt_translation-
    pattern_n</routePartitionName>
  <index>1</index>
</member>
```
- D.

```
<member">
  <routePartitionName uuid="{5F2B2FFD-C7D2-4F30-9EF5-60110B56B939}">
    <name>pt_translation-pattern_n</name>
  </routePartitionName>
  <index>1</index>
</member>
```

Answer: D

NEW QUESTION 3

Which two use cases can be accomplished using the Finesse JavaScript library? (Choose two.)

- A. Integrate customer relationship management capabilities into the Finesse agent desktop.
- B. Build a custom browser-based agent desktop.
- C. Build a Finesse gadget to add quick dial to the Finesse agent desktop.
- D. Build a Finesse gadget to create new agents on the Finesse system.
- E. Build a Finesse gadget to configure Finesse log levels for the Finesse administrator console.

Answer: AB

NEW QUESTION 4

A Webex Teams bot receives a Webhook payload, which notifies the bot that a message was created in a space. Which two API requests must be issued for the bot to answer the author of the message? (Choose two.)

- A. POST /v1/messages
- B. GET /v1/messages/{messageId}
- C. GET /v1/webhooks/{webhookId}
- D. PUT /v1/messages/{messageId}
- E. POST /v1/webhooks

Answer: CE

NEW QUESTION 5

Refer to the exhibit. The code includes the beginning of a short Python script that is constructed to notify the guard in case of an intruder alert. Which code snippet completes the script?

- A.

```
request.put('https://api.ciscospark.com/v1/rooms' + room,
            headers = { 'Authorization': 'Bearer' + token },
            data = {
                'toPersonEmail' : 'guard2319@perimeter.net',
                'html' : '<b>Warning!</b> Intruder alert in Section 12'
            }
        )
```
- B.

```
request.post('https://api.ciscospark.com/v1/messages',
             headers = {'Authorization': 'Bearer' + token },
             data = {
                 'roomId' : 'Perimeter Guard Space',
                 'markdown' : '**Warning!** Intruder alert in Section 12'
             }
)

C. request.post('https://api.ciscospark.com/v1/ rooms' + room,
               headers = {'Authorization': 'Bearer' + token },
               data = {
                   'text' : 'Warning! Intruder alert in Section 12'
                   'markdown' : '**Warning!** Intruder alert in Section 12'
               }
)

D. request.post('https://api.ciscospark.com/v1/messages',
               headers = {'Authorization': 'Bearer' + token },
               data = {
                   'toPersonEmail' : 'guard2319@perimeter.net',
                   'markdown' : '**Warning!** Intruder alert in Section 12'
               }
)
```

Answer: A

NEW QUESTION 6

Which type of endpoint is used by the Cisco Unified JTAPI implementation in Cisco Unified Communications Manager?

- A. gateways
- B. gatekeepers
- C. phones
- D. SIP trunks

Answer: C

NEW QUESTION 7

Which two Webex technologies can be used to embed voice and video collaboration into a company web page? (Choose two.)

- A. Webex Teams Widgets
- B. Webex Teams Browser SDK
- C. Webex Meetings XML API
- D. Webex Teams REST API
- E. Webex Teams Java SDK

Answer: AC

NEW QUESTION 8

Refer to the exhibit. This exhibit is based on the simple Python script to update a Webex registered room device (local IP = 10.10.20.153) with a new custom half-wake message. What is the URL to complete the requests.post() method?

- A. http://10.10.20.153:22/
- B. http://10.10.20.153/jsxapi
- C. http://api.webex.com/v1/ui
- D. http://10.10.20.153/putxml

Answer: D

NEW QUESTION 9

```
from pyxows import xows
import asyncio

async def main():

    async with xows.XoWSCClient( '10.10.20.153', 'integrator', 'integrator' ) as client:

        async def callback( data, id ):
            print( f'Call status event: { data }' )

        

        await client.wait_until_closed()

asyncio.run( main() )
```

Refer to the exhibit. This exhibit is a simple Python scrip to monitor call activity for a local Webex room device. Which code snippet listens for call events and completes the script?

- A. await client.xfeedback(['Status', 'Call', 'Status'], callback, False)
- B. await client.subscribe(['Feedback', 'Call', 'Status'], callback, False)
- C. await client.subscribe(['Status', 'Call', 'Status'], callback, False)
- D. await client.xfeedback(['Feedback', 'Call', 'Status'], callback, False)

Answer: C

NEW QUESTION 10

.....

Relate Links

100% Pass Your 300-835 Exam with ExamBible Prep Materials

<https://www.exambible.com/300-835-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>