



Salesforce

Exam Questions Platform-Developer-I

Platform Developer I

NEW QUESTION 1

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A. Use the schema describe calls to determine if the logged-in users has access to the Account object.
- B. Use the without sharing keyword on the class declaration.
- C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- D. Use the with sharing keyword on the class declaration.

Answer: D

Explanation:

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with sharing keyword in the official Salesforce documentation (https://developer.salesforce.com/docs/atlas.en-us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm)

NEW QUESTION 2


Which scenario is valid for execution by unit tests?

- A. Load data from a remote site with a callout.
- B. Set the created date of a record using a system method.
- C. Execute anonymous Apex as a different user.
- D. Generate a Visualforce PDF with `getContentAsPDF()`.

Answer: B

NEW QUESTION 3

Management asked for opportunities to be automatically created for accounts with annual revenue greater than \$1,000,000. A developer created the following trigger on the Account object to satisfy this requirement.



```
for(Account a: Trigger.new){
    if(a.AnnualRevenue > 1000000){
        List<Opportunity> oppList = [SELECT Id FROM Opportunity WHERE accountId = :a.Id];
        if(oppList.size() == 0){
            Opportunity oppty = new Opportunity(Name = a.name, StageName = 'Prospecting',
            loseDate = system.today().addDays(30));
            insert oppty;
        }
    }
}
```

Users are able to update the account records via the UI and can see an opportunity created for high annual revenue accounts. However, when the administrator tries to upload a list of 179 accounts using Data Loader, It fails with system. Exception errors.

Which two actions should the developer take to fix the code segment shown above? Choose 2 answers

- A. Check if all the required fields for Opportunity are being added on creation.
- B. Use Database.query to query the opportunities.
- C. Move the DML that saves opportunities outside the for loop.
- D. Query for existing opportunities outside the for loop.

Answer: CD

NEW QUESTION 4

Which code statement includes an Apex method named `updateAccounts` in the Class `AccountCont` rolles for use in a Lightning web component?

- A)
`import updateAccounts from 'AccountController';`
- B)
`import updateAccounts from '@salesforce/apex/AccountController';`
- C)
`import updateAccounts from 'AccountController.updateAccounts';`
- D)
`import updateAccounts from '@salesforce/apex/AccountController.updateAccounts';`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 5

What are three ways for 2 developer to execute tests in an org? Choose 3 answers

- A. Metadata APT
- B. Bulk API
- C. Setup Menu
- D. SalesforceDX
- E. Tooling API

Answer: CDE

NEW QUESTION 6

Where are two locations a developer can look to find information about the status of asynchronous or future methods? Choose 2 answers

- A. Apex Flex Queue
- B. Apex Jobs
- C. Paused Flow Interviews component
- D. Time-Based Workflow Monitor

Answer: AB

NEW QUESTION 7


Which aspect of Apex programming is limited due to multitenancy?

- A. The number of active Apex classes
- B. The number of methods in an Apex Class
- C. The number of records processed in a loop
- D. The number of records returned from database queries

Answer: D

NEW QUESTION 8

A developer created these three Rollup Summary fields in the custom object, Project__c:



The developer is asked to create a new field that shows the ratio between rejected and approved timesheets for a given project. Which should the developer use to implement the business requirement in order to minimize maintenance overhead?

- A. Record-triggered flow
- B. Formula field
- C. Apex trigger
- D. Field Update actions

Answer: B

NEW QUESTION 9

Since Aura application events follow the traditional publish-subscribe model, which method is used to fire an event?

- A. emit()
- B. fireEvent()
- C. fire()
- D. registerEvent()

Answer: C

NEW QUESTION 10

A developer wants to mark each Account in a List<Account> as either or Inactive based on the LastModified field value being more than 90 days. Which Apex technique should the developer use?

- A. A for loop, with a switch statement inside
- B. A Switch statement, with a for loop inside
- C. An If/else statement, with a for loop inside
- D. A for loop, with an if/else statement inside

Answer: D

NEW QUESTION 10

Universal Containers decides to use exclusively declarative development to build out a new Salesforce application. Which three options should be used to build out the database layer for the application? Choose 3 answers

- A. Roll-Up Summaries
- B. Triggers
- C. Relationships

- D. Process Builder
- E. Custom Objects and Fields

Answer: ACD

NEW QUESTION 12

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen. What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

Answer: B

NEW QUESTION 15

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer sandboxes
- B. Scratch orgs
- C. Full Copy sandboxes
- D. Developer orgs

Answer: B

NEW QUESTION 18

The values 'High', 'Medium', and 'Low' are Identified as common values for multiple picklist across different object. What is an approach a developer can take to streamline maintenance of the picklist and their values, while also restricting the values to the ones mentioned above?

- A. Create the Picklist on each object and use a Global Picklist Value Set containing the Values.
- B. Create the Picklist on each object as a required field and select "Display values alphabetically, not in the order entered".
- C. Create the Picklist on each object and select "Restrict picklist to the values defined in the value set".
- D. Create the Picklist on each and add a validation rule to ensure data integrity.

Answer: A

NEW QUESTION 22

Universal Container is building a recruiting app with an Applicant object that stores information about an individual person that represents a job. Each application may apply for more than one job.

What should a developer implement to represent that an applicant has applied for a job?

- A. Master-detail field from Applicant to Job
- B. Formula field on Applicant that references Job
- C. Junction object between Applicant and Job
- D. Lookup field from Applicant to Job

Answer: A

NEW QUESTION 26

A developer has a Apex controller for a Visualforce page that takes an ID as a URL parameter. How should the developer prevent a cross site scripting vulnerability?

- A. `ApexPages.currentPage().getParameters().get('url_param')`
- B. `ApexPages.currentPage().getParameters().get('url_param').escapeHtml4()`
- C. `String.valueOf(ApexPages.currentPage().getParameters().get('url_param'))`
- D. `String.escapeSingleQuotes(ApexPages.currentPage().getParameters().get('url_param'))`

Answer: B

NEW QUESTION 28

A custom picklist field, Food_Preference__c, exist on a custom object. The picklist contains the following options: 'Vegan','Kosher','No Preference'. The developer must ensure a value is populated every time a record is created or updated. What is the most efficient way to ensure a value is selected every time a record is saved?

- A. Set "Use the first value in the list as the default value" as True.
- B. Set a validation rule to enforce a value is selected.
- C. Mark the field as Required on the field definition.
- D. Mark the field as Required on the object's page layout.

Answer: C

NEW QUESTION 32

A developer is debugging the following code to determinate why Accounts are not being created Account a = new Account(Name = 'A'); Database.insert(a, false); How should the code be altered to help debug the issue?

- A. Add a System.debug() statement before the insert method
- B. Add a try/catch around the insert method
- C. Set the second insert method parameter to TRUE
- D. Collect the insert method return value a Saveresult variable

Answer: B

NEW QUESTION 33

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use Anonymous Apex to create the required data.
- B. Use Test.loadDataO < > and reference a CSV file in a static resource.
- C. Use SOQL to query the org for the required data.
- D. Use Test.loadDataO and reference a JSON file in Documents.

Answer: B

NEW QUESTION 36

Universal Containers recently transitioned from Classic to Lightning Experience. One of its business processes requires certain value from the opportunity object to be sent via HTTP REST callout to its external order management system based on a user-initiated action on the opportunity page. Example values are as follow

- > Name
- > Amount
- > Account

Which two methods should the developer implement to fulfill the business requirement? (Choose 2 answers)

- A. Create a Lightning component that performs the HTTP REST callout, and use a Lightning Action to expose the component on the Opportunity detail page.
- B. Create a Process Builder on the Opportunity object that executes an Apex immediate action to perform the HTTP REST callout whenever the Opportunity is updated.
- C. Create an after update trigger on the Opportunity object that calls a helper method using @Future(Callout=true) to perform the HTTP REST callout.
- D. Create a Visualforce page that performs the HTTP REST callout, and use a Visualforce quick action to expose the component on the Opportunity detail page.

Answer: AC

NEW QUESTION 38

A Salesforce Administrator used Flow Builder to create a flow named "accountOnboarding". The flow must be used inside an Aura component. Which tag should a developer use to display the flow in the component?

- A. Lightning-flow
- B. Aura:flow
- C. Lightning:flow
- D. Aura:flow

Answer: C

NEW QUESTION 41

As part of a data cleanup strategy, AW Computing wants to proactively delete associated opportunity records when the related Account is deleted. Which automation tool should be used to meet this business requirement?

- A. Workflow Rules
- B. Scheduled job
- C. Record-Triggered Flow
- D. Process Builder

Answer: C

NEW QUESTION 42

Which three operations affect the number of times a trigger can fire? Choose 3 answers

- A. Process Flows
- B. Workflow Rules
- C. Criteria-based Sharing calculations
- D. Email messages
- E. Roll-Up Summary fields

Answer: ABE

NEW QUESTION 46

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

A developer created a trigger on the Account object and wants to test if the trigger is properly bulkified. The developer team decided that the trigger should be tested with 200 account records with unique names.

What two things should be done to create the test data within the unit test with the least amount of code? Choose 2 answers

- A. Use the @isTest(isParallel=true) annotation in the test class.
- B. Use Test.loadData to populate data in your test methods.
- C. Use the @isTest(seeAllData=true) annotation in the test class.
- D. Create a static resource containing test data.

Answer: BD

NEW QUESTION 49

Consider the following code snippet:

```
public static List<Lead> obtainAllFields(Set<Id> leadIds) {  
    List<Lead> result = new List<Lead>();  
    for(Id leadId : leadIds){  
        result.add([SELECT FIELDS(ALL) FROM Lead WHERE Id = :leadId];  
    }  
    return result;  
}
```

Given the multi-tenant architecture of the Salesforce platform, what is a best practice a developer should implement and ensure successful execution of the method?

- A. Avoid executing queries without a limit clause.
- B. Avoid returning an empty List of records.
- C. Avoid using variables as query filters.
- D. Avoid performing queries inside for loops.

Answer: D

NEW QUESTION 50

An Apex method, getAccounts, that returns a list of Accounts given a searchTerm, is available for Lightning Web Components to use.

What is the correct definition of a Lightning Web Component property that uses the getAccounts method? A)

```
@AuraEnabled(getAccounts, '$searchTerm')  
accountList;
```

B)

```
@wire(getAccounts, { searchTerm: '$searchTerm' })  
accountList;
```

C)

```
@AuraEnabled(getAccounts, { searchTerm: '$searchTerm' })  
accountList;
```

D)

```
@wire(getAccounts, '$searchTerm')  
accountList;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 51

A developer wants to invoke an outbound message when a record meets a specific criteria. Which three features satisfy this use case? Choose 3 answers

- A. Approval Process has the capacity to check the record criteria and send an outbound message without Apex Code
- B. Process builder can be used to check the record criteria and send an outbound message with Apex Code.
- C. workflows can be used to check the record criteria and send an outbound message.
- D. Process builder can be used to check the record criteria and send an outbound message without Apex Code.
- E. Visual Workflow can be used to check the record criteria and send an outbound message without Apex Code.

Answer: ABC

NEW QUESTION 52

n org has an existing flow that creates an Opportunity with an Update Records element. A developer must update the flow to also create a 'Contact and store the created Contact's 1D on the Opportunity.

Which update must the developer make in the flow?

- A. Add a new Get Records element.
- B. Add a new Create Records element.
- C. Add a new Update Records element.
- D. Add a new Roll back Records element

Answer: B

NEW QUESTION 54

What does the Lightning Component framework provide to developers?

- A. Extended governor limits for applications
- B. Prebuilt component that can be reused.
- C. Templates to create custom components.
- D. Support for Classic and Lightning UIS.

Answer: B

NEW QUESTION 59

which statement is true regarding execution order when triggers are associated to the same object and event?

- A. Trigger execution order cannot be guaranteed.
- B. executed In the order they are modified.
- C. Triggers are executed alphabetically by trigger name.
- D. Triggers are executed in the order they are created.

Answer: A

NEW QUESTION 63

An org tracks customer orders on an Order object and the items of an Order on the Line Item object. The Line Item object has a MasterDetail relationship to the order object. A developer has a requirement to calculate the order amount on an Order and the line amount on each Line item based on quantity and price. What is the correct implementation?

- A. Implement the line amount as a numeric formula field and the order amount as a roll-up summary field.
- B. Write a single before trigger on the Line Item that calculates the item amount and updates the order amount on the Order.
- C. Implement the Line amount as a currency field and the order amount as a SUM formula field.
- D. Write a process on the Line item that calculates the item amount and order amount and updates the filed on the Line Item and the order.

Answer: C

NEW QUESTION 65

What can be used to override the Account's standard Edit button for Lightning Experience?

- A. Lightning action
- B. Lightning component
- C. Lightning page
- D. Lightning flow

Answer: B

Explanation:

A Lightning Component can be used to override the Account's standard Edit button for Lightning Experience. This allows the developer to create a custom page with custom fields and custom functionality that can be used instead of the standard Edit page. It also allows for the creation of custom navigation and buttons to make the user experience more intuitive and efficient.

Reference: <https://trailhead.salesforce.com/en/content/learn/projects/quick-start-lightning-components>

NEW QUESTION 69

A developer Is asked to create a Visualforce page that lists the contacts owned by the current user. This component will be embedded In a Lightning page. Without writing unnecessary code, which controller should be used for this purpose?

- A. Standard list controller
- B. Standard controller
- C. Lightning controller
- D. Custom controller

Answer: B

NEW QUESTION 73

A developer is creating a test coverage for a class and needs to insert records to validate functionality. Which method annotation should be used to create records for every method in the test class?

- A. @BeforeTest

- B. @isTest(SeeAllData=True)
- C. @TestSetup
- D. @PreTest

Answer: C

NEW QUESTION 76

Which three code lines are required to create a Lightning component on a Visualforce page? Choose 3 answers

- A. \$Lightning.createComponent
- B. <apex:slds/>
- C. \$Lightning.useComponent
- D. \$Lightning.use
- E. <apex:includeLightning/>

Answer: ADE

NEW QUESTION 78

Universal Containers has implemented an order management application. Each Order can have one or more Order Line items. The Order Line object is related to the Order via a master-detail relationship. For each Order Line item, the total price is calculated by multiplying the Order Line item price with the quantity ordered. What is the best practice to get the sum of all Order Line item totals on the Order record?

- A. Roll-up summary field
- B. Quick action
- C. Apex trigger
- D. Formula field

Answer: A

NEW QUESTION 79

A developer is creating a Lightning web component to show a list of sales records.

The Sales Representative user should be able to see the commission field on each record. The Sales Assistant user should be able to see all fields on the record except the commission field.

How should this be enforced so that the component works for both users without showing any errors?

- A. Use WITH SECURITY_ENFORCED in the SOQL that fetches the data for the component.
- B. Use Security
- C. stripInaccessible to remove fields inaccessible to the current user.
- D. Use Lightning Data Service to get the collection of sales records.
- E. Use Lightning Locker Service to enforce sharing rules and field-level security.

Answer: B

NEW QUESTION 84

Which two settings must be defined in order to update a record of a junction object? Choose 2 answers

- A. Read access on the primary relationship
- B. Read/Write access on the secondary relationship
- C. Read/Write access on the primary relationship
- D. Read/Write access on the junction object

Answer: BC

NEW QUESTION 88

A developer created a new trigger that inserts a Task when a new Lead is created. After deploying to production, an outside integration that reads task records is periodically reporting errors.

Which change should the developer make to ensure the integration is not affected with minimal impact to business logic?

- A. Deactivate the trigger before the integration runs.
- B. Use a try-catch block after the insert statement.
- C. Remove the Apex class from the integration user's profile.
- D. Use the Database method with all or None set to false

Answer: C

NEW QUESTION 93

A developer is integrating with a legacy on-premise SQL database.

What should the developer use to ensure the data being integrated is matched to the right records in Salesforce?

- A. Lookup field
- B. External ID field
- C. Formula field
- D. External Object

Answer: B

NEW QUESTION 97

Which two sfdx commands can be used to add testing data to a Developer sandbox?

- A. Forced: data:bulk:upsert
- B. Forced: data: object :upsert
- C. Forced: data: tree: upsert
- D. Forced: data:async:upsert

Answer: AC

NEW QUESTION 102

A developer must troubleshoot to pinpoint the causes of performance issues when a custom page loads in their org. Which tool should the developer use to troubleshoot?

- A. AppExchange
- B. Salesforce CLI
- C. Visual Studio Core IDE
- D. Developer Console

Answer: D

NEW QUESTION 105

Which three statements are true regarding custom exceptions in Apex? (Choose three.)

- A. A custom exception class must extend the system Exception class.
- B. A custom exception class can implement one or many interfaces.
- C. A custom exception class cannot contain member variables or methods.
- D. A custom exception class name must end with "Exception".
- E. A custom exception class can extend other classes besides the Exception class.

Answer: BDE

NEW QUESTION 109

How can a developer check the test coverage of active Process Builder and Flows deploying them in a Changing Set?

- A. Use the Flow properties page.
- B. Use the code Coverage Setup page
- C. Use the Apex testresult class
- D. Use SOQL and the Tooling API

Answer: D

NEW QUESTION 113

Universal Containers hires a developer to build a custom search page to help user- find the Accounts they want. Users will be able to search on Name, Description, and a custom comments field.

Which consideration should the developer be aware of when deciding between SOQL and SOSL? Choose 2 answers

- A. SOSL is able to return more records.
- B. SOQL is faster for text searches.
- C. SOSL is faster for text searches.
- D. SOQL is able to return more records.

Answer: CD

NEW QUESTION 114

Cloud kicks has a multi-screen flow that its call center agents use when handling inbound service desk calls. At one of the steps in the flow, the agents should be presented with a list of order numbers and dates that are retrieved from an external order management system in real time and displayed on the screen.

What should a developer use to satisfy this requirement?

- A. An Apex controller
- B. An Apex REST class
- C. An outbound message
- D. An invocable method

Answer: B

NEW QUESTION 116

Which salesforce org has a complete duplicate copy of the production org including data and configuration?

- A. Developer Pro Sandbox
- B. Partial Copy Sandbox
- C. Production
- D. Full Sandbox

Answer: D

NEW QUESTION 121

What should a developer do to check the code coverage of a class after running all tests?

- A. View the Code Coverage column in the list view on the Apex Classes page.
- B. View the Class Test Percentage tab on the Apex Class first view in Salesforce Setup.
- C. View Use code coverage percentage for the class using the Overall Code Coverage panel in the Developer Console Tests tab.
- D. Select and run the class on the Apex Test Execution page in the Developer Console.

Answer: B

NEW QUESTION 122

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer add to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Account object to the Global Address object
- B. Add a Master-Detail field on the Global Address object to the Account object.
- C. Add a Lookup field on the Account object to the Global Address object.
- D. Add a Lookup field on the Global Address object to the Account object

Answer: B

NEW QUESTION 123

A developer has the following requirements:

- Calculate the total amount on an Order.
- Calculate the line amount for each Line Item based on quantity selected and price.
- Move Line Items to a different Order if a Line Item is not in stock.

Which relationship implementation supports these requirements on its own?

- A. Line Item has a re-parentable master-detail field to Order.
- B. Order has a re-parentable master-detail field to Line Item.
- C. Line Item has a re-parentable lookup field to Order.
- D. Order has a re-parentable lookup field to Line Item.

Answer: A

NEW QUESTION 128

Given the following Anonymous Block:

```
List<Case> casesToUpdate = new List<Case>();
for(Case thisCase : [Select Id, Status FROM Case LIMIT 50000]){
    thisCase.Status = 'Working';
    casesToUpdate.add(thisCase);
}
try{
    Database.update(casesToUpdate, false);
}catch(Exception e){
    System.debug(e.getMessage());
}
```

Which one do you like?

What should a developer consider for an environment that has over 10,000 Case records?

- A. The transaction will fail due to exceeding the governor limit.
- B. The try/catch block will handle any DML exceptions thrown.
- C. The transaction will succeed and changes will be committed.
- D. The try/catch block will handle exceptions thrown by governor limits.

Answer: C

NEW QUESTION 129

What should a developer do to check the code coverage of a class after running all tests?

- A. View the code coverage percentage of the class using the Overall code Coverage panel in the Developer Console Test tab.
- B. View the Code Coverage column in the list on the Apex Classes page.
- C. Select and run the class on the Apex test Execution page in the Developer Console.
- D. View the Class test Percentage tab on the Apex Class list view in Salesforce Setup.

Answer: D

NEW QUESTION 133

Universal Containers has a Visualforce page that displays a table of every Container_c. being Is falling with a view state limit because some of the customers rent over 10,000 containers.

What should a developer change about the Visualforce page to help with the page load errors?

- A. Use Lazy loading and a transient List variable.
- B. Use JavaScript remoting with SOQL Offset.

- C. Implement pagination with an OffsetController.
- D. Implement pagination with a StandardSetController,

Answer: D

NEW QUESTION 136

A developer must implement a CheckPaymentProcessor class that provides check processing payment capabilities that adhere to what defined for payments in the PaymentProcessor interface. public interface PaymentProcessor { void pay(Decimal amount); } Which is the correct implementation to use the PaymentProcessor interface class?

- A. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount) {} }
- B. Public class CheckPaymentProcessor implements PaymentProcessor { public void pay(Decimal amount); }
- C. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount); }
- D. Public class CheckPaymentProcessor extends PaymentProcessor { public void pay(Decimal amount) {} }

Answer: B

NEW QUESTION 138

The Job_Application__c custom object has a field that is a Master-Detail relationship to the Contact object, where the Contact object is the Master. As part of a feature implementation, a developer needs to retrieve a list containing all Contact records where the related Account Industry is 'Technology' while also retrieving the contact's Job_Application__c records.

Based on the object's relationships, what is the most efficient statement to retrieve the list of contacts?

- A. [SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Account.Industry = 'Technology'];
- B. [SELECT Id, (SELECT Id FROM Job_Applications_r) FROM Contact WHERE Accounts.Industry = 'Technology'];
- C. [SELECT Id, (SELECT Id FROM Job_Applications_c) FROM Contact WHERE Accounts.Industry = 'Technology'];
- D. [SELECT Id, (SELECT Id FROM Job_Application_c) FROM Contact WHERE Account.Industry = 'Technology'];

Answer: B

NEW QUESTION 141

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

Platform-Developer-I Practice Exam Features:

- * Platform-Developer-I Questions and Answers Updated Frequently
- * Platform-Developer-I Practice Questions Verified by Expert Senior Certified Staff
- * Platform-Developer-I Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * Platform-Developer-I Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The Platform-Developer-I Practice Test Here](#)