

Microsoft

Exam Questions AZ-700

Designing and Implementing Microsoft Azure Networking Solutions



NEW QUESTION 1

- (Exam Topic 1)

You need to prepare Vnet1 for the deployment of an ExpressRoute gateway. The solution must meet the hybrid connectivity requirements and the business requirements.

Which three actions should you perform in sequence for Vnet1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a VPN gateway by using the VPNGW1 SKU.

Assign a user-defined route to GatewaySubnet.

Set the subnet mask of GatewaySubnet to /27.

Delete VPNGW1.

Create a VPN gateway by using the Basic SKU.

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Create a VPN gateway by using the VPNGW1 SKU.

Assign a user-defined route to GatewaySubnet.

Set the subnet mask of GatewaySubnet to /27.

Delete VPNGW1.

Create a VPN gateway by using the Basic SKU.

Answer Area

Set the subnet mask of GatewaySubnet to /27.

Assign a user-defined route to GatewaySubnet.

Create a VPN gateway by using the Basic SKU.

>

<

NEW QUESTION 2

- (Exam Topic 1)

You need to restrict traffic from VMScaleSet1 to VMScaleSet2. The solution must meet the virtual networking requirements.

What is the minimum number of custom NSG rules and NSG assignments required? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of custom NSG rules:

1
2
3
4
5

Minimum number of NSG assignments:

1
2
3
4
5

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 2: One NSG

The minimum requirement is one NSG. You could attach the NSG to VMSSet1 and restrict outbound traffic, or you could attach the NSG to VMSSet2 and restrict inbound traffic. Either way you would need two custom NSG rules.

Box 1: Two custom rules

With the NSG attached to VMSSet2, you would need to create a custom rule blocking all traffic from VMSSet1. Then you would need to create another custom rule with a higher priority than the first rule that allows traffic on port 443.

The default rules in the NSG will allow all other traffic to VMSSet2.

NEW QUESTION 3

- (Exam Topic 1)

You need to implement name resolution for the cloud.litwareinc.com. The solution must meet the networking requirements.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

To implement automatic DNS name registration in cloud.litwareinc.com:

▼
Create virtual network links
Configure conditional forwarding
Create an SOA record in cloud.litwareinc.com

To implement name resolution of the cloud.litwareinc.com DNS records from the on-premises locations:

▼
Enable the Azure Firewall DNS proxy
Create SRV records in cloud.litwareinc.com
Deploy an Azure virtual machine configured as a DNS server to Vnet1

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/dns/private-dns-autoregistration>

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-name-resolution-for-vms-and-role-insta>

NEW QUESTION 4

- (Exam Topic 1)

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements.

What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

Answer: A

NEW QUESTION 5

- (Exam Topic 1)

You need to connect Vnet2 and Vnet3. The solution must meet the virtual networking requirements and the business requirements.

Which two actions should you include in the solution? Each correct answer presents part of the solution.

- A. On the peerings from Vnet2 and Vnet3, select Use remote gateways.
- B. On the peering from Vnet1, select Allow forwarded traffic.
- C. On the peering from Vnet1, select Use remote gateways.
- D. On the peering from Vnet1, select Allow gateway transit.
- E. On the peerings from Vnet2 and Vnet3, select Allow gateway transit.

Answer: BD


NEW QUESTION 6

- (Exam Topic 2)

You need to meet the network security requirements for the NSG flow logs.

Which type of resource do you need, and how many instances should you create? To answer, select the appropriate options in the answer area.


NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 7

- (Exam Topic 2)

You are implementing the virtual network requirements for VM Analyze.

What should you include in a custom route that is linked to Subnet2? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Address prefix:

▼

0.0.0.0/0

0.0.0.0/32

10.1.0.0/16

255.255.255.255/0

255.255.255.255/32

Next hop type:

▼

None

Internet

Virtual appliance

Virtual network

Virtual network gateway

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-udr-overview>

NEW QUESTION 8

- (Exam Topic 2)

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM5 can resolve names in zone2.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
VM4 has an automatic registration in zone1.contoso.com.	<input type="radio"/>	<input checked="" type="radio"/>
You can link zone2.contoso.com to Vnet3 and enable auto registration.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 9

- (Exam Topic 3)

You have an Azure Front Door instance named FD1 that is protected by using Azure Web Application Firewall (WAF). FD1 uses a frontend host named app1.contoso.com to provide access to Azure web apps hosted in the East US Azure region and the West US Azure region. You need to configure FD1 to block requests to app1.contoso.com from all countries other than the United States. What should you include in the WAF policy?

- A. a frontend host association
- B. a managed rule set
- C. a custom rule that uses a rate limit rule
- D. a custom rule that uses a match rule

Answer: C

NEW QUESTION 10

- (Exam Topic 3)

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address. You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal. You need to apply a rate limit of 100 requests for traffic that originates from each office. What should you do?


- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

Answer: B

NEW QUESTION 10

- (Exam Topic 3)

You have an Azure environment shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

VM1 can communicate with (answer choice):

▼

VM2 only

VM2 and VM3 only

the on-premises datacenter and VM2 only

the on-premises datacenter, VM2, and VM3 only

VM2 can communicate with (answer choice):

▼

VM1 only

VM1 and VM3 only

the on-premises datacenter and VM3 only

the on-premises datacenter, VM1, and VM3 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

[https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-peering-gateway-transit?toc=/azure/virtual-ne](https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-peering-gateway-transit?toc=/azure/virtual-network/ip-services/ipv6-overview#capabilities) [https://docs.microsoft.com/en-ca/azure/virtual-](https://docs.microsoft.com/en-ca/azure/virtual-network/ip-services/ipv6-overview#capabilities)

NEW QUESTION 14

- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that has one subnet. Vnet1 is in the West Europe Azure region.

You deploy an Azure App Service app named App1 to the West Europe region.

You need to provide App1 with access to the resources in Vnet1. The solution must minimize costs. What should you do first?

- A. Create a private link.
- B. Create a new subnet.
- C. Create a NAT gateway.
- D. Create a gateway subnet and deploy a virtual network gateway.

Answer: B

Explanation:

Virtual network integration depends on a dedicated subnet.

<https://docs.microsoft.com/en-us/azure/app-service/overview-vnet-integration#regional-virtual-network-integrat> For outgoing traffic from Web App to vnet, it will go through Internet, so the cost not the minimum.

The connection between the Private Endpoint and the Web App uses a secure Private Link. Private Endpoint is only used for incoming flows to your Web App. Outgoing flows will not use this Private Endpoint, but you can inject outgoing flows to your network in a different subnet through the VNet integration feature.

<https://docs.microsoft.com/en-us/azure/app-service/networking/private-endpoint#conceptual-overview>

NEW QUESTION 19

- (Exam Topic 3)

You have an Azure Traffic Manager parent profile named TM1. TM1 has two child profiles named TM2 and TM3. TM1 uses the performance traffic-routing method and has the endpoints shown in the following table.

Name	Location
App1	North Europe
App2	East US
App3	Central US
TM2	West Europe
TM3	West US

TM2 uses the weighted traffic-routing method with MinChildEndpoint = 2 and has the endpoints shown in the following table.

Name	Location	Weight
App4	West Europe	99
App5	West Europe	1

TM3 uses priority traffic-routing method and has the endpoints shown in the following table.

Name	Location
App6	West US
App2	East US

The App2, App4, and App6 endpoints have a degraded monitoring status.

To which endpoint is traffic directed? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Answer Area

Traffic from West Europe:

▼

App1

App2

App4

App5

Traffic from West US:

▼

App1

App2

App3

App6

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Diagram Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/traffic-manager/traffic-manager-nested-profiles>

Traffic from West Europe:

Based on TM1 table, West Europe will trigger TM2. However, as the MinChildEndpoint is set to 2, and App4 is degraded (down), the entire TM2 will not be considered available.

This goes back to the origin TM1 that uses performance traffic-routing method, which means the closest location is App1 and naturally be the next best performance instance.

Hence, Answer = App1

Traffic from West US:

Based on TM1 table, West US will trigger TM3. However, both App2 and App6 were degraded (down), so none of them can be considered.

This goes back to the original TM1 that uses performance traffic-routing method, from TM1, the other 2 US locations would be App2 and App3. But App2 we know it's already degraded (unavailable), hence the only option would be App3.

Answer = App3

NEW QUESTION 22

- (Exam Topic 3)

You plan to deploy an Azure virtual network. You need to design the subnets.
Which three types of resources require a dedicated subnet? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. VPN gateway
- B. Azure Bastion
- C. Azure Active Directory Domain Services (Azure AD DS)
- D. Azure Application Gateway v2
- E. Azure Private Link

Answer: ABD

Explanation:
Reference:
<https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-for-azure-services>

NEW QUESTION 25
- (Exam Topic 3)
You have Azure App Service apps in the West US Azure region as shown in the following table.

Name	App Service plan	Number of instances
App1	ASP1	3
App2	ASP1	3
App3	ASP2	2
App4	ASP3	1

You need to ensure that all the apps can access the resources in a virtual network named Vnet1 without forwarding traffic through the internet-How many integration subnets should you create?

- A. 1
- B. 3
- C. 4
- D. 6

Answer: D

NEW QUESTION 29
- (Exam Topic 3)
You have an Azure subscription that contains the virtual machines shown in the following table.

Name	Connected to
VM1	Vnet1/Subnet1
VM2	Vnet1/Subnet2

Subnet1 and Subnet2 are associated to a network security group (NSG) named NSG1 that has the following outbound rule:

- > Priority: 100
- > Port: Any
- > Protocol: Any
- > Source: Any
- > Destination: Storage
- > Action: Deny

You create a private endpoint that has the following settings:

- > Name: Private1
- > Resource type: Microsoft.Storage/storageAccounts
- > Resource: storage1
- > Target sub-resource: blob
- > Virtual network: Vnet1
- > Subnet: Subnet1

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
From VM2, you can create a container in storage1	<input type="radio"/>	<input type="radio"/>
From VM1, you can upload data to a blob storage container in storage1	<input type="radio"/>	<input type="radio"/>
From VM2, you can upload data to a blob storage container in storage1	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Yes, Yes, Yes
 NSG rules applied to the subnet hosting the private endpoint are not applied to the private endpoint. So the NSG1 doesn't limit storage access from either VM1 or VM2.
<https://docs.microsoft.com/en-us/azure/storage/common/storage-private-endpoints#network-security-group-rule>

NEW QUESTION 30

- (Exam Topic 3)
 You have the Azure environment shown in the Azure Environment exhibit. (Click the Azure Environment tab.) The settings for each subnet are shown in the following table.

Subnet	Service endpoint
Vnet1/Subnet1	Storage
Vnet1/Subnet2	Storage
Vnet2/Subnet1	None

The Firewalls and virtual networks settings for storage1 are configured as shown in the Storage1 exhibit. (Click the Storage1 tab.) For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM1 can access storage1.	<input type="radio"/>	<input type="radio"/>
VM2 can access storage1 by using a service endpoint.	<input type="radio"/>	<input type="radio"/>
VM3 can access storage1 by using the public IP address.	<input type="radio"/>	<input type="radio"/>

A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM1 can access storage1.	<input type="radio"/>	<input checked="" type="radio"/>
VM2 can access storage1 by using a service endpoint.	<input type="radio"/>	<input checked="" type="radio"/>
VM3 can access storage1 by using the public IP address.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 32

- (Exam Topic 3)
 You are planning an Azure Point-to-Site (P2S) VPN that will use OpenVPN. Users will authenticate by using an on premises Active Directory domain. Which additional service should you deploy to support the VPN authentication?

- A. a certification authority (CA)
- B. a RADIUS server
- C. an Azure key vault
- D. Azure Active Directory (Azure AD) Application Proxy

Answer: B

Explanation:

Reference:
<https://docs.microsoft.com/en-us/azure/vpn-gateway/point-to-site-about>

NEW QUESTION 37

- (Exam Topic 3)
 You have an Azure subscription that contains the virtual networks shown in the following table.

Name	In resource group	Location
Vnet1	RG1	West US
Vnet2	RG1	Central US
Vnet3	RG2	Central US
Vnet4	RG2	West US
Vnet5	RG3	East US

You plan to deploy an Azure firewall named AF1 to RG1 in the West US Azure region. To which virtual networks can you deploy AF1?

- A. Vnet1 only
- B. Vnet1 and Vnet2 only
- C. Vnet1, Vnet2, and Vnet4 only
- D. Vnet1 and Vnet4 only
- E. Vnet1, Vnet2, Vnet3, and Vnet4

Answer: C

NEW QUESTION 39

- (Exam Topic 3)

You have an Azure virtual network named Vnet1.

You need to ensure that the virtual machines in Vnet1 can access only the Azure SQL resources in the East US Azure region. The virtual machines must be prevented from accessing any Azure Storage resources.

Which two outbound network security group (NSG) rules should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. an allow rule that has the IP address range of Vnet1 as the source and destination of Sql.EastUS
- B. a deny rule that has a source of VirtualNetwork and a destination of Sql
- C. a deny rule that has a source of VirtualNetwork and a destination of 168.63.129.0/24
- D. a deny rule that has the IP address range of Vnet1 as the source and destination of Storage

Answer: CD

NEW QUESTION 43

- (Exam Topic 3)

You have an Azure subscription that is linked to an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com. The subscription contains the following resources:

- * An Azure App Service app named App1
- * An Azure DNS zone named contoso.com
- * An Azure private DNS zone named private.contoso.com
- * A virtual network named Vnet1

You create a private endpoint for App1. The record for the endpoint is registered automatically in Azure DNS. You need to provide a developer with the name that is registered in Azure DNS for the private endpoint.

What should you provide?

- A. app1.privatelink.azurewebsites.net
- B. app1.contoso.com
- C. app1.contoso.onmicrosoft.com
- D. app1.private.contoso.com

Answer: A

NEW QUESTION 45

- (Exam Topic 3)

You have an Azure subscription that contains the resources shown in the following table.

Name	Type	Location
WebApp1	Web app	West US
VNet1	Virtual network	East US

The IP Addresses settings for Vnet1 are configured as shown in the exhibit.

Basic IP Addresses Security Tags Review + create

The virtual network's address space, specified as one or more address prefixes in CIDR notation (e.g. 192.168.1.0/24).

IPv4 address space

10.3.0.0/16 10.3.0.0 - 10.3.255.255 (65536 addresses) 

☐ Add IPv6 address space ⓘ

The subnet's address range in CIDR notation (e.g. 192.168.1.0/24). It must be contained by the address space of the virtual network.

 Add subnet  Remove subnet

<input type="checkbox"/> Subnet name	Subnet address range	NAT gateway
<input type="checkbox"/> Subnet1	10.3.0.0/16	

 Use of a NAT gateway is recommended for outbound internet access from a subnet. You can deploy a NAT gateway and assign it to a subnet after you create the virtual network. [Learn more](#)

You need to ensure that you can integrate WebApp1 and Vnet1.
Which three actions should you perform in sequence before you can integrate WebApp1 and Vnet1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Create a service endpoint



Deploy a VPN gateway



Add a private endpoint

Modify the address space of Vnet1

Configure a Point-to-Site (P2S) VPN

Answer Area





- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Text Description automatically generated with medium confidence
Reference:
<https://docs.microsoft.com/en-us/azure/app-service/web-sites-integrate-with-vnet#gateway-required-vnet-integra>

NEW QUESTION 48
- (Exam Topic 3)

You have two Azure virtual networks named Vnet1 and Vnet2 in an Azure region that has three availability zones. You deploy 12 virtual machines to each virtual network, deploying four virtual machines per zone. The virtual machines in Vnet1 host an app named App1. The virtual machines in Vnet2 host an app named App2. You plan to use Azure Virtual Network NAT to implement outbound connectivity for App1 and App2. You need to identify the minimum number of subnets and Virtual Network NAT instances required to meet the following requirements:

- A failure of two zones must NOT affect the availability of either App1 or App2.
- A failure of two zones must NOT affect the outbound connectivity of either App1 or App2. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Minimum number of subnets:

1

2

6

12

Minimum number of Virtual Network NAT instances:

1

2

6

12

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Minimum number of subnets: 1

Minimum number of Virtual Network NAT instances: 2

NEW QUESTION 51

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timeStamp": "2021-06-02T18:13:45+00:00",
  "resourceID": "/SUBSCRIPTIONS/489f2hht-se7y-987v-g57l-463hw3679512/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP_CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of '\\\\\"pm AppleWebKit Android\\\\\" against '\\\\\"REQUEST_HEADER:User-Agent\\\\\" required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "appl.contoso.com",
    "transactionId": "f7546159yihjk7wall4568if5131t68h7",
    "policyId": "default",
    "policyScope": "Global",
    "popolicyScopeName": "Global",
  }
}
```

You need to ensure that the URL is accessible through the application gateway.

Solution: You create a WAF policy exclusion for request headers that contain 137.135.10.24. Does this meet the goal?

- A. Yes
B. No

Answer: B

Explanation:

The parameter here should be RemoteAddr not Request header.

<https://docs.microsoft.com/en-us/azure/web-application-firewall/ag/custom-waf-rules-overview#match-variable>

NEW QUESTION 56

- (Exam Topic 3)

You have the network security groups (NSGs) shown in the following table.

Name	Resource	Prefix
NSG1	Subnet1	10.10.0.0/24
NSG2	Subnet2	10.10.1.0/24

In NSG1, you create inbound rules as shown in the following table.

Source	Priority	Port	Action
*	101	80	Allow
*	150	443	Allow
Virtual network	200	*	Deny

You have the Azure virtual machines shown in the following table.

Name	Subnet
VM1	Subnet1
VM2	Subnet1
VM3	Subnet2

NSG2 has only the default rules configured.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
VM3 can connect to port 8080 on VM1.	<input type="radio"/>	<input type="radio"/>
VM1 and VM2 can connect on port 9090.	<input type="radio"/>	<input type="radio"/>
VM1 can connect to VM3 on port 9090.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
VM3 can connect to port 8080 on VM1.	<input checked="" type="radio"/>	<input type="radio"/>
VM1 and VM2 can connect on port 9090.	<input checked="" type="radio"/>	<input type="radio"/>
VM1 can connect to VM3 on port 9090.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 60

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2. You need to ensure that Client1 can communicate with Vnet2. Solution: You enable BGP on the gateway of Vnet1.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

The VPN client must be downloaded again if any changes are made to VNet peering or the network topology. Reference: <https://docs.microsoft.com/en-us/azure/vpn-gateway/vpn-gateway-about-point-to-site-routing>

NEW QUESTION 64

- (Exam Topic 3)

You have three on-premises sites. Each site has a third-party VPN device.

You have an Azure virtual WAN named VWAN1 that has a hub named Hub1. Hub1 connects two of the three on-premises sites by using a Site-to-Site VPN connection.

You need to connect the third site to the other two sites by using Hub1.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Download the VPN configuration file from VWAN1

In a Hub1, create a VPN gateway

In a Hub1, create a VPN site

In a Hub1, create a connection to the VPN site

Configure the VPN device

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Table Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-site-to-site-portal>

NEW QUESTION 66

- (Exam Topic 3)

You have an Azure application gateway named AppGW1 that balances requests to a web app named App1. You need to modify the server variables in the response header of App1.

What should you configure on AppGW1?

- A. HTTP settings
- B. rewrites
- C. rules
- D. listeners

Answer: B

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url>

NEW QUESTION 69

- (Exam Topic 3)

You are configuring two network virtual appliances (NVAs) in an Azure virtual network. The NVAs will be used to inspect all the traffic within the virtual network.

You need to provide high availability for the NVAs. The solution must minimize administrative effort. What should you include in the solution?

- A. Azure Standard Load Balancer
- B. Azure Traffic Manager
- C. Azure Application Gateway
- D. Azure Front Door

Answer: A

Explanation:


Reference:

<https://docs.microsoft.com/en-us/azure/architecture/reference-architectures/dmz/nva-ha?tabs=cli>

NEW QUESTION 72


- (Exam Topic 3)

You have an Azure virtual network named Vnet1 that contains two subnets named Subnet1 and Subnet2. You have the NAT gateway shown in the NATgateway1 exhibit.




NATgateway1


NAT gateway



»



 Delete



 Refresh

^

 Essentials

JSON View

Resource group (change)

: RG1

Location

: North Europe (Zone 1)

Subscription (change)

: Subscription1

Subscription ID

: 489f2hht-se7y-987v-g571-463hw3679512

Virtual network

: Vnet1

Subnets

: 1

Public IP addresses

: 0


Public IP prefixes

: 1

Tags (change)


: [Click here to add tags](#)

You have the virtual machine shown in the VM1 exhibit.




VM1


Virtual machine




»




 Connect




 Start




 Restart




 Stop



 Capture



 Delete



 Refresh

^

 Essentials

Resource group (change)

RG1

Operating system

Windows

Status

Running

Size

Standard B1s (1 vcpus, 1 GiB memory)

Location

North Europe (Zone 2)

Public IP address

Subscription (change)

Subscription1

Virtual network/subnet

Vnet1/Subnet1

Subscription ID

489f2hht-se7y-987v-g571-463hw3679512

DNS name

Availability zone

2

Tags (change)

[Click here to add tags](#)

Subnet1 is configured as shown in the Subnet1 exhibit.

Subnet1

Vnet1

Name

Subnet1

Subnet address range * ⓘ

10.100.1.0/24

10.100.1.0 – 10.100.1.255 (251 + 5 Azure reserved addresses)

☐ Add IPv6 address space ⓘ

NAT gateway ⓘ

NATgateway1

Network security group

None

Route table

RouteTable1

SERVICE ENDPOINTS

Create service endpoint policies to allow traffic to specific azure resources from your virtual network over service endpoints. [Learn more](#)

Services ⓘ

Microsoft.Storage

Service

Status

Microsoft.Storage

Succeeded



Service endpoint policies

0 selected

SUBNET DELEGATION

Delegate subnets to a service ⓘ

None

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

VM1 can communicate outbound by using NATgateway1

☐☐

The virtual machines in Subnet2 communicate outbound by using NATgateway1

☐☐

All the virtual machines that use NATgateway1 to connect to the internet use the same public IP address

☐☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Box 1: No

VM1 is in Zone2 whereas the NAT Gateway is in Zone1. The VM would need to be in the same zone as the NAT Gateway to be able to use it. Therefore, VM1

cannot use the NAT gateway.

Box 2: Yes

NATgateway1 is configured in the settings for Subnet2. Box 3: No

The NAT gateway does not have a single public IP address, it has an IP prefix which means more than one IP address. The VMs the use the NAT Gateway can use different public IP addresses contained within the IP prefix.

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-network/nat-gateway/nat-gateway-resource>

NEW QUESTION 76

- (Exam Topic 3)

You have an Azure subscription that contains a single virtual network and a virtual network gateway.

You need to ensure that administrators can use Point-to-Site (P2S) VPN connections to access resources in the virtual network. The connections must be authenticated by Azure Active Directory (Azure AD).

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Azure AD configuration:

- ☐ An access package
- ☐ A conditional access policy
- ☐ An enterprise application
- ☐ A VPN certificate

P2S VPN tunnel type:

- ☐ IKEv2
- ☐ IKEv2 and SSTP (SSL)
- ☐ OpenVPN (SSL)
- ☐ SSTP (SSL)

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Azure AD configuration:

- ☐ An access package
- ☐ A conditional access policy
- ☐ An enterprise application
- ☒ A VPN certificate

P2S VPN tunnel type:

- ☐ IKEv2
- ☒ IKEv2 and SSTP (SSL)
- ☐ OpenVPN (SSL)
- ☐ SSTP (SSL)

NEW QUESTION 78

- (Exam Topic 3)

You have the Azure resources shown in the following table.

Name	Type	Location	Description
storage1	Storage account	East US	Read-access geo-redundant storage (RA-GRS)
Vnet1	Virtual network	East US	Contains one subnet

You configure storage1 to provide access to the subnet in Vnet1 by using a service endpoint.

You need to ensure that you can use the service endpoint to connect to the read-only endpoint of storage1 in the paired Azure region.

What should you do first?

A. Configure the firewall settings for storage1.

B. Fail over storage1 to the paired Azure region.

C. Create a virtual network in the paired Azure region.

D. Create another service endpoint.

Answer: A

NEW QUESTION 81

- (Exam Topic 3)

You plan to configure BGP for a Site-to-Site VPN connection between a datacenter and Azure. Which two Azure resources should you configure? Each correct answer presents a part of the solution.

(Choose two.)

NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Application Gateway
- C. Azure Firewall
- D. a local network gateway
- E. Azure Front Door

Answer: AD

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/bgp-howto>

NEW QUESTION 86

- (Exam Topic 3)

Your company has an Azure virtual network named Vnet1 that uses an IP address space of 192.168.0.0/20. Vnet1 contains a subnet named Subnet1 that uses an IP address space of 192.168.0.0/24.

You create an IPv6 address range to Vnet1 by using a CIDR suffix of /48.

You need to enable the virtual machines on Subnet1 to communicate with each other by using IPv6 addresses assigned by the company. The solution must minimize the number of additional IPv4 addresses.

What should you do? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Create an IPv6 subnet that uses a CIDR suffix of:

	▼
/20	
/24	
/48	
/64	

For each virtual machine, create an additional:

	▼
IP configuration	
NIC	
Public IPv6 address	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

:

Add IPv6 configuration to NIC. "Configure all of the VM NICs with an IPv6 address using Add-AzNetworkInterfaceIpConfig"

Source: <https://docs.microsoft.com/en-us/azure/load-balancer/ipv6-add-to-existing-vnet-powershell>

NEW QUESTION 89

- (Exam Topic 3)

Your company has offices in New York and Amsterdam. The company has an Azure subscription. Both offices connect to Azure by using a Site-to-Site VPN connection.

The office in Amsterdam uses resources in the North Europe Azure region. The office in New York uses resources in the East US Azure region.

You need to implement ExpressRoute circuits to connect each office to the nearest Azure region. Once the ExpressRoute circuits are connected, the on-premises computers in the Amsterdam office must be able to connect to the on-premises servers in the New York office by using the ExpressRoute circuits.

Which ExpressRoute option should you use?

- A. ExpressRoute Local
- B. ExpressRoute FastPath
- C. ExpressRoute Direct
- D. ExpressRoute Global Reach

Answer: A

NEW QUESTION 90

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.

You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timeStamp": "2021-06-02T18:13:45+00:00",
  "resourceId": "/SUBSCRIPTIONS/6efbb4a5-d91a-4e4a-b6bf-5b0d6efea73c/RESOURCEGROUPS/RG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AGW1",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP_CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920300",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "site": "Global",
    "details": {
      "message": "Warning. Match of '\\\\pm AppleWebKit Android\\\\' against '\\\\REQUEST_HEADERS:User-Agent\\\\' required. ",
      "data": "",
      "file": "rules\\REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1247"
    },
    "hostname": "app1.contoso.com",
    "transactionId": "d654811d0hgqlwa198165hq7428d74hk",
    "policyId": "default",
    "policyScope": "Global",
    "policyScopeName": "Global"
  }
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You configure a custom cookie and an exclusion rule. Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 91

- (Exam Topic 3)

You have an Azure virtual network that contains two subnets named Subnet1 and Subnet2. Subnet1 contains a virtual machine named VM1. Subnet2 contains a virtual machine named VM2.

You have two network security groups (NSGs) named NSG1 and NSG2. NSG1 has 100 inbound security rules and is associated to VM1. NSG2 has 200 inbound security rules and is associated to Subnet1.

VM2 cannot connect to VM1.

You suspect that an NSG rule blocks connectivity.

You need to identify which rule blocks the connection. The issue must be resolved as quickly as possible. Which Azure Network Watcher feature should you use?

- A. Effective security rules
- B. Connection troubleshoot
- C. NSG diagnostic
- D. NSG flow logs

Answer: C

NEW QUESTION 92

- (Exam Topic 3)

You fail to establish a Site-to-Site VPN connection between your company's main office and an Azure virtual network.

You need to troubleshoot what prevents you from establishing the IPsec tunnel. Which diagnostic log should you review?

- A. IKEDiagnosticLog
- B. GatewayDiagnosticLog
- C. TunnelDiagnosticLog
- D. RouteDiagnosticLog

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics> IKEDiagnosticLog = The IKEDiagnosticLog table offers verbose debug logging for IKE/IPsec. This is very

useful to review when troubleshooting disconnections, or failure to connect VPN scenarios.

GatewayDiagnosticLog = Configuration changes are audited in the GatewayDiagnosticLog table. TunnelDiagnosticLog = The TunnelDiagnosticLog table is very useful to inspect the historical connectivity statuses of the tunnel.

RouteDiagnosticLog = The RouteDiagnosticLog table traces the activity for statically modified routes or routes received via BGP.

P2SDiagnosticLog = The last available table for VPN diagnostics is P2SDiagnosticLog. This table traces the activity for Point to Site.

<https://docs.microsoft.com/en-us/azure/vpn-gateway/troubleshoot-vpn-with-azure-diagnostics>

NEW QUESTION 94

- (Exam Topic 3)

Your company has an on-premises network and three Azure subscriptions named Subscription1, Subscription2, and Subscription3. The departments at the company use the Azure subscriptions as shown in the following table.

Department	Subscription
IT	Subscription1
Research	Subscription1
Development	Subscription2
Testing	Subscription2
Distribution	Subscription3

All the resources in the subscriptions are in either the West US Azure region or the West US 2 Azure region. You plan to connect all the subscriptions to the on-premises network by using ExpressRoute.

What is the minimum number of ExpressRoute circuits required?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: A

NEW QUESTION 95

- (Exam Topic 3)

You have an Azure application gateway for a web app named App1. The application gateway allows end-to-end encryption. You configure the listener for HTTPS by uploading an enterprise signed certificate.

You need to ensure that the application gateway can provide end-to-end encryption for App1. What should you do?

- A. Set Listener type to Multi site.
- B. Increase the Unhealthy threshold setting in the custom probe.
- C. Upload the public key certificate to the HTTPS settings.
- D. Enable the SSL profile for the listener.

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/application-gateway/end-to-end-ssl-portal> <https://docs.microsoft.com/en-us/azure/application-gateway/create-ssl-portal#configuration-tab>

NEW QUESTION 98

- (Exam Topic 3)

You plan to deploy Azure Virtual WAN.

You need to deploy a virtual WAN hub that meets the following requirements:

- Supports 10 sites that will connect to the virtual WAN hub by using a Site-to-Site VPN connection
- Supports 8 Gbps of ExpressRoute traffic
- Minimizes costs

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Virtual WAN type:

▼

Basic

Standard

Number of scale units:

▼

2

4

6

8

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Graphical user interface, diagram Description automatically generated with medium confidence

Reference:

<https://docs.microsoft.com/en-us/azure/virtual-wan/virtual-wan-about>

NEW QUESTION 100

- (Exam Topic 3)

You need to connect an on-premises network and art Azure environment. The solution must use ExpressRoute and support failing over to a Site-to Site VPN connection if there is an ExpressRoute failure.

What should you configure? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Routing type:

Policy-based

Route-based

Static routing

Number of virtual network gateways:

1

2

3

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Routing type:

Policy-based

Route-based

Static routing

Number of virtual network gateways:

1

2

3

NEW QUESTION 103

- (Exam Topic 3)

You have an Azure subscription that contains multiple virtual machines in the West US Azure region. You need to use Traffic Analytics.

Which two resources should you create? Each correct answer presents part of the solution. (Choose two.) NOTE: Each correct answer selection is worth one point.

- A. an Azure Monitor workbook
- B. a Log Analytics workspace C a storage account
- C. an Azure Sentinel workspace
- D. an Azure Monitor data collection rule

Answer: BC

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics> A storage account is used to store network security group flow logs.

A Log Analytics workspace is used by Traffic Analytics to store the aggregated and indexed data that is then used to generate the analytics.

<https://docs.microsoft.com/en-us/azure/network-watcher/traffic-analytics#enable-flow-log-settings>

NEW QUESTION 108

- (Exam Topic 3)

You have an Azure Front Door instance that provides access to a web app. The web app uses a hostname of www.contoso.com.

You have the routing rules shown in the following table.

Name	Path
RuleA	/abc/def
RuleB	/ab
RuleC	/*
RuleD	/abc/*

Which rule will apply to each incoming request? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point

Answer Area

www.contoso.com/abc/def

RuleA

RuleB

RuleC

RuleD

www.contoso.com/default.htm

RuleA

RuleB

RuleC

RuleD

www.contoso.com/abc/def/default.htm

RuleA

RuleB

RuleC


RuleD

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Table Description automatically generated
Reference:
<https://docs.microsoft.com/en-us/azure/frontdoor/front-door-route-matching>

NEW QUESTION 112
- (Exam Topic 3)
You have the network topology shown in the Topology exhibit. (Click the Topology tab.)



You have the Azure firewall shown in the Firewall 1 exhibit. (Click the Firewall tab.)

All servicesFirewalls

Firewall1

Firewall

Delete

Lock

Visit Azure Firewall Manager to configure and manage this firewall. →

Essentials

Resource group (change)
RG3

Location
North Europe

Subscription (change)
Visual Studio Premium with MSDN

Subscription ID
8372f433-2dcd-4361-b5ef-5b168fed87d0

Virtual network
Vnet1

Firewall policy
FirewallPolicy

Provisioning state
Succeeded

Tags (change)
Click here to add tags

Firewall sku
Standard

Firewall subnet
AzureFirewallSubnet

Firewall public IP
Firewall1-IP1

Firewall private IP
10.100.253.4

Management subnet

Management public IP

Private IP Ranges
Managed by Firewall Policy

JSON View

You have the route table shown in the RouteTable1 exhibit. (Click the RouteTable1 tab.)

All servicesRoute tables

RouteTable1

Route table

Move

Delete

Refresh

Give feedback

Essentials

Resource group (change)
RG1

Location
North Europe

Subscription (change)
Visual Studio Premium with MSDN

Subscription ID
8372f433-2dcd-4361-b5ef-5b168fed87d0

Tags (change)
Click here to add tags

Association
1 subnet associations

JSON View

Routes

Search routes

Name	Address prefix	Next hop type	Next hop IP address
Route1	10.1.0.0/16	virtual network gateway	
Route2	0.0.0.0/0	Virtual appliance	10.100.253.4

Subnets

Search subnets

Name	Address range	Virtual network	Security group
Subnet1	10.100.1.0/24	vnet1	

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Statements	Yes	No
The resources in Subnet1 can connect to the internet through Firewall1.	<input type="radio"/>	<input type="radio"/>
The resources in Subnet1 can connect to the resources in Vnet2.	<input type="radio"/>	<input type="radio"/>
The resources in Subnet2 can connect to the internet through Firewall1.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Passing Certification Exams Made Easy

visit - https://www.surepassexam.com

Explanation:

Statements	Yes	No
The resources in Subnet1 can connect to the internet through Firewall1.	<input checked="" type="radio"/>	<input type="radio"/>
The resources in Subnet1 can connect to the resources in Vnet2.	<input checked="" type="radio"/>	<input type="radio"/>
The resources in Subnet2 can connect to the internet through Firewall1.	<input checked="" type="checkbox"/>	<input type="radio"/>

NEW QUESTION 113

- (Exam Topic 3)

You have an Azure Front Door instance named FrontDoor1.
You deploy two instances of an Azure web app to different Azure regions.
You plan to provide access to the web app through FrontDoor1 by using the name app1.contoso.com. You need to ensure that FrontDoor1 is the entry point for requests that use app1.contoso.com.
Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add a PTR record to DNS.	
Add a CNAME record to DNS.	
Add a routing rule to FrontDoor1.	
Add a custom domain to FrontDoor1.	
Add a rules engine configuration to FrontDoor1.	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions	Answer Area
Add a PTR record to DNS.	Add a custom domain to FrontDoor1.
Add a CNAME record to DNS.	Add a PTR record to DNS.
Add a routing rule to FrontDoor1.	Add a rules engine configuration to FrontDoor1.
Add a custom domain to FrontDoor1.	
Add a rules engine configuration to FrontDoor1.	

NEW QUESTION 116

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure application gateway that has Azure Web Application Firewall (WAF) enabled. You configure the application gateway to direct traffic to the URL of the application gateway.
You attempt to access the URL and receive an HTTP 403 error. You view the diagnostics log and discover the following error.

```
{
  "timestamp": "2021-04-02T10:13:41.002000",
  "resourceId": "/SUBSCRIPTIONS/489f2bht-ae1y-957y-q571-463sw3e79512/RESOURCEGROUPS/EG1/PROVIDERS/MICROSOFT.NETWORK/APPLICATIONGATEWAYS/AWI",
  "operationName": "ApplicationGatewayFirewall",
  "category": "ApplicationGatewayFirewallLog",
  "properties": {
    "instanceId": "appgw_0",
    "clientIp": "137.135.10.24",
    "clientPort": "",
    "requestUri": "/login",
    "ruleSetType": "OWASP_CRS",
    "ruleSetVersion": "3.0.0",
    "ruleId": "920100",
    "message": "Request Missing an Accept Header",
    "action": "Matched",
    "scope": "Global",
    "details": {
      "message": "Warning: Match of '/*[!m] AppleWebKit Android/*' against '/*REQUEST_HEADERS:User-Agent/*' required.",
      "data": "",
      "file": "rules/REQUEST-920-PROTOCOL-ENFORCEMENT.conf",
      "line": "1241"
    }
  },
  "hostname": "app1.contoso.com",
  "transactionId": "f7586359y2h3x7wa1245x2if5391t65h7",
  "policyId": "default",
  "policyScope": "Global",
  "policyScopeName": "Global"
}
```

You need to ensure that the URL is accessible through the application gateway. Solution: You add a rewrite rule for the host header.
Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

<https://docs.microsoft.com/en-us/azure/application-gateway/rewrite-http-headers-url#limitations>

NEW QUESTION 121

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

AZ-700 Practice Exam Features:

- * AZ-700 Questions and Answers Updated Frequently
- * AZ-700 Practice Questions Verified by Expert Senior Certified Staff
- * AZ-700 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * AZ-700 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The AZ-700 Practice Test Here](#)