

# HPE2-T37 Dumps

## Using HPE OneView

<https://www.certleader.com/HPE2-T37-dumps.html>



#### NEW QUESTION 1

After replacing a failed Compute Module, you notice the server profile is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. iLO firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

**Answer: A**

#### NEW QUESTION 2

Which parameters can be defined in a server profile template for HPE Synergy Compute Modules? (Select two.)

- A. partition layout for servers running Linux.
- B. iLO IPv4 or IPv6 address.
- C. local storage and BIOS settings.
- D. NIC teaming setup at OS level.
- E. network and storage connectivity.

**Answer: CE**

#### NEW QUESTION 3

Your customer plans to use HPE OneView to manage a small environment based on HPE ProLiant servers that includes G7 and Gen 10 systems. What should you explain to this customer?

- A. HPE Management Agent must be installed for HPE ProLiant Gen 10 servers.
- B. HPE ProLiant G7 and Gen10 cannot be managed using the same appliance.
- C. Not all of the features will be available for HPE ProLiant G7 systems.
- D. HPE ProLiant Gen 10 servers do not need an HPE OneView license.

**Answer: C**

#### NEW QUESTION 4

You are creating a Logical Interconnect Group for a three-frame HPE Synergy solution with HPE Virtual Connect SE100Gb F32 Modules for Synergy. In which scenario should you set redundancy for master modules to be highly available?

- A. When storm control or loop protection will be enabled for Virtual Connect modules
- B. When each of the frames has two Virtual Connect modules installed
- C. When each Virtual Connect module is installed in different frame
- D. When each Virtual Connect module is installed in different fabric

**Answer: A**

#### NEW QUESTION 5

You try to add a new connection within a server profile, but an operation fails when you try to commit the changes. What is a possible reason?

- A. You tried to add additional connection above the limit
- B. The server is powered on
- C. The server does not have an HPE OneView license applied
- D. The server is powered off

**Answer: B**

#### NEW QUESTION 6

Your customer wants to use HPE OneView for VMware vCenter Server to simplify management of their VMware cluster running on HPE Synergy. The customer is concerned with the cost of additional licenses. How will you explain licensing rules for this product?

- A. As long as the customer has HPE OneView Global Dashboard deployed, HPE OneView for VMware vCenter Server does not require any additional licenses.
- B. One HPE OneView for VMware vCenter Server license is required per HPE Synergy frame if more than 10 Compute Modules are installed in the frame.
- C. If the number of the HPE Synergy Compute Modules installed in HPE Synergy frame is less than 10, no license is required to use HPE OneView for VMware vCenter Server.
- D. As long as the server is managed using HPE OneView
- E. the customer can use HPE OneView for VMware vCenter Server without additional licenses.

**Answer: B**

#### NEW QUESTION 7

You originally configured boot mode for HPE ProLiant Gen10 server to 'Legacy BIOS' in an HPE OneView server profile and deployed an operating system. A few weeks later, you change the boot mode to the 'UEFI optimized' to leverage some features provided by this mode. What must you do next?

- A. reset an iLO management processor to activate the new boot mode for the server
- B. reinstall an operating system, as UEFI is using different drive format than Legacy BIOS

- C. reset BIOS settings to the defaults so UEFI settings can be applied
- D. reset BIOS settings to the defaults through the server profile after changing the boot mode

**Answer:** A

**NEW QUESTION 8**

Refer to the exhibit.



A customer complains that firmware compliance is empty. The customer confirmed that Synergy Service Pack is uploaded to the HPE OneView repository. How should you respond?

- A. The refresh procedure must be performed on each logical enclosure to refresh firmware.
- B. All of the components are up to date and compliant with firmware baseline.
- C. The firmware repository service must be restarted using maintenance connection.
- D. The firmware repository is not defined within firmware compliance report.

**Answer:** C

**NEW QUESTION 9**

You are creating a Logical Interconnect Group (LIG) that will be used to configure SAS connectivity. What is the maximum number of frames that can be inducted in this LIG?

- A. 2 frames
- B. 4 frames
- C. 3 frames
- D. 1 frame
- E. 5 frames

**Answer:** D

**NEW QUESTION 10**


What is a network set?

- A. It is a collection of all internal networks defined for a specific type of traffic like vSAN or vMotion.
- B. It is a collection of untagged Ethernet networks that form a named group to simplify server profile creation.
- C. It is a collection of tagged Ethernet networks that form a named group to simplify server profile creation.
- D. It is a collection of all networks configured within HPE OneView regardless of network type.

**Answer:** C

**NEW QUESTION 10**

Click the option that will allow you to disable virtual MAC addresses or generate a new pool of virtual Worldwide Names.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
Networks

**NEW QUESTION 11**

What is the best practice when deploying an HPE OneView appliance?

- A. Enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor.
- B. deploy the appliance in a hypervisor cluster that is not managed by OneView.
- C. Use thin-provisioning for the HPE OneView appliance to save storage capacity.
- D. Deploy two HPE OneView appliances and configure them in HA mode.

**Answer:** B

**NEW QUESTION 13**

what is required to add a remote frame to the primary management ring?

- A. UUID of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

**Answer:** D

**NEW QUESTION 15**

Which licenses are optional to be purchased separately for HPE Synergy?

- A. Global Dashboard licenses
- B. FC Upgrade licenses
- C. HPE OneView licenses
- D. Virtual Connect licenses

**Answer:** B

**Explanation:**

Licenses were not purchased in the original order for the modules and were ordered separately.

**NEW QUESTION 17**

Which action is allowed on storage pools managed by HPE OneView?

- A. Volume provisioning
- B. Setting storage pool replication
- C. Changing storage pool RAID level
- D. Changing storage pool capacity

**Answer:** A

**NEW QUESTION 22**

Which statement about RoCE network restrictions is true?

- A. RoCE networks require Virtual Connect SE 32Gb FC Modules.
- B. RoCE networks cannot be configured when Virtual Connect modules are used.
- C. RoCE networks are supported only when PVLANS are enabled.
- D. RoCE networks are not supported with HPE BladeSystem

**Answer:** D

**NEW QUESTION 24**

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

**Answer:** D

**NEW QUESTION 25**

Your customer asks you if it is possible to perform HPE Synergy initial setup remotely. How should you respond?

- A. Remote HPE Synergy setup is possible if HPE Composer 2 is used and a DHCP server is available in the management network.
- B. Remote HPE Synergy Installation can be done only if an additional set of the services was purchased together with hardware platform.
- C. HPE Synergy cannot be deployed remotely, as Initial setup must be performed using a local console connection.
- D. HPE Synergy can be configured remotely through a secure connection to the FLM if this option was enabled in the factory.

**Answer:** D

**Explanation:**

HPE Synergy 4-port Frame Link Modules have SFP+ ports which enable connections to distant frames and remote subnets.

**NEW QUESTION 30**

You are deploying HPE OneView to manage a customer's HPE ProLiant servers Is this statement about appliance availability true?

- A. HA features for HPE OneView are enabled only if the appliance is deployed on an HPE SimpliVity cluster
- B. HPE OneView has a built-in HA feature that can be activated with an additional license
- C. HPE OneView availability relies on HA features provided by the hypervisor
- D. During hpe oneView deployment customer may select configure proprietary HA mode.

**Answer:** C

**NEW QUESTION 33**

Your customer built a server profile for HPE Synergy Gen 10 server and configured boot mode to Legacy BIOS. Which feature is not available for this Compute Module?

- A. BIOS management
- B. Workload profile
- C. Boot from SAN
- D. Secure boot

**Answer:** C

**NEW QUESTION 38**

Which statement about the volume template is true?

- A. Users will be able to change sharing type and volume capacity
- B. A volume created using this template will not support deduplication
- C. A volume created using this template will not support snapshots
- D. Users will be able to select storage pool during volume creation

**Answer: A**

**NEW QUESTION 43**

Which statement about access to HPE Onboard Administrator is true when an HPE BladeSystem enclosure is added to HPE OneView?

- A. It is blocked when an HPE BladeSystem enclosure is managed using HPE OneView.
- B. It is enabled only when an HPE BladeSystem enclosure is monitored using HPE OneView.
- C. It is enabled when an HPE BladeSystem is either managed or monitored using HPE OneView.
- D. It is blocked when HPE BladeSystem enclosure is monitored using HPE OneView.

**Answer: B**

**NEW QUESTION 45**

You want to add the latest ILO firmware to an HPE OneView firmware repository. How can you complete this task?

- A. A PowerShell script must be used to upload ILO firmware to the Internal or external firmware repository.
- B. A custom SPP iso Image must be created with the new ILO firmware version and uploaded to the repository.
- C. An external repository must be created, because standalone components are supported only in an external repository.
- D. ILO firmware can be marked as a hotfix and uploaded directly to the Internal or external firmware repository.

**Answer: B**

**NEW QUESTION 47**

What step must be taken to add an HPE SuperDome Flex to an existing OneView environment?

- A. A Rack Management Controller must be added to HPE OneView.
- B. HPE Superdome Flex can be added to HPE OneView after at least one nPAR is created.
- C. Each HPE Superdome Flex chassis must be added individually using BMC IP.
- D. HPE Superdome Flex complex can be added by adding base chassis of this complex.

**Answer: A**

**NEW QUESTION 51**

What is required to add remote frame link topology to HPE OneView?

- A. The HPE OneView certificate from the primary site must be added to HPE OneView in the remote site.
- B. The IP address assigned to HPE Composer installed in a remote site must be registered in a primary site.
- C. Multi-site licenses must be added to HPE OneView and activate for all available HPE Synergy frames.
- D. Management ports of the remote frame link topology must be connected to the management LAN.

**Answer: D**

**NEW QUESTION 54**

Which statement about server hardware types is true?

- A. Once selected in the server profile, the server hardware type cannot be changed, and a server profile can be moved only between the same type of servers
- B. Server hardware type can be defined only for HPE Synergy and HPE BladeSystem, but it cannot be defined for HPE ProLiant or Apollo systems
- C. Administrator has to manually define the server hardware type for any unique server architecture and mezzanine card combination
- D. The server hardware type is automatically created when a server with unique architecture and mezzanine card configuration is added to HPE OneView

**Answer:** A

**NEW QUESTION 55**

For each feature, indicate whether it is available with both hpe oneview Standard and hpe oneview Advanced licenses, or only with an hpe oneview Advanced license.

Answer Area	License	Feature
both Standard and Advanced	<input type="checkbox"/>	Firmware management
only Advanced	<input type="checkbox"/>	Remote Support
	<input type="checkbox"/>	Reporting
	<input type="checkbox"/>	Smart Search, Activity View, Dashboard

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Graphical user interface, application Description automatically generated

**NEW QUESTION 60**

How will setting the Purpose field within the network definition of a server profile impact the network traffic?

- A. network purpose can give higher priority for a specific type of traffic
- B. network purpose will impact the traffic only if Virtual Connect modules are used
- C. network purpose will define QoS within Logical Interconnect
- D. network purpose does not affect the behavior of the network

**Answer:** C

**NEW QUESTION 62**

.....

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your HPE2-T37 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/HPE2-T37-dumps.html>