

Exam Questions 200-201

Understanding Cisco Cybersecurity Operations Fundamentals

<https://www.2passeasy.com/dumps/200-201/>



NEW QUESTION 1

What is the difference between a threat and a risk?

- A. Threat represents a potential danger that could take advantage of a weakness in a system
- B. Risk represents the known and identified loss or danger in the system
- C. Risk represents the nonintentional interaction with uncertainty in the system
- D. Threat represents a state of being exposed to an attack or a compromise either physically or logically

Answer: A

NEW QUESTION 2

What is the difference between deep packet inspection and stateful inspection?

- A. Deep packet inspection is more secure than stateful inspection on Layer 4
- B. Stateful inspection verifies contents at Layer 4 and deep packet inspection verifies connection at Layer 7
- C. Stateful inspection is more secure than deep packet inspection on Layer 7
- D. Deep packet inspection allows visibility on Layer 7 and stateful inspection allows visibility on Layer 4

Answer: D

NEW QUESTION 3

Refer to the exhibit.

```
Mar 6 10:35:34 user sshd[12900]: pam_unix(sshd:auth):authentication failure;
logname= uid=0 euid=0 tty=ssh ruser= rhost=127.0.0.1
Mar 6 10:35:36 user sshd[12900]: Failed password for invalid user not_bill from
127.0.0.1 port 38346 ssh2
```

In which Linux log file is this output found?

- A. /var/log/authorization.log
- B. /var/log/dmesg
- C. var/log/var.log
- D. /var/log/auth.log

Answer: D

NEW QUESTION 4

Drag and drop the access control models from the left onto the correct descriptions on the right.

MAC	object owner determines permissions
ABAC	OS determines permissions
RBAC	role of the subject determines permissions
DAC	attributes of the subject determines permissions

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

MAC	DAC
ABAC	MAC
RBAC	RBAC
DAC	ABAC

NEW QUESTION 5

An organization has recently adjusted its security stance in response to online threats made by a known hacktivist group. What is the initial event called in the NIST SP800-61?

- A. online assault
- B. precursor
- C. trigger
- D. instigator

Answer: B

NEW QUESTION 6

What is the function of a command and control server?

- A. It enumerates open ports on a network device
- B. It drops secondary payload into malware
- C. It is used to regain control of the network after a compromise
- D. It sends instruction to a compromised system

Answer: D

NEW QUESTION 7

Refer to the exhibit.

```
- Internet Protocol version 4, Src: 192.168.122.100 (192.168.122.100), Dst: 81.179.179.69 (81.179.179.69)
  Version: 4
  Header Length: 20 bytes
+ Differentiated Services Field: 0x00 (DSCP 0x00: Default; ECN: 0x00: Not-ECT (Not ECN-Capable Transport))
  Total Length: 538
  Identification: 0x6bse (27534)
+ Flags: 0x02 (Don't Fragment)
  Fragment offset: 0
  Time to live: 128
  Protocol: TCP (6)
+ Header checksum: 0x000 [Validation disabled]
  Source: 192.168.122.100 (192.168.122.100)
  Destination: 81.179.179.69 (81.179.179.69)
  [Source GeoIP: Unknown]

+ Transmission control protocol. src port: 50272 (50272) Dst Port: 80 (80).
Seq: 419451624. Ack: 970444123. Len: 490
```

What should be interpreted from this packet capture?

- A. IP address 179.179.69/50272/192.168.122.100/80/6 is sending a packet from port 80 of IP address 192.168.122.100 that is going to port 50272 of IP address 81.179.179.69 using IP protocol 6.
- B. IP address 192.168.122.100/50272/81.179.179.69/80/6 is sending a packet from port 50272 of IP address 192.168.122.100 that is going to port 80 of IP address 81.179.179.69 using IP protocol 6.
- C. IP address 192.168.122.100/50272/81.179.179.69/80/6 is sending a packet from port 80 of IP address 192.168.122.100 that is going to port 50272 of IP address 81.179.179.69 using IP protocol 6.7E503B693763E0113BE0CD2E4A16C9C4
- D. IP address 179.179.69/50272/192.168.122.100/80/6 is sending a packet from port 50272 of IP address 192.168.122.100 that is going to port 80 of IP address 81.179.179.69 using IP protocol 6.

Answer: B

NEW QUESTION 8

What is the difference between mandatory access control (MAC) and discretionary access control (DAC)?

- A. MAC is controlled by the discretion of the owner and DAC is controlled by an administrator
- B. MAC is the strictest of all levels of control and DAC is object-based access
- C. DAC is controlled by the operating system and MAC is controlled by an administrator
- D. DAC is the strictest of all levels of control and MAC is object-based access

Answer: B

NEW QUESTION 9

What is the practice of giving an employee access to only the resources needed to accomplish their job?

- A. principle of least privilege
- B. organizational separation
- C. separation of duties
- D. need to know principle

Answer: A

NEW QUESTION 10

Which metric is used to capture the level of access needed to launch a successful attack?

- A. privileges required
- B. user interaction
- C. attack complexity
- D. attack vector

Answer: A

NEW QUESTION 10

Refer to the exhibit.

File name	CVE-2009-4324 PDF 2009-11-30 note200911.pdf
File size	400918 bytes
File type	PDF document, version 1.6
CRC32	11638A9B
MD5	61baabd6fc12e01ff73ceacc07c84f9a
SHA1	0805d0ae62f5358b9a3f4c1868d552fc3561b17
SHA256	27cced58a0fcbb0bbe3894f74d3014611039fefdf3bd2b0ba7ad85b18194c
SHA512	5a43bc7eef279b209e2590432cc3e2eb480d0f78004e265f00b98b4afdc9a
Ssdeep	1536:p0AAH2KthGBjcdBj8VETeePxsT65ZZ3pdx/ves/QR/875+.prahGV6B
PEID	None matched
Yara	<ul style="list-style-type: none"> • embedded_pe (Contains an embedded PE32 file) • embedded_win_api (A non-Windows executable contains win32 API) • vmdetect (Possibly employs anti-virtualization techniques)
VirusTotal	Permalink VirusTotal Scan Date: 2013-12-27 06:51:52 Detection Rate: 32/46 (collapse)

An engineer is analyzing this Cuckoo Sandbox report for a PDF file that has been downloaded from an email. What is the state of this file?

- A. The file has an embedded executable and was matched by PEiD threat signatures for further analysis.
- B. The file has an embedded non-Windows executable but no suspicious features are identified.
- C. The file has an embedded Windows 32 executable and the Yara field lists suspicious features for further analysis.
- D. The file was matched by PEiD threat signatures but no suspicious features are identified since the signature list is up to date.

Answer: C

NEW QUESTION 12

Which evasion technique is indicated when an intrusion detection system begins receiving an abnormally high volume of scanning from numerous sources?

- A. resource exhaustion
- B. tunneling
- C. traffic fragmentation
- D. timing attack

Answer: A

NEW QUESTION 15

Refer to the exhibit.

```
10.44.101.23 - - [20/Nov/2017:14:18:06 -0500] "GET / HTTP/1.1"
200 1254 "-" "Mozilla/5.0(X11; Ubuntu; Linux x86_64; rv:54.0)
Gecko/20100101 Firefox/54.0"
```

What does the message indicate?

- A. an access attempt was made from the Mosaic web browser
- B. a successful access attempt was made to retrieve the password file
- C. a successful access attempt was made to retrieve the root of the website
- D. a denied access attempt was made to retrieve the password file

Answer: C

NEW QUESTION 19

What causes events on a Windows system to show Event Code 4625 in the log messages?

- A. The system detected an XSS attack
- B. Someone is trying a brute force attack on the network
- C. Another device is gaining root access to the system
- D. A privileged user successfully logged into the system

Answer: B

NEW QUESTION 21

A security expert is working on a copy of the evidence, an ISO file that is saved in CDFS format. Which type of evidence is this file?

- A. CD data copy prepared in Windows
- B. CD data copy prepared in Mac-based system
- C. CD data copy prepared in Linux system
- D. CD data copy prepared in Android-based system

Answer: A

NEW QUESTION 22

A security engineer deploys an enterprise-wide host/endpoint technology for all of the company's corporate PCs. Management requests the engineer to block a selected set of applications on all PCs.

Which technology should be used to accomplish this task?

- A. application whitelisting/blacklisting
- B. network NGFW
- C. host-based IDS
- D. antivirus/antispysware software

Answer: A

NEW QUESTION 23

Which list identifies the information that the client sends to the server in the negotiation phase of the TLS handshake?

- A. ClientStart, ClientKeyExchange, cipher-suites it supports, and suggested compression methods
- B. ClientStart, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- C. ClientHello, TLS versions it supports, cipher-suites it supports, and suggested compression methods
- D. ClientHello, ClientKeyExchange, cipher-suites it supports, and suggested compression methods

Answer: C

NEW QUESTION 28

A network engineer discovers that a foreign government hacked one of the defense contractors in their home country and stole intellectual property. What is the threat agent in this situation?

- A. the intellectual property that was stolen
- B. the defense contractor who stored the intellectual property
- C. the method used to conduct the attack
- D. the foreign government that conducted the attack

Answer: D

NEW QUESTION 33

A system administrator is ensuring that specific registry information is accurate.

Which type of configuration information does the HKEY_LOCAL_MACHINE hive contain?

- A. file extension associations
- B. hardware, software, and security settings for the system
- C. currently logged in users, including folders and control panel settings
- D. all users on the system, including visual settings

Answer: B

NEW QUESTION 36

An analyst is investigating an incident in a SOC environment. Which method is used to identify a session from a group of logs?

- A. sequence numbers
- B. IP identifier
- C. 5-tuple
- D. timestamps

Answer: C

NEW QUESTION 39

Refer to the exhibit.

SPRT SRVLOC SSCOP SSH SSL STANAG 5066 StarTeam STP SUA SYNCHROPHASOR T.38 TACACS+ TALI TCAP TCP TCPENCAP TDMoE	Show TCP summary in protocol tree: <input checked="" type="checkbox"/> Validate the TCP checksum if possible: <input type="checkbox"/> Allow subdissector to reassemble TCP streams: <input checked="" type="checkbox"/> Analyze TCP sequence numbers: <input checked="" type="checkbox"/> Relative sequence numbers: <input checked="" type="checkbox"/> Scaling factor to use when not available from capture: Not known Track number of bytes in flight: <input checked="" type="checkbox"/> Calculate conversation timestamps: <input type="checkbox"/> Try heuristic sub-dissectors first: <input type="checkbox"/> Ignore TCP Timestamps in summary: <input type="checkbox"/> Do not call subdissectors for error packets: <input type="checkbox"/> TCP Experimental Options with a Magic Number: <input checked="" type="checkbox"/>
--	--

What is the expected result when the "Allow subdissector to reassemble TCP streams" feature is enabled?

- A. insert TCP subdissectors
- B. extract a file from a packet capture
- C. disable TCP streams
- D. unfragment TCP

Answer: D

NEW QUESTION 43

An analyst is exploring the functionality of different operating systems.

What is a feature of Windows Management Instrumentation that must be considered when deciding on an operating system?

- A. queries Linux devices that have Microsoft Services for Linux installed
- B. deploys Windows Operating Systems in an automated fashion
- C. is an efficient tool for working with Active Directory
- D. has a Common Information Model, which describes installed hardware and software

Answer: D

NEW QUESTION 46

What is a difference between SOAR and SIEM?

- A. SOAR platforms are used for threat and vulnerability management, but SIEM applications are not
- B. SIEM applications are used for threat and vulnerability management, but SOAR platforms are not
- C. SOAR receives information from a single platform and delivers it to a SIEM
- D. SIEM receives information from a single platform and delivers it to a SOAR

Answer: A

NEW QUESTION 47

How is NetFlow different than traffic mirroring?

- A. NetFlow collects metadata and traffic mirroring clones data
- B. Traffic mirroring impacts switch performance and NetFlow does not
- C. Traffic mirroring costs less to operate than NetFlow
- D. NetFlow generates more data than traffic mirroring

Answer: A

NEW QUESTION 50

Drag and drop the security concept on the left onto the example of that concept on the right.

Risk Assessment	network is compromised
Vulnerability	lack of an access list
Exploit	configuration review
Threat	leakage of confidential information

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Risk Assessment	Threat
Vulnerability	Vulnerability
Exploit	Risk Assessment
Threat	Exploit

NEW QUESTION 53

Which type of data consists of connection level, application-specific records generated from network traffic?

- A. transaction data
- B. location data
- C. statistical data
- D. alert data

Answer: A

NEW QUESTION 58

In a SOC environment, what is a vulnerability management metric?

- A. code signing enforcement
- B. full assets scan
- C. internet exposed devices
- D. single factor authentication

Answer: D

NEW QUESTION 62

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 200-201 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 200-201 Product From:

<https://www.2passeasy.com/dumps/200-201/>

Money Back Guarantee

200-201 Practice Exam Features:

- * 200-201 Questions and Answers Updated Frequently
- * 200-201 Practice Questions Verified by Expert Senior Certified Staff
- * 200-201 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 200-201 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year