

# LPI

## Exam Questions 102-500

LPIC-1 Exam 102 - Part 2 of 2 - version 5.0



#### NEW QUESTION 1

- (Exam Topic 1)

Which of the following words is used to restrict the records that are returned from a SELECT query based on a supplied criteria for the values in the records?

- A. LIMIT
- B. FROM
- C. WHERE
- D. IF

Answer: C

#### NEW QUESTION 2

- (Exam Topic 1)

Which of the following SQL statements will select the fields name and address from the contacts table?

- A. SELECT (name, address) FROM contacts;
- B. SELECT (name address) FROM contacts;
- C. SELECT name, address FROM contacts;
- D. SELECT name address FROM contacts;

Answer: C

#### NEW QUESTION 3

- (Exam Topic 1)

What keyword is missing from this code sample of a shell script?

```
_____ i in *.txt; do  
echo $i  
done
```

- A. for
- B. loop
- C. until
- D. while

Answer: A

#### NEW QUESTION 4

- (Exam Topic 1)

Which of the following words is used to restrict the records that are returned from a SELECT SQL query based on a supplied criteria for the values in the records?

- A. CASE
- B. FROM
- C. WHERE
- D. IF

Answer: C

#### NEW QUESTION 5

- (Exam Topic 1)

You are looking into a new script you received from your senior administrator. In the very first line you notice a #! followed by a file path. This indicates that:

- A. The file at that location was used to make the script.
- B. This script provides identical functionality as the file at that location.
- C. This script will self-extract into a file at that location.
- D. The program at that location will be used to process the script.

Answer: D

#### NEW QUESTION 6

- (Exam Topic 1)

Which of the following commands puts the output of the command date into the shell variable mydate?

- A. mydate="\$(date)"
- B. mydate="exec date"
- C. mydate="\$((date))"
- D. mydate="date"
- E. mydate="{date}"

Answer: A

#### NEW QUESTION 7

- (Exam Topic 1)

When the command echo \$ outputs 1, which of the following statements is true?

- A. It is the process ID of the echo command.

- B. It is the process ID of the current shell.
- C. It is the exit value of the command executed immediately before echo.
- D. It is the exit value of the echo command.

**Answer:** C

#### NEW QUESTION 8

- (Exam Topic 1)

Which command makes the shell variable named VARIABLE visible to subshells?

- A. export \$VARIABLE
- B. export VARIABLE
- C. set \$VARIABLE
- D. set VARIABLE
- E. env VARIABLE

**Answer:** B

#### NEW QUESTION 9

- (Exam Topic 1)

What benefit does an alias in bash provide?

- A. It provides faster lookups for commands in the system directory.
- B. It creates a local copy of a file from another directory.
- C. It hides what command you are running from others.
- D. It allows a string to be substituted for the first word of a simple command.

**Answer:** D

#### NEW QUESTION 10

- (Exam Topic 1)

Which of the following are requirements in order to run a shell script like a regular command from anywhere in the filesystem? (Choose THREE correct answers.)

- A. The user issuing the command must be in the group script.
- B. The script file must be found in the \$PATH.
- C. The script file must have the executable permission bit set.
- D. The script must begin with a shebang-line (!) that points to the correct interpreter.
- E. The file system on which the script resides must be mounted with the option scripts.

**Answer:** BCD

#### NEW QUESTION 10

- (Exam Topic 1)

What is the purpose of the file /etc/profile?

- A. It contains the welcome message that is displayed after login.
- B. It contains security profiles defining which users are allowed to log in.
- C. It contains environment variables that are set when a user logs in.
- D. It contains default application profiles for users that run an application for the first time.

**Answer:** C

#### NEW QUESTION 12

- (Exam Topic 2)

What is the purpose of the Sticky Keys feature in X?

- A. To assist users who have difficulty holding down multiple keys at once
- B. To prevent repeated input of a single character if the key is held down
- C. To ignore brief keystrokes according to a specified time limit
- D. To repeat the input of a single character

**Answer:** A

#### NEW QUESTION 17

- (Exam Topic 2)

On a system running the KDE Display Manager, when is the /etc/kde4/kdm/Xreset script automatically executed?

- A. When KDM starts
- B. When a user's X session exits
- C. When KDM crashes
- D. When X is restarted
- E. When X crashes

**Answer:** B

#### NEW QUESTION 19

- (Exam Topic 2)

Which of the following commands shows the current color depth of the X Server?

- A. xcd
- B. xcdepth
- C. xwininfo
- D. xcolordepth
- E. cat /etc/X11

**Answer:** C

#### NEW QUESTION 21

- (Exam Topic 2)

Which command can be used to investigate the properties for a particular window in X by clicking that window? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

/usr/bin/xwininfo, xwininfo

#### NEW QUESTION 22

- (Exam Topic 2)

Which file used by XDM specifies the default wallpaper?

- A. /etc/X11/xdm/Xsetup
- B. /etc/X11/xdm.conf
- C. /etc/X11/xdm/Defaults
- D. /etc/X11/defaults.conf

**Answer:** A

#### NEW QUESTION 25

- (Exam Topic 3)

Which of the following fields are available in both the global /etc/crontab file as well as in user-specific crontab files? (Select TWO correct answers)

- A. Year
- B. Minute
- C. Username
- D. Command

**Answer:** BD

#### NEW QUESTION 29

- (Exam Topic 3)

A user was not given permission to use the CRON scheduling system. What file needs to be modified to provide that access? (Please specify the full path to the file)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

/etc/cron.allow

#### NEW QUESTION 34

- (Exam Topic 3)

In case neither cron.allow nor cron.deny exist in /etc/, which of the following is true?

- A. Without additional configuration, no users may have user specific crontabs.
- B. Without additional configuration, all users may have user specific crontabs.
- C. The cron daemon will refuse to start and report missing files in the system's logfile.
- D. When a user creates a user specific crontab the system administrator must approve it explicitly.

**Answer:** A

#### NEW QUESTION 39

- (Exam Topic 3)

Which file specifies the user accounts that can NOT submit jobs via at or batch? (Provide the full path and filename)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

/etc/at.deny

**NEW QUESTION 41**

- (Exam Topic 3)

Which of the following crontab entries will execute myscrip at 30 minutes past every hour on Sundays?

- A. 0 \* \* \* 30 myscrip
- B. 30 \* \* \* 6 myscrip
- C. 30 0 \* \* 0 myscrip
- D. 30 0-23 \* \* 0 myscrip
- E. 0 0-23 \* \* 30 myscrip

**Answer:** D

**NEW QUESTION 42**

- (Exam Topic 3)

On a system using shadowed passwords, the most correct permissions for /etc/passwd are \_\_\_\_\_ and the most correct permissions for /etc/shadow are \_\_\_\_\_.

- A. -rw-r-----, -r-----
- B. -rw-r--r--, -r--r--r--
- C. -rw-r--r--, -r-----
- D. -rw-r--rw-, -r-----r--
- E. -rw-----, -r-----

**Answer:** C

**NEW QUESTION 43**

- (Exam Topic 3)

Which of the following commands can be used to convert text files in one character encoding to another character encoding?

- A. cat
- B. convert
- C. dd
- D. iconv
- E. utf2utf

**Answer:** D

**NEW QUESTION 47**

- (Exam Topic 3)

Of the ways listed, which is the best method to temporarily suspend a user's ability to interactively login?

- A. Use passwd -d username to give the user an empty password.
- B. Use chage to expire the user account.
- C. Change the user's password.
- D. Add the command exit to the user's .login file.

**Answer:** B

**NEW QUESTION 49**

- (Exam Topic 3)

Which command should be added to /etc/bash\_profile to change the language of messages from an internationalised program to Portuguese (pt)? (Select TWO correct answers)

- A. export LANGUAGE="pt"
- B. export MESSAGE="pt"
- C. export LANG="pt"
- D. export LC\_MESSAGES="pt"
- E. export ALL\_MESSAGES="pt"

**Answer:** CD

**NEW QUESTION 52**

- (Exam Topic 3)

Which character in the password field of /etc/passwd is used to indicate that the encrypted password is stored in /etc/shadow?

- A. \*
- B. -
- C. s
- D. x

**Answer:** D

#### NEW QUESTION 54

- (Exam Topic 3)

Where are user specific crontabs stored?

- A. In the database file /etc/crontab.db which is shared by all users.
- B. As individual per-user files within /var/spool/cron.
- C. As individual per-user files in /etc/cron.user.d.
- D. In the .crontab file in the user's home directory.
- E. In the file /var/cron/user-crontab which is shared by all users.

**Answer: B**

#### NEW QUESTION 55

- (Exam Topic 3)

What is the conventional purpose of Linux UIDs that are lower than 100?

- A. They are reserved for super user accounts.
- B. They are reserved for the system admin accounts.
- C. They are reserved for system accounts.
- D. They are unused, aside from 0, because they are targets of exploits.
- E. They are used to match with GIDs in grouping users.

**Answer: C**

#### NEW QUESTION 59

- (Exam Topic 3)

Why is /etc/shadow not world readable if the passwords are stored in an encrypted fashion?

- A. The encrypted passwords are still subject to brute force attacks.
- B. This is just for historical reasons.
- C. There is other information in the file that needs to be kept secret.
- D. The passwords can be decrypted by anyone with root access.

**Answer: A**

#### NEW QUESTION 62

- (Exam Topic 3)

A French user has installed the French language pack, but currencies are still being displayed with a leading '\$' sign in his spreadsheets. What must be done to fix this?

- A. Alter the locale.
- B. Set the timezone correctly.
- C. Edit /etc/currency.
- D. Reinstall the French language pack.

**Answer: A**

#### NEW QUESTION 63

- (Exam Topic 3)

How is the file format of /etc/crontab different from a normal crontab file? (Select TWO correct answers)

- A. The /etc/crontab file can specify a year field.
- B. A normal crontab file must be installed with the crontab command.
- C. A normal crontab file allows for environment variable substitution.
- D. The /etc/crontab file has a user field for commands.

**Answer: BD**

#### NEW QUESTION 67

- (Exam Topic 3)

Which commands can you use to change a user's account aging information? (Choose THREE correct answers.)

- A. usermod
- B. passwd
- C. chattr
- D. chage
- E. chsh

**Answer: ABD**

#### NEW QUESTION 71

- (Exam Topic 3)

Which crontab entry could be used to set the system time at regular intervals?

- A. 1 0 \* \* \* date \$d \$t \$24
- B. 1 0 \* \* \* ntpdate ntp1.digex.net
- C. 1 0 \* \* \* date ntp1.digex.net

- D. 1 0 \* \* \* runcron date ntp1.digex.net
- E. 1 0 \* \* \* settime \$d \$t \$24

**Answer:** B

**NEW QUESTION 74**

- (Exam Topic 3)

What is NOT contained in the locale setting of the operating system?

- A. currency symbol
- B. language
- C. timezone
- D. thousands separator

**Answer:** C

**NEW QUESTION 77**

- (Exam Topic 3)

What is the main difference between the batch and at commands?

- A. The batch command will run multiple times. The at command will only run once.
- B. The batch command will run when system load is low.
- C. The at command runs at a specific time.
- D. The at command reads commands from standard input.
- E. The batch command requires a command line argument.
- F. The at command e-mails results to the user.
- G. The batch command logs results to syslog.

**Answer:** B

**NEW QUESTION 79**

- (Exam Topic 4)

Which of the following are commonly used Mail Transfer Agent (MTA) applications? (Choose THREE correct answers.)

- A. Postfix
- B. Procmail
- C. Sendmail
- D. Exim
- E. SMTPd

**Answer:** ACD

**NEW QUESTION 80**

- (Exam Topic 4)

Which of the following tasks can be accomplished using the command date? (Choose TWO correct answers.)

- A. Synchronize the hardware and system clocks.
- B. Output date and time in different formats.
- C. Set the system clock.
- D. Set the hardware clock.
- E. Update the time via NTP.

**Answer:** BC

**NEW QUESTION 85**

- (Exam Topic 4)

What is the purpose of the command mailq?

- A. It fetches new emails from a remote server using POP3 or IMAP.
- B. It is a multi-user mailing list manager.
- C. It is a proprietary tool contained only in the qmail MTA.
- D. It queries the mail queue of the local MTA.
- E. It is a command-line based tool for reading and writing emails.

**Answer:** D

**NEW QUESTION 89**

- (Exam Topic 4)

After adding a new email alias to the configuration, which command must be run in order to ensure the MTA knows about it? (Specify the command without any path but including all required parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

newaliases, sendmail -bi

#### NEW QUESTION 92

- (Exam Topic 4)

What command should be used to print a listing of email in the system's mail queue?

- A. lpq
- B. mailq
- C. mlq
- D. sendmail -l

**Answer:** B

#### NEW QUESTION 96

- (Exam Topic 4)

What command can be used to generate syslog entries of any facility and priority? (supply just the command name without a path)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

logger

#### NEW QUESTION 99

- (Exam Topic 4)

What is true regarding the file ~/.forward?

- A. As it is owned by the MTA and not writable by the user, it must be edited using the editaliases command.
- B. After editing ~/.forward the user must run newaliases to make the mail server aware of the changes.
- C. Using ~/.forward, root may configure any email address whereas all other users may configure only their own addresses.
- D. When configured correctly, ~/.forward can be used to forward each incoming mail to more than one other recipient.

**Answer:** D

#### NEW QUESTION 100

- (Exam Topic 4)

What entry can be added to the syslog.conf file to have all syslog messages generated by a system displayed on console 12?

- A. \*.\* /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. | /dev/tty12
- D. syslog tty12
- E. mail.\* /dev/tty12

**Answer:** A

#### NEW QUESTION 105

- (Exam Topic 4)

Which option in the /etc/ntp.conf file specifies an external NTP source to be queried for time information? (Specify ONLY the option without any values or parameters.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

server

#### NEW QUESTION 106

- (Exam Topic 4)

What entry can you add to syslog.conf file to have all syslog messages generated by your system go to virtual console 12?

- A. \*.\* /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. | /dev/tty12
- D. syslog tty12
- E. mail.\* /dev/tty12

**Answer:** A

#### NEW QUESTION 110

- (Exam Topic 4)

What is true about the ntpdate command?

- A. It is the primary management command for the NTP time server.
- B. It updates the local system's date (i. day, month and year) but not the time (i. hours, minutes, seconds).
- C. day, month and year) but not the time (i. hours, minutes, seconds).
- D. hours, minutes, seconds).
- E. It queries one or more NTP time servers and adjusts the system time accordingly.
- F. It sends the local system time to one or many remote NTP time servers for redistribution.
- G. It can be used by any user to set the user clock independently of the system clock.

**Answer:** C

#### NEW QUESTION 111

- (Exam Topic 5)

Which of the following may occur as a consequence of using the command ifconfig? (Choose THREE correct answers.)

- A. New name servers may be added to the resolver configuration.
- B. Network interfaces may become active or inactive.
- C. The routing table may change.
- D. IP addresses may change.
- E. The system's host name may change.

**Answer:** BCD

#### NEW QUESTION 116

- (Exam Topic 5)

Which of the following details is NOT provided in any output from the netstat utility?

- A. broadcast services
- B. interface statistics
- C. masquerading connections
- D. network connections
- E. routing tables

**Answer:** A

#### NEW QUESTION 117

- (Exam Topic 5)

Which of the following is a valid IPv6 address?

- A. 2001:db8:3241::1
- B. 2001::db8:4581::1
- C. 2001:db8:0g41::1
- D. 2001%db8%9990%%1
- E. 2001.db8.819f..1

**Answer:** A

#### NEW QUESTION 120

- (Exam Topic 5)

Which of the following is true about IPv6?

- A. With IPv6, the TCP port numbers of most services have changed.
- B. IPv6 no longer supports broadcast addresses.
- C. IPv4 addresses can be used without any change with IPv6.
- D. IPv6 no longer supports multicast addresses.
- E. For IPv6, UDP and TCP have been replaced by the Rapid Transmission Protocol RTP.

**Answer:** B

#### NEW QUESTION 122

- (Exam Topic 5)

What is the lowest numbered unprivileged TCP port? (Specify the number in digits only.)

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

1024

#### NEW QUESTION 127

- (Exam Topic 5)

Which command is used to set the hostname of the local system? (Specify ONLY the command without any path or parameters.)

- A. Mastered

B. Not Mastered

**Answer:** A

**Explanation:**  
hostname

**NEW QUESTION 131**

- (Exam Topic 5)

On a regular users workstation the route command takes a long time before printing out the routing table. Which of the following errors does that indicate?

- A. The local routing information may be corrupted and must be re-validated using a routing protocol.
- B. One of the routers in the routing table is not available which causes the automatic router failure detection mechanism (ARF-D) to wait for a timeout.
- C. There may accidentally be more than one default router in which case a default router election has to be done on the network in order to choose one router as the default.
- D. DNS resolution may not be working as route by default tries to resolve names of routers and destinations and may run into a timeout.

**Answer:** D

**NEW QUESTION 136**

- (Exam Topic 5)

Which of the following IPv4 networks are reserved by IANA for private address assignment and private routing? (Choose THREE correct answers.)

- A. 127.0.0.0/8
- B. 10.0.0.0/8
- C. 169.255.0.0/16
- D. 172.16.0.0/12
- E. 192.168.0.0/16

**Answer:** BDE

**NEW QUESTION 139**

- (Exam Topic 5)

Which of the following programs can be used to determine the routing path to a given destination?

- A. dig
- B. netstat
- C. ping
- D. route
- E. traceroute

**Answer:** E

**NEW QUESTION 140**

- (Exam Topic 5)

What of the following can be done by the command ifconfig? (Choose TWO correct answers.)

- A. Set a network interface active or inactive.
- B. Specify the kernel module to be used with a network interface.
- C. Allow regular users to change the network configuration of a network interface.
- D. Change the netmask used on a network interface.
- E. Specify which network services are available on a network interface.

**Answer:** AD

**NEW QUESTION 145**

- (Exam Topic 5)

Which port is the default server port for the HTTPS protocol? (Specify the port number using digits.)

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**  
443

**NEW QUESTION 150**

- (Exam Topic 6)

Which of the following programs uses the hosts.allow file to perform its main task of checking for access control restrictions to system services?

- A. tcpd
- B. inetd
- C. fingerd
- D. mouted
- E. xinetd

Answer: A

**NEW QUESTION 154**

- (Exam Topic 6)

Which file lists which users can execute commands using sudo? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

/etc/sudoers

**NEW QUESTION 157**

- (Exam Topic 6)

What argument to the -type option of find will match files that are symbolic links? (Specify only the argument and no other options or words.)

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

l

**NEW QUESTION 162**

- (Exam Topic 6)

Which of the following commands preloads and manages keys that are used for automatic authentication while logging in to other machines using SSH?

- A. sshd
- B. ssh-agent
- C. ssh-keygen
- D. ssh-add

Answer: B

**NEW QUESTION 167**

- (Exam Topic 6)

In an xinetd configuration file, which attribute specifies the network address that will be used to provide the service?

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

bind, interface

**NEW QUESTION 168**

- (Exam Topic 6)

Which command is used to set restrictions on the size of a core file that is created for a user when a program crashes?

- A. core
- B. edquota
- C. ulimit
- D. quota

Answer: C

**NEW QUESTION 172**

- (Exam Topic 6)

The presence of what file will temporarily prevent all users except root from logging into the system? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

**Explanation:**

/etc/nologin

**NEW QUESTION 177**

- (Exam Topic 6)

Which of the following find commands will print out a list of files owned by root and with the SUID bit set in

/usr?

- A. find /usr -uid 0 -perm +4000
- B. find -user root +mode +s /usr
- C. find -type suid -username root -d /usr
- D. find /usr -ls \\*s\\* -u root
- E. find /usr -suid -perm +4000

**Answer:** A

**NEW QUESTION 181**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **102-500 Practice Exam Features:**

- \* 102-500 Questions and Answers Updated Frequently
- \* 102-500 Practice Questions Verified by Expert Senior Certified Staff
- \* 102-500 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 102-500 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 102-500 Practice Test Here](#)**