

Exam Questions PCNSA

Palo Alto Networks Certified Network Security Administrator

<https://www.2passeasy.com/dumps/PCNSA/>



NEW QUESTION 1

Which data flow direction is protected in a zero trust firewall deployment that is not protected in a perimeter-only firewall deployment?

- A. outbound
- B. north south
- C. inbound
- D. east west

Answer: D

NEW QUESTION 2

Which administrative management services can be configured to access a management interface?

- A. HTTP, CLI, SNMP, HTTPS
- B. HTTPS, SSH telnet SNMP
- C. SSH: telnet HTTP, HTTPS
- D. HTTPS, HTTP
- E. CLI, API

Answer: D

Explanation:

<https://docs.paloaltonetworks.com/pan-os/8-1/pan-os-admin/firewall-administration/management-interfaces> You can use the following user interfaces to manage the Palo Alto Networks firewall:

Use the Web Interface to perform configuration and monitoring tasks with relative ease. This graphical interface allows you to access the firewall using HTTPS (recommended) or HTTP and it is the best way to perform administrative tasks.

Use the Command Line Interface (CLI) to perform a series of tasks by entering commands in rapid succession over SSH (recommended), Telnet, or the console port. The CLI is a no-frills interface that supports two command modes, operational and configure, each with a distinct hierarchy of commands and statements. When you become familiar with the nesting structure and syntax of the commands, the CLI provides quick response times and administrative efficiency.

Use the XML API to streamline your operations and integrate with existing, internally developed applications and repositories. The XML API is a web service implemented using HTTP/HTTPS requests and responses.

Use Panorama to perform web-based management, reporting, and log collection for multiple firewalls.

The Panorama web interface resembles the firewall web interface but with additional functions for centralized management.

NEW QUESTION 3

In which stage of the Cyber-Attack Lifecycle would the attacker inject a PDF file within an email?

- A. Weaponization
- B. Reconnaissance
- C. Installation
- D. Command and Control
- E. Exploitation

Answer: A

NEW QUESTION 4

Access to which feature requires the PAN-OS Filtering license?

- A. PAN-DB database
- B. DNS Security
- C. Custom URL categories
- D. URL external dynamic lists

Answer: A

NEW QUESTION 5

Which two statements are correct about App-ID content updates? (Choose two.)

- A. Updated application content may change how security policy rules are enforced
- B. After an application content update, new applications must be manually classified prior to use
- C. Existing security policy rules are not affected by application content updates
- D. After an application content update, new applications are automatically identified and classified

Answer: AD

NEW QUESTION 6

What must be considered with regards to content updates deployed from Panorama?

- A. Content update schedulers need to be configured separately per device group.
- B. Panorama can only install up to five content versions of the same type for potential rollback scenarios.
- C. A PAN-OS upgrade resets all scheduler configurations for content updates.
- D. Panorama can only download one content update at a time for content updates of the same type.

Answer: D

NEW QUESTION 7

Complete the statement. A security profile can block or allow traffic

- A. on unknown-tcp or unknown-udp traffic
- B. after it is matched by a security policy that allows traffic
- C. before it is matched by a security policy
- D. after it is matched by a security policy that allows or blocks traffic

Answer: B

Explanation:

Security profiles are objects added to policy rules that are configured with an action of allow.

NEW QUESTION 8

An administrator is reviewing another administrator's Security policy log settings. Which log setting configuration is consistent with best practices for normal traffic?

- A. Log at Session Start and Log at Session End both enabled
- B. Log at Session Start disabled Log at Session End enabled
- C. Log at Session Start enabled Log at Session End disabled
- D. Log at Session Start and Log at Session End both disabled

Answer: B

NEW QUESTION 9

All users from the internal zone must be allowed only HTTP access to a server in the DMZ zone.

Complete the empty field in the Security policy using an application object to permit only this type of access. Source Zone: Internal Destination Zone: DMZ Zone
Application:

Service: application-default - Action: allow

- A. Application = "any"
- B. Application = "web-browsing"
- C. Application = "ssl"
- D. Application = "http"

Answer: B

NEW QUESTION 10

An administrator receives a global notification for a new malware that infects hosts. The infection will result in the infected host attempting to contact a command-and-control (C2) server. Which two security profile components will detect and prevent this threat after the firewall's signature database has been updated? (Choose two.)

- A. vulnerability protection profile applied to outbound security policies
- B. anti-spyware profile applied to outbound security policies
- C. antivirus profile applied to outbound security policies
- D. URL filtering profile applied to outbound security policies

Answer: BD

NEW QUESTION 10

A network administrator is required to use a dynamic routing protocol for network connectivity.

Which three dynamic routing protocols are supported by the NGFW Virtual Router for this purpose? (Choose three.)

- A. RIP
- B. OSPF
- C. IS-IS
- D. EIGRP
- E. BGP

Answer: ABE

NEW QUESTION 11

Which type of security rule will match traffic between the Inside zone and Outside zone, within the Inside zone, and within the Outside zone?

- A. global
- B. intrazone
- C. interzone
- D. universal

Answer: D

Explanation:

References:<https://knowledgebase.paloaltonetworks.com/KCSArticleDetail?id=kA10g000000ClomCAC>

NEW QUESTION 16

What is the minimum frequency for which you can configure the firewall to check for new wildfire antivirus signatures?

- A. every 5 minutes
- B. every 1 minute
- C. every 24 hours
- D. every 30 minutes

Answer: B

Explanation:

NEW QUESTION 18

An administrator wants to create a NAT policy to allow multiple source IP addresses to be translated to the same public IP address. What is the most appropriate NAT policy to achieve this?

- A. Dynamic IP and Port
- B. Dynamic IP
- C. Static IP
- D. Destination

Answer: A

NEW QUESTION 20

Selecting the option to revert firewall changes will replace what settings?

- A. The running configuration with settings from the candidate configuration
- B. The candidate configuration with settings from the running configuration
- C. The device state with settings from another configuration
- D. Dynamic update scheduler settings

Answer: A

NEW QUESTION 23

A Security Profile can block or allow traffic at which point?

- A. after it is matched to a Security policy rule that allows traffic
- B. on either the data plane or the management plane
- C. after it is matched to a Security policy rule that allows or blocks traffic
- D. before it is matched to a Security policy rule

Answer: A

NEW QUESTION 28

Given the detailed log information above, what was the result of the firewall traffic inspection?

- A. It was blocked by the Anti-Virus Security profile action.
- B. It was blocked by the Anti-Spyware Profile action.
- C. It was blocked by the Vulnerability Protection profile action.
- D. It was blocked by the Security policy action.

Answer: B

NEW QUESTION 31

What action will inform end users when their access to Internet content is being restricted?

- A. Create a custom 'URL Category' object with notifications enabled.
- B. Publish monitoring data for Security policy deny logs.
- C. Ensure that the 'site access' setting for all URL sites is set to 'alert'.
- D. Enable 'Response Pages' on the interface providing Internet access.

Answer: D

NEW QUESTION 34

If users from the Trusted zone need to allow traffic to an SFTP server in the DMZ zone, how should a Security policy with App-ID be configured?

A)

B)

C)

D)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

NEW QUESTION 35

Which Palo Alto network security operating platform component provides consolidated policy creation and centralized management?

- A. Prisma SaaS
- B. Panorama
- C. AutoFocus
- D. GlobalProtect

Answer: B

NEW QUESTION 37

In the example security policy shown, which two websites fcked? (Choose two.)

- A. LinkedIn
- B. Facebook
- C. YouTube
- D. Amazon

Answer: AB

NEW QUESTION 38

Which type of administrator account cannot be used to authenticate user traffic flowing through the firewall's data plane?

- A. Kerberos user
- B. SAML user
- C. local database user
- D. local user

Answer: B

NEW QUESTION 40

What does an administrator use to validate whether a session is matching an expected NAT policy?

- A. system log
- B. test command
- C. threat log
- D. config audit

Answer: B

NEW QUESTION 42

An administrator would like to use App-ID's deny action for an application and would like that action updated with dynamic updates as new content becomes available.

Which security policy action causes this?

- A. Reset server
- B. Reset both
- C. Deny
- D. Drop

Answer: C

NEW QUESTION 44

An administrator needs to add capability to perform real-time signature lookups to block or sinkhole all known malware domains.

Which type of single unified engine will get this result?

- A. User-ID
- B. App-ID
- C. Security Processing Engine
- D. Content-ID

Answer: A

NEW QUESTION 46

URL categories can be used as match criteria on which two policy types? (Choose two.)

- A. authentication
- B. decryption
- C. application override
- D. NAT

Answer: AB

NEW QUESTION 50

Which firewall feature do you need to configure to query Palo Alto Networks service updates over a data-plane interface instead of the management interface?

- A. Data redistribution
- B. Dynamic updates
- C. SNMP setup
- D. Service route

Answer: D

NEW QUESTION 51

Which tab would an administrator click to create an address object?

- A. Device
- B. Policies
- C. Monitor

D. Objects

Answer: D

NEW QUESTION 52

If using group mapping with Active Directory Universal Groups, what must you do when configuring the User-ID?

- A. Create an LDAP Server profile to connect to the root domain of the Global Catalog server on port 3268 or 3269 for SSL
- B. Configure a frequency schedule to clear group mapping cache
- C. Configure a Primary Employee ID number for user-based Security policies
- D. Create a RADIUS Server profile to connect to the domain controllers using LDAPS on port 636 or 389

Answer: B

Explanation:

If you have Universal Groups, create an LDAP server profile to connect to the root domain of the Global Catalog server on port 3268 or 3269 for SSL, then create another LDAP server profile to connect to the root domain controllers on port 389. This helps ensure that users and group information is available for all domains and subdomains.

<https://docs.paloaltonetworks.com/pan-os/9-1/pan-os-admin/user-id/map-users-to-groups>

NEW QUESTION 54

Which operations are allowed when working with App-ID application tags?

- A. Predefined tags may be deleted.
- B. Predefined tags may be augmented by custom tags.
- C. Predefined tags may be modified.
- D. Predefined tags may be updated by WildFire dynamic updates.

Answer: B

NEW QUESTION 55

Which license is required to use the Palo Alto Networks built-in IP address EDLs?

- A. DNS Security
- B. Threat Prevention
- C. WildFire
- D. SD-Wan

Answer: B

NEW QUESTION 56

An administrator needs to allow users to use their own office applications. How should the administrator configure the firewall to allow multiple applications in a dynamic environment?

- A. Create an Application Filter and name it Office Programs, the filter it on the business-systems category, office-programs subcategory
- B. Create an Application Group and add business-systems to it
- C. Create an Application Filter and name it Office Programs, then filter it on the business-systems category
- D. Create an Application Group and add Office 365, Evernote, Google Docs, and Libre Office

Answer: A

Explanation:

An application filter is an object that dynamically groups applications based on application attributes that you define, including category, subcategory, technology, risk factor, and characteristic. This is useful when you want to safely enable access to applications that you do not explicitly sanction, but that you want users to be

able to access. For example, you may want to enable employees to choose their own office programs (such as Evernote, Google Docs, or Microsoft Office 365) for business use. To safely enable these types of applications, you could create an application filter that matches on the Category business-systems and the Subcategory office-programs. As new applications office programs emerge and new App-IDs get created, these new applications will automatically match the filter you defined; you will not have to make any additional changes to your policy rulebase to safely enable any application that matches the attributes you defined for the filter.

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/use-application-objects-in-policy/create-an-application-filter.html>

NEW QUESTION 57

Order the steps needed to create a new security zone with a Palo Alto Networks firewall.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- Step 1 – Select network tab
- Step 2 – Select zones from the list of available items
- Step 3 – Select Add
- Step 4 – Specify Zone Name
- Step 5 – Specify Zone Type
- Step 6 – Assign interfaces as needed

NEW QUESTION 58

Based on the show security policy rule would match all FTP traffic from the inside zone to the outside zone?

- A. internal-inside-dmz
- B. engress outside
- C. inside-portal
- D. intercone-default

Answer: B

NEW QUESTION 59

Which action can be set in a URL Filtering Security profile to provide users temporary access to all websites in a given category using a provided password?

- A. exclude
- B. continue
- C. hold
- D. override

Answer: D

Explanation:

The user will see a response page indicating that a password is required to allow access to websites in the given category. With this option, the security administrator or help-desk person would provide a password granting temporary access to all websites in the given category. A log entry is generated in the URL Filtering log. The Override webpage doesn't display properly on client systems configured to use a proxy server.

NEW QUESTION 62

An administrator would like to silently drop traffic from the internet to a ftp server. Which Security policy action should the administrator select?

- A. Reset-server
- B. Block
- C. Deny
- D. Drop

Answer: D

NEW QUESTION 63

Palo Alto Networks firewall architecture accelerates content map minimizing latency using which two components'? (Choose two)

- A. Network Processing Engine
- B. Single Stream-based Engine
- C. Policy Engine
- D. Parallel Processing Hardware

Answer: B

NEW QUESTION 64

How does an administrator schedule an Applications and Threats dynamic update while delaying installation of the update for a certain amount of time?

- A. Disable automatic updates during weekdays
- B. Automatically "download and install" but with the "disable new applications" option used
- C. Automatically "download only" and then install Applications and Threats later, after the administrator approves the update
- D. Configure the option for "Threshold"

Answer: D

NEW QUESTION 67

Match the Cyber-Attack Lifecycle stage to its correct description.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reconnaissance – stage where the attacker scans for network vulnerabilities and services that can be exploited. Installation – stage where the attacker will explore methods such as a root kit to establish persistence Command and Control – stage where the attacker has access to a specific server so they can communicate and pass data to and from infected devices within a network. Act on the Objective – stage where an attacker has motivation for attacking a network to deface web property

NEW QUESTION 71

An administrator is updating Security policy to align with best practices. Which Policy Optimizer feature is shown in the screenshot below?

- A. Rules without App Controls
- B. New App Viewer
- C. Rule Usage
- D. Unused Unused Apps

Answer: C

NEW QUESTION 73

Given the topology, which zone type should interface E1/1 be configured with?

- A. Tap
- B. Tunnel
- C. Virtual Wire
- D. Layer3

Answer: A

NEW QUESTION 74

What are two differences between an implicit dependency and an explicit dependency in App-ID? (Choose two.)

- A. An implicit dependency does not require the dependent application to be added in the security policy
- B. An implicit dependency requires the dependent application to be added in the security policy
- C. An explicit dependency does not require the dependent application to be added in the security policy
- D. An explicit dependency requires the dependent application to be added in the security policy

Answer: AD

NEW QUESTION 77

After making multiple changes to the candidate configuration of a firewall, the administrator would like to start over with a candidate configuration that matches the running configuration.

Which command in Device > Setup > Operations would provide the most operationally efficient way to accomplish this?

- A. Import named config snapshot
- B. Load named configuration snapshot
- C. Revert to running configuration
- D. Revert to last saved configuration

Answer: C

NEW QUESTION 82

The CFO found a malware infected USB drive in the parking lot, which when inserted infected their corporate laptop the malware contacted a known command-and-control server which exfiltrating corporate data.

Which Security profile feature could have been used to prevent the communications with the command-and-control server?

- A. Create a Data Filtering Profile and enable its DNS sinkhole feature.
- B. Create an Antivirus Profile and enable its DNS sinkhole feature.
- C. Create an Anti-Spyware Profile and enable its DNS sinkhole feature.
- D. Create a URL Filtering Profile and block the DNS sinkhole URL category.

Answer: C

NEW QUESTION 85

Selecting the option to revert firewall changes will replace what settings?

- A. the running configuration with settings from the candidate configuration
- B. the device state with settings from another configuration
- C. the candidate configuration with settings from the running configuration
- D. dynamic update scheduler settings

Answer: C

NEW QUESTION 90

Given the topology, which zone type should zone A and zone B to be configured with?

- A. Layer3
- B. Tap
- C. Layer2
- D. Virtual Wire

Answer: A

NEW QUESTION 93

How are Application Fillers or Application Groups used in firewall policy?

- A. An Application Filter is a static way of grouping applications and can be configured as a nested member of an Application Group
- B. An Application Filter is a dynamic way to group applications and can be configured as a nested member of an Application Group
- C. An Application Group is a dynamic way of grouping applications and can be configured as a nested member of an Application Group
- D. An Application Group is a static way of grouping applications and cannot be configured as a nested member of Application Group

Answer: B

NEW QUESTION 94

What allows a security administrator to preview the Security policy rules that match new application signatures?

- A. Review Release Notes
- B. Dynamic Updates-Review Policies
- C. Dynamic Updates-Review App
- D. Policy Optimizer-New App Viewer

Answer: B

Explanation:

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/manage-new-app-ids-introduced-in-content>

NEW QUESTION 98

Match the cyber-attack lifecycle stage to its correct description.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

NEW QUESTION 103

Based on the screenshot presented which column contains the link that when clicked opens a window to display all applications matched to the policy rule?

- A. Apps Allowed
- B. Name
- C. Apps Seen
- D. Service

Answer: C

NEW QUESTION 106

Which User-ID mapping method should be used for an environment with clients that do not authenticate to Windows Active Directory?

- A. Windows session monitoring via a domain controller
- B. passive server monitoring using the Windows-based agent
- C. Captive Portal
- D. passive server monitoring using a PAN-OS integrated User-ID agent

Answer: C

Explanation:

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/user-id/map-ip-addresses-to-users/map-ip-addresses-to-users>

NEW QUESTION 111

Which action related to App-ID updates will enable a security administrator to view the existing security policy rule that matches new application signatures?

- A. Review Policies
- B. Review Apps
- C. Pre-analyze
- D. Review App Matches

Answer: A

Explanation:

References:

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/manage-new-app-ids-introduced-incontent-releases/review-new-app-id-impact-on-existing-policy-rules>

NEW QUESTION 114

A website is unexpectedly allowed due to miscategorization.

What are two ways to resolve this issue for a proper response? (Choose two.)

- A. Identify the URL category being assigned to the website. Edit the active URL Filtering profile and update that category's site access settings to block.
- B. Create a URL category and assign the affected URL. Update the active URL Filtering profile site access setting for the custom URL category to block.
- C. Review the categorization of the website on <https://urlfiltering.paloaltonetworks.com>. Submit for "request change", identifying the appropriate categorization, and wait for confirmation before testing again.
- D. Create a URL category and assign the affected URL. Add a Security policy with a URL category qualifier of the custom URL category below the original policy.
- E. Set the policy action to Deny.

Answer: CD

NEW QUESTION 118

An administrator is troubleshooting an issue with traffic that matches the intrazone-default rule, which is set to default configuration.

What should the administrator do?

- A. change the logging action on the rule
- B. review the System Log
- C. refresh the Traffic Log
- D. tune your Traffic Log filter to include the dates

Answer: A

NEW QUESTION 119

What is the main function of Policy Optimizer?

- A. reduce load on the management plane by highlighting combinable security rules
- B. migrate other firewall vendors' security rules to Palo Alto Networks configuration
- C. eliminate "Log at Session Start" security rules
- D. convert port-based security rules to application-based security rules

Answer: D

NEW QUESTION 124

Given the cyber-attack lifecycle diagram identify the stage in which the attacker can run malicious code against a vulnerability in a targeted machine.

- A. Exploitation
- B. Installation
- C. Reconnaissance
- D. Act on the Objective

Answer: A

NEW QUESTION 129

To use Active Directory to authenticate administrators, which server profile is required in the authentication profile?

- A. domain controller
- B. TACACS+
- C. LDAP
- D. RADIUS

Answer: C

NEW QUESTION 130

Which objects would be useful for combining several services that are often defined together?

- A. shared service objects
- B. service groups
- C. application groups
- D. application filters

Answer: B

NEW QUESTION 132

You have been tasked to configure access to a new web server located in the DMZ

Based on the diagram what configuration changes are required in the NGFW virtual router to route traffic from the 10.1.1.0/24 network to 192.168.1.0/24?

- A. Add a route with the destination of 192.168.1.0/24 using interface Eth 1/3 with a next-hop of 192.168.1.10
- B. Add a route with the destination of 192.168.1.0/24 using interface Eth 1/2 with a next-hop of 172.16.1.2
- C. Add a route with the destination of 192.168.1.0/24 using interface Eth 1/3 with a next-hop of 172.16.1.2
- D. Add a route with the destination of 192.168.1.0/24 using interface Eth 1/3 with a next-hop of 192.168.1.254

Answer: C

NEW QUESTION 136

What can be achieved by selecting a policy target prior to pushing policy rules from Panorama?

- A. Doing so limits the templates that receive the policy rules
- B. Doing so provides audit information prior to making changes for selected policy rules
- C. You can specify the firewalls in a device group to which to push policy rules
- D. You specify the location as pre or post-rules to push policy rules

Answer: C

NEW QUESTION 137

According to the best practices for mission critical devices, what is the recommended interval for antivirus updates?

- A. by minute
- B. hourly
- C. daily
- D. weekly

Answer: C

NEW QUESTION 141

Actions can be set for which two items in a URL filtering security profile? (Choose two.)

- A. Block List
- B. Custom URL Categories
- C. PAN-DB URL Categories
- D. Allow List

Answer: AD

Explanation:

<https://docs.paloaltonetworks.com/pan-os/8-1/pan-os-admin/url-filtering/url-filtering-concepts/url-filtering-profi>

NEW QUESTION 146

Which service protects cloud-based applications such as Dropbox and Salesforce by administering permissions and scanning files for sensitive information?

- A. Aperture
- B. AutoFocus
- C. Parisma SaaS
- D. GlobalProtect

Answer: C

NEW QUESTION 149

An administrator needs to create a Security policy rule that matches DNS traffic within the LAN zone, and also needs to match DNS traffic within the DMZ zone. The administrator does not want to allow traffic between the DMZ and LAN zones. Which Security policy rule type should they use?

- A. default
- B. universal
- C. intrazone
- D. interzone

Answer: C

NEW QUESTION 151

Which interface does not require a MAC or IP address?

- A. Virtual Wire
- B. Layer3
- C. Layer2
- D. Loopback

Answer: A

NEW QUESTION 155

Which two App-ID applications will need to be allowed to use Facebook-chat? (Choose two.)

- A. facebook
- B. facebook-chat
- C. facebook-base
- D. facebook-email

Answer: BC

NEW QUESTION 159

Users from the internal zone need to be allowed to Telnet into a server in the DMZ zone. Complete the security policy to ensure only Telnet is allowed. Security Policy: Source Zone: Internal to DMZ Zone services “Application defaults”, and action = Allow

- A. Destination IP: 192.168.1.123/24
- B. Application = ‘Telnet’
- C. Log Forwarding
- D. USER-ID = ‘Allow users in Trusted’

Answer: B

NEW QUESTION 160

Which action results in the firewall blocking network traffic with out notifying the sender?

- A. Drop
- B. Deny
- C. Reset Server
- D. Reset Client

Answer: B

NEW QUESTION 161

Which interface type can use virtual routers and routing protocols?

- A. Tap
- B. Layer3
- C. Virtual Wire
- D. Layer2

Answer: B

NEW QUESTION 163

Which Security profile would you apply to identify infected hosts on the protected network using DNS traffic?

- A. URL traffic
- B. vulnerability protection
- C. anti-spyware
- D. antivirus

Answer: C

NEW QUESTION 168

View the diagram.

What is the most restrictive, yet fully functional rule, to allow general Internet and SSH traffic into both the DMZ and Untrust/Internet zones from each of the IOT/Guest and Trust Zones?

- A)
- B)
- C)
- D)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 172

Based on the screenshot what is the purpose of the included groups?

- A. They are only groups visible based on the firewall's credentials.
- B. They are used to map usernames to group names.
- C. They contain only the users you allow to manage the firewall.
- D. They are groups that are imported from RADIUS authentication servers.

Answer: B

NEW QUESTION 177

Which object would an administrator create to block access to all high-risk applications?

- A. HIP profile
- B. application filter
- C. application group
- D. Vulnerability Protection profile

Answer: B

NEW QUESTION 181

Which type firewall configuration contains in-progress configuration changes?

- A. backup
- B. running
- C. candidate
- D. committed

Answer: C

NEW QUESTION 186

Which security policy rule would be needed to match traffic that passes between the Outside zone and Inside zone, but does not match traffic that passes within the zones?

- A. intrazone
- B. interzone
- C. universal
- D. global

Answer: B

NEW QUESTION 188

What is a prerequisite before enabling an administrative account which relies on a local firewall user database?

- A. Configure an authentication policy
- B. Configure an authentication sequence
- C. Configure an authentication profile
- D. Isolate the management interface on a dedicated management VLAN

Answer: C

NEW QUESTION 193

View the diagram.

What is the most restrictive yet fully functional rule to allow general Internet and SSH traffic into both the DMZ and Untrust/Internet zones from each of the IOT/Guest and Trust Zones?

- A)
- B)
- C)
- D)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

NEW QUESTION 197

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual PCNSA Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the PCNSA Product From:

<https://www.2passeasy.com/dumps/PCNSA/>

Money Back Guarantee

PCNSA Practice Exam Features:

- * PCNSA Questions and Answers Updated Frequently
- * PCNSA Practice Questions Verified by Expert Senior Certified Staff
- * PCNSA Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * PCNSA Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year