

# Salesforce

## Exam Questions OmniStudio-Developer

Salesforce Certified OmniStudio Developer (SU21)



#### NEW QUESTION 1

A developer needs to create . DataRaptor to retrieve the name of an account for a contact. Following best practices, how should a developer configure the extraction steps?

- A. Define an extraction step for the Contact object and set the Extract JSON Path to Contact Account.Name
- B. Define extraction steps for the Contact and the Account objects, and set the Extract JSON Path to Contact Account.Name
- C. Define extraction steps for the Contact and the Account objects, and set the Extract 3SON Path to Account.Name
- D. Define an extractionstep for the Account object, and set the Extract JSON Path to AccountContact.Name

**Answer: A**

#### NEW QUESTION 2

A developer writes an OmniScript that includes a DataRaptor that updates the Account statue based on information provided from the OmniScript. The information must be updated only if the Account record already exists. Otherwise, a new account must be created. How should the developer accomplish this task?

- A. Populate the Lookup object and Lookup fields
- B. Check the Upset key and is required for Upsert checkboxes on the Account id field
- C. Check the Upsert key checkbox on the Account Status field
- D. Check Overwrite Target for all Null input checkbox on the Account id field

**Answer: B**

#### NEW QUESTION 3


A developer examines data received from an external data source. The data is nested two levels down in the JSON structure. Which OmniStudio tool could the developer use to simplify this data?

- A. A guided workflow
- B. ADataRaptor Transform
- C. An HTTP Action Element
- D. An integration Procedure

**Answer: B**

#### NEW QUESTION 4

Refer to the exhibit below.



What is the reason that the fields fail to displaythe fetched data?

- A. Lookup Mode is selected in the properties of the Type Ahead Block.
- B. FirstName, LastName, and BirthDate are not placed inside the Type Ahead Block.
- C. The typeHead key is not in the correct format.
- D. Use Data JSON is Not selected inthe properties of the Type Ahead Block.

**Answer: B**

#### NEW QUESTION 5

A developer creates a Flexcard that displays a contact's mailing address and passes the contact's postal code to a child FlexCard. When configuration textelements in the child FlexCard, what syntax should a developer use to refer to the contact's postal code?

- A. {Postalcode}
- B. {Parent.postalcode}
- C. {Records.postalcode}

D. {Params.postalcode}

Answer: D

NEW QUESTION 6

A company wants to allow agents to send customers a quote for signature. The quote is a document created using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature. How should a developer configure this functionality in an OmniScript?

- A. DocuSign Envelope Action
- B. PDF Acwm
- C. DocuSign Signature Action
- D. Email Action

Answer: C

NEW QUESTION 7

A healthcare company wants to enable its subscribers to add, edit, or delete dependents related to their policy Community portal. The developer on the project decides to use an MniScript. How should the developer configure the OmniScript to provide this functionality?

- A. Use an Edit Block element configured with Remote Actions.
- B. Use an Edit Block element configured with SOQL statements.
- C. Use an Input Block element and a DataRaptor Post Action element.
- D. Use a Text Block element and a Remote Action element.

Answer: A

NEW QUESTION 8

Refer to the exhibit.

▼ SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ⓘ

DRExtractAction:Account

Send JSON Node ⓘ

SecondaryAccount

Response JSON Path ⓘ

Response JSON Node ⓘ

A developer has configured an integration Procedure element with SEND/RESPONSE TRANSFORMATIONS as shown. Alternatively, how could the developer configure Additional input to send exactly the samedata? Assume that the developer checked Send Only Additional input. A)

Key	Value
SecondaryAccount	%DRExtractAction Account%

B)

Key	Value
DRExtractAction Account	SecondaryAccount

C)

Key	Value
%DRExtractAction Account%	SecondaryAccount

- A. Option A
- B. Option B
- C. Option C

Answer: C

NEW QUESTION 9

A developer creates an OmniScript to update billing information. After analyzing the different types of customer interactions that occur at the company, the developer determines updating billing information should be included in the majority of customer interactions, which are represented by more than 20 different FlexCards. What is the most efficient way for the developer to configure the action that invokes the OmniScript?


- A. As an OS Action
- B. As a Custom Action
- C. As an OmniStudio Action
- D. As a Lightning Action

**Answer: C**

#### NEW QUESTION 10

A developer has an existing DataRaptor Load that insert Contact records with inputs as LastName and firstName. The DataRaptor works as expected when previewed.

The developer creates an integration Procedure to test the DataRaptor and is using a SetValues element in the Integration Procedure to set the first name and last name for the contact record. The DataRaptor and Integration Procedure are set up as shown in the exhibit below.



When the developer executes the Integration procedure in preview, the following error message displays: Required fields are missing: [last Name]". How should the developer address this issue?

- A. SetValuesContactDetails should have been added to Additional input of DataRaptor Post Action in Integration Procedure
- B. The Set values Action Keys should include the DataRaptor Post Action element name path, e,g LoadContactDetails, lastname
- C. The DataRaptor Post Action in the integration procedure should have been executed before the Set Values Action
- D. The valid field names should be added in the Domain object field in the DataRaptor

**Answer: A**

#### NEW QUESTION 10

A developer has a requirement to create a child FlexCard that contain all of its parent FlexCard's records in a Datatable.

- A. {Records[0]}
- B. {Records}
- C. {Params records}
- D. {recordId}

**Answer: B**

#### NEW QUESTION 11

An OmniScript displays data from an API using Integration Procedure, but some of the data is missing. Which two configuration errors could cause this? Choose 2 answers

- A. The element name for the missing data does not match the JSON node key in the Integration Procedure Response.
- B. The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.
- C. The JSOW sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure
- D. The missing data is trimmed in the Integration Procedure Action Response JSON Path.

**Answer: AD**

#### NEW QUESTION 13

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### OmniStudio-Developer Practice Exam Features:

- \* OmniStudio-Developer Questions and Answers Updated Frequently
- \* OmniStudio-Developer Practice Questions Verified by Expert Senior Certified Staff
- \* OmniStudio-Developer Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* OmniStudio-Developer Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The OmniStudio-Developer Practice Test Here](#)**