

Microsoft

Exam Questions PL-300

Microsoft Power BI Data Analyst



NEW QUESTION 1

- (Topic 1)

You need to provide a solution to provide the sales managers with the required access. What should you include in the solution?

- A. Create a security role that has a table filter on the Sales_Manager table where username = UserName()
- B. Create a security role that has a table filter on the Region_Manager table where sales_manager_id = UserPrincipalName().
- C. Create a security role that has a table filter on the Sales_Manager table where name = UserName().
- D. Create a security role that has a table filter on the Sales_Manager table where username = sales_manager_id.

Answer: A

Explanation:

<https://powerbi.microsoft.com/en-us/blog/using-username-in-dax-with-row-level-security/>

NEW QUESTION 2

- (Topic 1)

You need to get data from the Microsoft SQL Server tables. What should you use to configure the connection'

- A. import that uses a Microsoft account
- B. DirectQuery that uses the end-user s credentials
- C. DirectQuery that uses a database credential
- D. Import that uses a database credential

Answer: B

NEW QUESTION 3

HOTSPOT - (Topic 1)

You publish the dataset to powerbi.com.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area			
Statements		Yes	No
You need an on-premises data gateway to refresh the dataset.		<input type="radio"/>	<input type="radio"/>
You need to configure a scheduled refresh of the dataset.		<input type="radio"/>	<input type="radio"/>
You can use Basic authentication on the dataset to connect to the data.		<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area			
Statements		Yes	No
You need an on-premises data gateway to refresh the dataset.		<input checked="" type="radio"/>	<input type="radio"/>
You need to configure a scheduled refresh of the dataset.		<input checked="" type="radio"/>	<input type="radio"/>
You can use Basic authentication on the dataset to connect to the data.		<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 4

- (Topic 2)

You need to ensure that the data is updated to meet the report requirements. The solution must minimize configuration effort. What should you do?

- A. From each report in powerbi.co
- B. select Refresh visuals
- C. From Power BI Desktop, download the PBIX file and refresh the data.
- D. Configure a scheduled refresh without using an on-premises data gateway.
- E. Configure a scheduled refresh by using an on-premises data gateway

Answer: C

NEW QUESTION 5

- (Topic 2)

You need to recommend a strategy to consistently define the business unit, department, and product category data and make the data usable across reports. What should you recommend?

- A. Create a shared dataset for each standardized entity.
- B. Create dataflows for the standardized data and make the dataflows available for use in all imported datasets.
- C. For every report, create and use a single shared dataset that contains the standardized data.
- D. For the three entities, create exports of the data from the Power BI model to Excel and store the data in Microsoft OneDrive for others to use as a source.

Answer: B

NEW QUESTION 6

- (Topic 2)

Which two types of visualizations can be used in the balance sheet reports to meet the reporting goals? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. a line chart that shows balances by quarter filtered to account categories that are long-term liabilities.
- B. a clustered column chart that shows balances by date (x-axis) and account category (legend) without filters.
- C. a clustered column chart that shows balances by quarter filtered to account categories that are long-term liabilities.
- D. a pie chart that shows balances by account category without filters.
- E. a ribbon chart that shows balances by quarter and accounts in the legend.

Answer: AE

Explanation:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>

NEW QUESTION 7

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You create a new query that references DataSourceExcel. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 8

- (Topic 4)

You have a Power BI report

You have a table named Dalai that contains 10 million rows. Data is used in the following visuals:

- A card that shows the number of records
- A bar chart that shows total transaction amount by territory
- A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory

You need to modify the scatter plot to make it easier for users to identify meaningful patterns. The solution must not affect the accuracy of the other visuals-What should you do?

- A. Apply a row filter to the Dalai query in Power Query Editor.
- B. Add a trend line to the scatter plot
- C. Enable high-density sampling on the scatter plot
- D. Add a count field of the transaction amount to the size bucket of the scatter plot

Answer: B

NEW QUESTION 9

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column. You need to ensure that you can analyze sales by product category. How should you configure the relationships from Products to ProductCategory? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Cardinality:

One-to-many

One-to-one

Many-to-many

Cross-filter direction:

Single

Both

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Box 1: One-to-many
Box 2: Both
For One-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional).
Note:

Cardinality type	Cross filter options
One-to-many (or Many-to-one)	Single Both
One-to-one	Both
Many-to-many	Single (Table1 to Table2) Single (Table2 to Table1) Both

NEW QUESTION 10

- (Topic 4)
You have a report that contains three pages. One of the pages contains a KPI visualization. You need to filter all the visualizations in the report except for the KPI visualization. Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Add the same slicer to each page and configure Sync slicers.
- B. Edit the interactions of the KPI visualization.
- C. Configure a page-level filter.
- D. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- E. Configure a report-level filter.

Answer: AD

Explanation:
Slicers are another way of filtering. They narrow the portion of the dataset that is shown in the other report visualizations. By default, slicers on report pages affect all the other visualizations on that page, including each other. Use visual interactions to exclude some page visualizations from being affected by others.
Reference:
<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

NEW QUESTION 10

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
 After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
 You have a Microsoft Excel workbook that is saved to Microsoft SharePoint Online. The workbook contains several Power View sheets.
 You need to recreate the Power View sheets as reports in the Power BI service.
 Solution: Copy the workbook to Microsoft OneDrive for Business. From Excel, click Publish to Power BI, and then click Upload
 Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 15

- (Topic 4)
 You have a Power BI model that contains two tables named Population and Date.
 The Population table contains two columns named Population Amount and Date Key.
 DateKey contains date values that represent the first day of a year and are used to create a many-to
 The Power BI model contains two measures that have the following definitions. Total Population = Sum ('Population'[Population Amount])
 2023 Population = CALCULATE ([Total Population]"Date'[Year] = 2023) You create a table visual that displays Date[Year] and [2023 Population]. What will the table visual show?

- A. one row per year that contains blank values for every year except 2023
- B. one row per date that contains the population value for the corresponding year repeated in each row
- C. a single row for the year 2023 that contains the related population value
- D. one row per year that contains the same value repeated for each year

Answer: C

NEW QUESTION 20

- (Topic 4)
 Your company has employees in 10 states.
 The company recently decided to associate each state to one of the following three regions: East, West, and North.
 You have a data model that contains employee information by state. The model does NOT include region information.
 You have a report that shows the employees by state.
 You need to view the employees by region as quickly as possible. What should you do?

- A. Create a new aggregation that summarizes by employee.
- B. Create a new group on the state column and set the Group type to List.
- C. Create a new group on the state column and set the Group type to Bin.
- D. Create a new aggregation that summarizes by state.

Answer: B

Explanation:
<https://www.mssqltips.com/sqlservertip/4720/binning-and-grouping-data-with- power-bi/>

NEW QUESTION 21

HOTSPOT - (Topic 4)
 You have a power BI tenant that hosts the datasets shown in the following table.

Name	Contents	Used to generate
Sales	Sales targets Sales data Employee salary data	Daily performance reports Quarterly reports used to calculate bonuses
Operations	Environmental sensor data	Reports that show average sensor readings over time
Finance	Financial transaction data	Budget planning reports Monthly board reports

You have the following requirements:

- The export of reports that contain Personally Identifiable Information (PII) must be prevented.
- Data used for financial decisions must be reviewed and approved before use.

For each of the following statements, select Yes if the statement is true. Otherwise select No. NOTE: Each correct selection is worth one point

Answer Area		
	Statements	<div>YesNo</div>
	The Sales dataset requires a sensitivity label.	<div><div></div><div></div></div>
	The Operations dataset requires a sensitivity label and must be certified.	<div><div></div><div></div></div>
	The Finance dataset requires a sensitivity label and must be certified.	<div><div></div><div></div></div>

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Answer Area		
	Statements	<div>YesNo</div>
	The Sales dataset requires a sensitivity label.	<div><div></div><div></div></div>
	The Operations dataset requires a sensitivity label and must be certified.	<div><div></div><div></div></div>
	The Finance dataset requires a sensitivity label and must be certified.	<div><div></div><div></div></div>

NEW QUESTION 23

- (Topic 4)

You maintain a Power BI workspace that contains a supplier quality dashboard. The dashboard contains 10 card visuals, two map visuals and five bar chart visuals.
The dashboard mobile layout is shown in the exhibit. (Click the Exhibit tab.)



You need to modify the dashboard mobile layout to meet the following requirements:

- Only show single-value visuals.
- Minimize scrolling.

What should you do?

- A. Remove the card visual, increase the size of the map and bar chart visuals
- B. Decrease the size of the map and bar chart visuals Move all the card visuals to the top of the layout.
- C. Move the bar chart visuals to the top of the layout Remove the map visual
- D. Decrease the size of the card visuals.
- E. Decrease the size of the card visual

F. Remove the map and bar chart visuals.

Answer: D

NEW QUESTION 26

- (Topic 4)
 You build a Power BI report that displays 10T temperature data streaming from a refrigerator.
 You publish the report to the BI service.
 You need to be notified when the temperature rises above four degrees Celsius. What should you do?

- A. Pin a report page to a dashboard and set an alert on the page.
- B. Set an alert on a KPI visual in the report.
- C. Pin a card visual to a dashboard and set an alert on the tile.
- D. Pin a card visual to a dashboard and create a subscription.

Answer: A

NEW QUESTION 29

HOTSPOT - (Topic 4)
 You are creating an analytics report that will consume data from the tables shown in the following table.

Table name	Column name	Data type
Sales	sales_id	Integer
	sales_date	Datetime
	Customer_id	Integer
	sales_amount	Floating
	employee_id	Integer
	sales_ship_date	Datetime
	store_id	Varchar(100)
Employee	employee_id	Integer
	first_name	Varchar(100)
	last_name	Varchar(100)
	employee_photo	Binary

There is a relationship between the tables.
 There are no reporting requirements on employeejd and employee_photo. You need to optimize the data model
 What should you configure for employeejd and employee.photo? To answer, select the appropriate options in the answer area.

Answer Area

Employee_id:

Change Type

Delete

Hide

Sort

Employee_photo:

Change Type

Delete

Hide

Sort

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Hide
 Optimize data by hiding fields and sorting visualization data
 Box 2: Delete
 The fastest way to optimize your Power BI report is to limit the number of columns to only the ones you need in your data model. Go through your tables in Power Query and determine what fields are being used. Delete these columns if they are not being used in any of your reports or calculations.

NEW QUESTION 30

DRAG DROP - (Topic 4)
 You plan to create a report that will display sales data from the last year for multiple regions
 You need to restrict access to individual rows of the data on a per region-basis by using roles.
 Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Publish the report.

Import the data to Power BI Desktop.

Add a filter to the report.

Create a role definition.

Assign users to the role.

>

<

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Publish the report.

Import the data to Power BI Desktop.

Add a filter to the report.

Create a role definition.

Assign users to the role.

>

<

Answer Area

Import the data to Power BI Desktop.

Create a role definition.

Assign users to the role.

Publish the report.

>

<

NEW QUESTION 33

FILL IN THE BLANK - (Topic 4)

You have a Power B1 model that contains a table named Date. The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer is below.

Month Year Sort = [Year] / 100 + [Month Number]

NEW QUESTION 35

- (Topic 4)

You have a Power BI report that contains four pages. All the pages contain a slicer for a field named Country, You need to ensure that when a user selects a county on page 1, the selection is retained on page 2 and page 3. The solution must prevent page 4 from being affected by selections on the other pages, What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- C. Sync the Country slicer on page 1, page 2, and page 3,
- D. Move the Country slicer from page 2 and page 3 to page 1.

Answer: B

NEW QUESTION 40

HOTSPOT - (Topic 4)

You have a table that contains a column named Phone. The following is a sample of the data in the Phone column.

436-555-0160
385-555-0140
452-555-0179
290-555-0196
1 (11) 500 555-0122
128-555-0148
819-555-0186
996-555-0192
138-555-0156
556-555-0192

You need to add a new column that contains the data in the format of nnn-nnn-nnnn. How should you complete the Query Editor formula? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

= Table.AddColumn("#Previous Step", "Custom", each Text.

Insert

Remove

Replace

ReplaceRange

(Text.

At

End

Middle

Range

([Phone], 12), " ", "-"))

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
References:
<https://docs.microsoft.com/en-us/powerquery-m/text-replace> <https://docs.microsoft.com/en-us/powerquery-m/text-end>

NEW QUESTION 45

HOTSPOT - (Topic 4)

You have two CSV files named Products and Categories. The Products file contains the following columns:

- ? ProductID
- ? ProductName
- ? SupplierID
- ? CategoryID

The Categories file contains the following columns:

- ? CategoryID
- ? CategoryName
- ? CategoryDescription

From Power BI Desktop, you import the files into Power Query Editor.

You need to create a Power BI dataset that will contain a single table named Product. The Product will table includes the following columns:

- ? ProductID
- ? ProductName
- ? SupplierID
- ? CategoryID
- ? CategoryName
- ? CategoryDescription

How should you combine the queries, and what should you do on the Categories query? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Combine the queries by performing a:

Append
Merge
Transpose

On the Categories query:

Delete the query.
Disable the query load.
Exclude the query from report refresh.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Combine the queries by performing a:

Append
Merge
Transpose

On the Categories query:

Delete the query.
Disable the query load.
Exclude the query from report refresh.

NEW QUESTION 49

- (Topic 4)

You have a large dataset that contains more than 1 million rows. The table has a datetime column named Date.

You need to reduce the size of the data model. What should you do?

- A. Round the hour of the Date column to startOfHour.
- B. Change the data type of the Date column to Text.
- C. Trim the Date column.
- D. Split the Date column into two columns, one that contains only the time and another that contains only the date.

Answer: D

Explanation:

We have to separate date & time tables. Also, we don't need to put the time into the date table, because the time is repeated every day. Split your DateTime column into a separate date & time columns in fact table, so that you can join the date to the date table & the time to the time table. The time need to be converted to the nearest round minute or second so that every time in your data corresponds to a row in your time table.

Reference:
<https://intellipaat.com/community/6461/how-to-include-time-in-date-hierarchy-in-power-bi>

NEW QUESTION 50

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: You add a Power Apps custom visual to the report. Does this meet the goal?


- A. Yes
- B. No

Answer: A

NEW QUESTION 52

- (Topic 4)

You have a Q&A visual that displays information from a table named Carriers as shown in the following exhibit.



You need to ensure that users can ask questions by using the term airline or carrier. The solution must minimize changes to the data model. What should you do?

- A. Add a duplicate query named Airline.
- B. Add airline as a synonym of carrier.
- C. Rename the carrier column as airline in the Carriers query.
- D. Rename the query from Carriers to airlines.

Answer: B

Explanation:

Add synonyms to tables and columns: This step applies specifically to Q&A (and not to Power BI reports in general). Users often have a variety of terms they use to refer to the same thing, such as total sales, net sales, total net sales. You can add these synonyms to tables and columns in the Power BI model. This step can be important. Even with straightforward table and column names, users of Q&A ask questions using the vocabulary that first comes to them. They're not choosing from a predefined list of columns. The more sensible synonyms you add, the better your users' experience is with your report. Reference: <https://docs.microsoft.com/en-us/power-bi/natural-language/q-and-a-best-practices>

NEW QUESTION 57

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as numerical amount representing US dollars. You need to create a reference line to show which employees are above the median salary. Solution: You create an average line by using the Salary measure. Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:

Instead create a percentile line by using the Salary measure and set the percentile to 50%. Note: The 50th percentile is also known as the median or middle value where 50 percent of observations fall below. Reference: https://dash-intel.com/powerbi/statistical_functions_percentile.php

NEW QUESTION 58

- (Topic 4)

You have a report that contains a donut chart and a clustered column chart. Interactions between the visuals use the default settings. You need to modify the report so that when you select a column in the column chart, the donut chart redraws by using the data from the selected column. What should you do?

- A. Select the column chart and set the donut chart interaction to None.
- B. Select the column chart and set the donut chart interaction to Filter.
- C. Select the donut chart and set the column chart interaction to Filter.
- D. Select the donut chart and set the column chart interaction to None.

Answer: B

NEW QUESTION 60

- (Topic 4)

You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month. You pin the Sales by month visual to Dashboard1. In Report1, you change the Sales by month visual to a bar chart. You need to ensure that bar chart displays on Dashboard1. What should you do?

- A. Edit the details for the dashboard tile of Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. the Sales by month bar chart to Dashboard1

D. Refresh the dataset used by Report1 and Dashboard1.

Answer: C

NEW QUESTION 61

HOTSPOT - (Topic 4)

You are creating a Microsoft Power BI imported data model to perform basket analysis. The goal of the analysis is to identify which products are usually bought together in the same transaction across and within sales territories.
 You import a fact table named Sales as shown in the exhibit. (Click the Exhibit tab.)

Column name	Data type	Description
SalesRowID	Integer	ID of the row from the source system, which represents a unique combination of SalesOrderNumber and SalesOrderLineNumber
ProductKey	Integer	Surrogate key that relates to the product dimension
OrderDateKey	Integer	Surrogate key that relates to the date dimension and is in the YYYYMMDD format
OrderDate	Datetime	Date and time an order was processed
CustomerKey	Integer	Surrogate key that relates to the customer dimension
SalesTerritoryKey	Integer	Surrogate key that relates to the sales territory dimension
SalesOrderNumber	Integer	Unique identifier of an order
SalesOrderLineNumber	Integer	Unique identifier of a line within an order
OrderQuantity	Integer	Quantity of the product ordered
LineTotal	Decimal	Total sales amount of a line before tax
TaxAmt	Decimal	Amount of tax charged for the items on a specified line within an order
Freight	Decimal	Amount of freight charged for the items on a specified line within an order
LastModified	Datetime	The date and time that a row was last modified in the source system
AuditID	Integer	The ID of the data load process that last updated a row

The related dimension tables are imported into the model.
 For each of the following statements, select Yes if the statement is true. Otherwise, select No.
 NOTE: Each correct selection is worth one point.

Answer Area

Statements

Yes

No

The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.

☐
☐

Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.

☐
☐

The TaxAmt column must retain the current number of decimal places to perform the basket analysis.

☐
☐

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Yes

No

The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.

☒
☐

Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.

☒
☐

The TaxAmt column must retain the current number of decimal places to perform the basket analysis.

☐
☒

NEW QUESTION 66

HOTSPOT - (Topic 4)

You need to create a Power BI report. The first page or the report must contain the following two views:
 * Sales By Postal Code
 * Sales by Month
 Both views must display a slicer to select a value for a field named Chain.
 The Sales By Postal Code view must display a map visual as shown in the following exhibit.

Answer Area

Minimum number of bookmarks:

1

2

3

4

Property:

Data

Display

Current page

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Minimum number of bookmarks:

1

2

3

4

Property:

Data

Display

Current page

NEW QUESTION 70

- (Topic 4)

You have data in a Microsoft Excel worksheet as shown in the following table.

	A	B	C
1	SKU	price	discount
2	P00001	100	0.08
3	P00002	150	0.03
4	P00003	130	#DIV/0!
5	P00004	200	0.06
6	P00005	80	#NAME?
7	P00006	350	#N/A
8	P00007	100	#NULL!
9	P00008	200	0.05
10	P00009	135	#NUM!
11	P00010	90	#REF!
12	P00011	120	#VALUE!

You need to use Power Query to clean and transform the dataset. The solution must meet the following requirements:

- If the discount column returns an error, a discount of 0.05 must be used.
- All the rows of data must be maintained.
- Administrative effort must be minimized. What should you do in Power Query Editor?

- A. Select Keep Errors
- B. Edit the query in the Query Errors group.
- C. Select Replace Errors
- D. Select Remove Errors.

Answer: C

NEW QUESTION 73

- (Topic 4)

Your company has training videos that are published to Microsoft Stream. You need to surface the videos directly in a Microsoft Power BI dashboard. Which type of tile should you add?

- A. video
- B. custom streaming data
- C. text box
- D. web content

Answer: D

Explanation:

<https://docs.microsoft.com/en-us/stream/portal-embed-video> <https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-add-widget#add-web-content>

NEW QUESTION 77


HOTSPOT - (Topic 4)

You have a folder of monthly transaction extracts.

You plan to create a report to analyze the transaction data.

You receive the following email message: "Hi. I've put 24 files of monthly transaction data onto the shared drive. File Transactions201901.csv through Transactions201912.csv have the latest set of columns, but files Transactions201801.csv to Transactions201812.csv have an older layout without the extra fields needed for analysis. Each file contains 10 to 50 transactions."

You get data from the folder and select Combine & Load. The Combine Files dialog box is shown in the exhibit. (Click the Exhibit tab.)



ID	Date	CustomerID	Amount
1	01/01/2018 08:00:00	5	28.99
2	01/01/2018 18:00:00	10	31.88
3	02/01/2018 08:00:00	15	22.99
4	02/01/2018 18:00:00	25	14.25
5	03/01/2018 08:00:00	35	85
6	03/01/2018 18:00:00	45	47.74
7	04/01/2018 08:00:00	55	76.66
8	04/01/2018 18:00:00	51	99.99
9	05/01/2018 08:00:00	52	10.99
10	05/01/2018 18:00:00	58	85

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area	Statements	Yes	No
	The resulting query will contain all the columns from the 2018 transactions.	<input type="radio"/>	<input type="radio"/>
	The resulting query will contain all the columns from the 2019 transactions.	<input type="radio"/>	<input type="radio"/>
	Setting Data Type Detection to Based on first 200 rows will improve import times.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application

Description automatically generated

Box 1: Yes

The four columns used in the 2018 transactions are already displayed.

Box 2: Yes

The columns used are based on the entire dataset. The additional columns in the 2019 files will be detected.

Box 3: Yes

Note: Under the hood, Power BI will automatically detect which delimiter to use, and may even promote the first row as headers. You can manually change the delimiter, or define how Power BI should handle data types. You can set it to automatically detect data types based on first 200 rows, or the entire dataset or you can even opt out the detection of data types.

NEW QUESTION 78

- (Topic 4)

You have a Microsoft Excel file on a file server.

You create a Power BI report and import a table from the Excel file. You publish the report.

You need to ensure that the data refreshes every four hours. What should you do first?

- A. Upload the Excel file to a Power BI workspace.
- B. Create a subscription to the report.
- C. Deploy an on-premises data gateway.
- D. Edit the data source credentials.

Answer: C

NEW QUESTION 83

- (Topic 4)

You plan to create a dashboard in the Power BI service that retrieves data from a Microsoft SQL Server database. The dashboard will be shared between the users in your organization.

You need to ensure that the users will see the current data when they view the dashboard. How should you configure the connection to the data source?

- A. Deploy an on-premises data gateway (personal mode). Import the data by using the Import Data Connectivity mode.
- B. Deploy an on-premises data gatewa
- C. Import the data by using the Import Data Connectivity mode.
- D. Deploy an on-premises data gatewa
- E. Import the data by using the DirectQuery Data Connectivity mode.
- F. Deploy an on-premises data gateway (personal mode). Import the data by using the DirectQuery Data Connectivity mode.

Answer: D

Explanation:

References: https://docs.microsoft.com/en-us/power-bi/desktop-directquery-about#power-bi-connectivity-modes

NEW QUESTION 86

HOTSPOT - (Topic 4)

You are creating a column chart visualization.

You configure groups as shown in the Groups exhibit. {Click the Groups tab.}

Groups

NameSedal.Width (bins)FieldSedal.Width

Group typeBinMin value2

Bin TypeNumber of binsMax value4.4

Binning splits numeric or date/time data by an amount you specify. The default bin count is calculated based on your data.


Bin count10Bin size0.24000000000000005

Reset to default

OK

Cancel

The visualization appears as shown in the Chart exhibit. (Click the Chart tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The data is segmented into 10 groups.	<input type="radio"/>	<input type="radio"/>
The data was split into deciles.	<input type="radio"/>	<input type="radio"/>
To increase the bin size, you must decrease the bin count.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements

Yes

No

The data is segmented into 10 groups.

☒
☐

The data was split into deciles.

☐
☒

To increase the bin size, you must decrease the bin count.

☐
☒

NEW QUESTION 88

- (Topic 4)

You have a report that contains a bar chart and a column chart. The bar chart shows customer count by customer segment. The column chart shows sales by month.

You need to ensure that when a segment is selected in the bar chart, you see which portion of the total sales for the month belongs to the customer segment. How should the visual interactions be set on the column chart when the bar chart is selected?

- A. no impact
- B. highlight
- C. filter

Answer: B

Explanation:

HIGHLIGHT as the question required us to "you see which portion of the total sales for the month belongs to the customer segment" -- in order to see WHICH portion, you need to still see the whole visual, highlight is most appropriate. If the requirement stated to ONLY SEE THE PORTION IT RELATES TO then filter would be appropriate.

NEW QUESTION 91

- (Topic 4)

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns. The model contains the following DAX measure.

Total Sales = SUM(Sales[Sale])

You need to create another measure named Previous Quarter to display the sales one quarter before the selected period.

Which DAX calculation should you use?

- A. CALCULATE < [Total Sales], OATEADD (Date[Date], -1, QUARTER))
- B. CALCULATE ([Total Sales], DATESQTD (Date[Date]))
- C. TOTALQTD ([Total Sales], Date[Date])
- D. CALCULATE < [Total Sales], PARALLELPERIOO (Date[Date], 1, QUARTER))

Answer: A

NEW QUESTION 96

- (Topic 4)

From Power Query Editor, you attempt to execute a query and receive the following error message.

Datasource.Error: could not find file.

What are two possible causes of the error? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. The file is locked
- B. An incorrect privacy level was used for the data source.
- C. The referenced file was moved to a new location
- D. You do not have permissions to the file.

Answer: BD

NEW QUESTION 101

DRAG DROP - (Topic 4)

You create a data model in Power BI.

Report developers and users provide feedback that the data model is too complex. The model contains the following tables.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	region_id	Integer
Manager	manager_id	Integer
	name	Varchar

The model has the following relationships:

- *There is a one-to-one relationship between Sales_Region and Region_Manager.
- *There are more records in Manager than in Region_Manager, but every record in Region_Manager has a corresponding record in Manager.
- *There are more records in Sales_Manager than in Sales_Region, but every record in Sales_Region has a corresponding record in Sales_Manager.

You need to denormalize the model into a single table. Only managers who are associated to a sales region must be included in the reports. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

Merge [Region_Manager] and [Manager] by using an inner join.

Merge [Sales_Manager] and [Sales_Region] by using a left join.

Merge [Sales_Region] and [Sales_Manager] by using an inner join.

Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].

Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].

Merge [Sales_Region] and [Region_Manager] by using an inner join.

Answer Area

>

<

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

* 1.Merge [Region_Manager] and [Manager] by using an inner join. 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join. 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.


NEW QUESTION 103

- (Topic 4)

You are building a data model for a Power BI report. You have data formatted as shown in the following table.

Machine-User	DownloadMB
ABC-123	75
BAC-657	125

You need to create a clustered bar chart as shown in the following exhibit.



What should you do?

- A. From Power Query Editor, split the Machine-User column by using a delimiter.
- B. In a DAX function, create two calculated columns named Machine and User by using the substitute function.
- C. From Power Query Editor, create a column that contains the last three digits of the Machine-User column.
- D. in a DAX function, create two measures named Machine and User by using the substitute function.

Answer: A

NEW QUESTION 105

- (Topic 4)
 You have a Power BI query named Sates that imports the columns shown in the following table.

Name	Description	Sample value
ID	A unique value that represents a sale	10253
Sale_Date	Sales date A column to extract the date of the sale	2021-11-23T09:53:00
Customer_ID	Represents a unique customer ID number	13158
Delivery_Time	Elapsed delivery time in hours Can contain null values	51.52
Status	Sales status Contains only the following two values: Finished and Canceled	Finished
Canceled_Date	Cancellation date and time Can contain null values	2021-11-24T14:11:23

Uses only use the dale part of the Sales.Date field. Only rows with a Status of Finished are used in analysis.
 You need to reduce the load times of the query without affecting the analysis.
 Which two actions achieve this goal? Each correct answer presents a complete solution. NOTL Each correct selection is worth one pant.

- A. Remove the rows in which sales [status] has a value of Canceled.
- B. Change the data type of sale [Delivery_Time] to Integer
- C. Removes (Canceled Date).
- D. Split Sales [Sale_Date] into separate date and time columns.
- E. Remove sales [Sales_Date].

Answer: AD

NEW QUESTION 110

- (Topic 4)
 You have a CSV file that contains user complaints. The file contains a column named Logged logged contains the date and time each complaint occurred. The data in Logged is m the following format: 2018-12-31 at 08:59.
 You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.
 What should you do?

- A. Create a column by example that starts with 2018-12-31.
- B. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date
- C. Apply the parse function from the Date transformations options to the Logged column.
- D. Add a conditional column that outputs 2018 if the Logged column starts with 2018 and set the data type of the new column to Whole Number.

Answer: A

NEW QUESTION 113

- (Topic 4)

You create a dashboard by using the Microsoft Power BI Service. The dashboard contains a card visual that shows total sales from the current year. You grant users access to the dashboard by using the viewer role on the workspace. A user wants to receive daily notifications of the number shown on the card visual. You need to automate the notifications. What should you do?

- A. Share the dashboard to the user.
- B. Create a subscription.
- C. Create a data alert.
- D. Tag the user in a comment.

Answer: C

Explanation:

You can subscribe yourself and your colleagues to the report pages, dashboards, and paginated reports that matter most to you. Power BI e-mail subscriptions allow you to:

? Decide how often you want to receive the emails: daily, weekly, hourly, monthly, or once a day after the initial data refresh.

? Choose the time you want to receive the email, if you choose daily, weekly, hourly, or monthly.

Note: Email subscriptions don't support most custom visuals. The one exception is those custom visuals that have been certified.

Email subscriptions don't support R-powered custom visuals at this time.

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-report-subscribe> <https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

NEW QUESTION 118

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

? Due Date

? Order Date

? Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: From Power Query Editor, you rename the date query as Due Date. You reference the Due Date query twice to make the queries for Order Date and Delivery Date.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Creating two additional tables in Power Query can be a possible solution: Remove any inactive relationships.

Consider renaming the role-playing dimension-type table to better describe its role. In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport.

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

In the example, the Departure Airport table was created by using the following calculated table definition.

NEW QUESTION 121

- (Topic 4)

You are creating a visual to show the ranking of product categories by sales revenue.

Your company's security policy states that you cannot send data outside of your Microsoft Power BI tenant

Which approach provides the widest variety of visuals while adhering to the security policy?

- A. Use default visuals or custom visuals uploaded from a .pbviz file.
- B. Use only default visuals.
- C. Use default or any custom visuals from the marketplace.
- D. Use default or certified custom visuals.

Answer: C

NEW QUESTION 124

- (Topic 4)

You have four sales regions. Each region has multiple sales managers.

You implement row-level security (RLS) in a data model. You assign the relevant distribution lists to each role.

You have sales reports that enable analysis by region. The sales managers can view the sales records of their region. The sales managers are prevented from viewing records from other regions.

A sales manager changes to a different region.

You need to ensure that the sales manager can see the correct sales data. What should you do?

- A. From Microsoft Power BI Desktop, edit the Row-Level Security setting for the reports.
- B. Change the Microsoft Power BI license type of the sales manager.
- C. Manage the permissions of the underlying dataset
- D. Request that the sales manager be added to the correct Azure Active Directory group.

Answer: D

Explanation:

Using AD Security Groups, you no longer need to maintain a long list of users.

All that you will need to do is to put in the AD Security group with the required permissions and Power BI will do the REST! This means a small and simple security file with the permissions and AD Security group.

Note: Configure role mappings

Once published to Power BI, you must map members to dataset roles.

Members can be user accounts or security groups. Whenever possible, we recommend you map security groups to dataset roles. It involves managing security group memberships in Azure Active Directory. Possibly, it delegates the task to your network administrators.

Reference:

<https://www.fourmoo.com/2018/02/20/dynamic-row-level-security-is-easy-with-active-directory-security-groups/>

<https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>

NEW QUESTION 128

- (Topic 4)

You have a Power BI tenant.

You have reports that use financial datasets and are exported as PDF files. You need to ensure that the reports are encrypted.

What should you implement?

- A. dataset certifications
- B. row-level security (RLS)
- C. sensitivity labels
- D. Microsoft Intune policies

Answer: C

Explanation:

General availability of sensitivity labels in Power BI.

Microsoft Information Protection sensitivity labels provide a simple way for your users to classify critical content in Power BI without compromising productivity or the ability to collaborate. Sensitivity labels can be applied on datasets, reports, dashboards, and dataflows. When data is exported from Power BI to Excel, PowerPoint or PDF files, Power BI automatically applies a sensitivity label on the exported file and protects it according to the label's file encryption settings. This way your sensitive data remains protected no matter where it is.

Reference:

<https://powerbi.microsoft.com/en-us/blog/announcing-power-bi-data-protection-ga-and-introducing-new-capabilities/>

NEW QUESTION 133

HOTSPOT - (Topic 4)

You plan to create a Power BI dataset to analyze attendance at a school. Data will come from two separate views named View1 and View2 in an Azure SQL database. View1 contains the columns shown in the following table.

Name	Data type
Attendance Date	Date
Student ID	Bigint
Period Number	Tinyint
Class ID	Int

View2 contains the columns shown in the following table.

Name	Data type
Class ID	Bigint
Class Name	Varchar(200)
Class Subject	Varchar(100)
Teacher ID	Int
Teacher First Name	Varchar(100)
Teacher Last Name	Varchar(100)
Period Number	Tinyint
School Year	Varchar(50)
Period Start Time	Time
Period End Time	Time

The views can be related based on the Class ID column.

Class ID is the unique identifier for the specified class, period, teacher, and school year. For example, the same class can be taught by the same teacher during two different periods, but the class will have a different class ID.

You need to design a star schema data model by using the data in both views. The solution must facilitate the following analysis:

? The count of classes that occur by period

? The count of students in attendance by period by day

? The average number of students attending a class each month

In which table should you include the Teacher First Name and Period Number fields? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Teacher First Name:

Attendance fact

Class dimension

Teacher dimension

Teacher fact

Period Number:

Attendance fact

Class dimension

Period dimension

Period fact

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:
Teacher dimension Class dimension

NEW QUESTION 135

FILL IN THE BLANK - (Topic 4)

You have a Power BI visual that uses indicators to show values that are out of range as shown in the following exhibit.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

The visual type is [answer choice] chart.

a line

The visual indicators that show values out of range are created by using [answer choice].

anomaly detection

NEW QUESTION 137

FILL IN THE BLANK - (Topic 4)

You have a Power 31 data model that contains a table named Stores. The table has the following columns:

- * Store Name
- * Open Date
- * Status
- * State
- * City

You need to create a calculated column named Active Store Name that meets the following requirements:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer is as below

Active Store Name =

IF

[[Status] = "A", [Store Name], "Inactive - "

&

[Store Name]]


Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>

NEW QUESTION 138

HOTSPOT - (Topic 4)

You have the Power BI data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a **[answer choice]** is displayed.

distinct count of the StoreID values
list of all the StoreID values
list of the distinct StoreID values
sum of the StoreID values

Adding a page filter of `Sales[StoreID] = 1` will filter the values displayed on the page from **[answer choice]**.

all the tables related to the Sales table
only the Sales table
only the Store table
the Sales table and the Customer table

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

When a table visual is added to a blank report page and populated by using the StoreID field from the Sales table, a **[answer choice]** is displayed.

distinct count of the StoreID values
list of all the StoreID values
list of the distinct StoreID values
sum of the StoreID values

Adding a page filter of `Sales[StoreID] = 1` will filter the values displayed on the page from **[answer choice]**.

all the tables related to the Sales table
only the Sales table
only the Store table
the Sales table and the Customer table

NEW QUESTION 143

DRAG DROP - (Topic 4)

You are preparing a financial report in Power BI.
 You connect to the data stored in a Microsoft Excel spreadsheet by using Power Query Editor as shown in the following exhibit.

	Column1	1.2 Column2	1.2 Column3	1.2 Column4	1.2 Column5	1.2 Column6
1	Measure	2016	2017	2018	2019	2020
2	Revenue	0.5	0.6	0.55	0.61	0.42
3	Overheads	0.11	0.330410907	0.167055779	0.360178153	0.183179995
4	Cost of Goods	0.204388253	0.165848321	0.25	0.17	0.109073918

You need to prepare the data to support the following:
 ? Visualizations that include all measures in the data over time
 ? Year-over-year calculations for all the measures

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Rename the Attribute column as Year

Rename the Measure column as Year

Use the first row as headers

Use headers as the first row

Unpivot all the columns other than Measure

Transpose the table

Change the data type of the Year column to Date

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

Rename the Attribute column as Year

Rename the Measure column as Year

Use the first row as headers

Use headers as the first row

Unpivot all the columns other than Measure

Transpose the table

Change the data type of the Year column to Date

Answer Area

Use the first row as headers

Unpivot all the columns other than Measure

Rename the Attribute column as Year

Change the data type of the Year column to Date

NEW QUESTION 146

DRAG DROP - (Topic 4)

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product.
 Every Product has a ProductSubCategory.
 Not every ProductSubCategory has a parent ProductCategory.
 You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query.
 How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.
 NOTE: Each correct selection is worth one point.

Join kinds

Full outer

Inner

Left anti

Left outer

Right anti

Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Join kind
ProductSubCategory	ProductCategory	Join kind

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Join kinds

Full outer

Inner

Left anti

Left outer

Right anti

Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Inner
ProductSubCategory	ProductCategory	Left outer

NEW QUESTION 149

- (Topic 4)
You attempt to connect Purer 81 Desktop to a Cassandra database.
From the Get Data connector list you discover that there is no specific connector for the Cassandra database,
You need to select an alternate data connector that will connect to the database. Which of connector should you choose?

- A. Microsoft SQL Server database
- B. ODBC
- C. OData
- D. OLE DB

Answer: B

NEW QUESTION 153

HOTSPOT - (Topic 4)
You have a Power BI report.
You need to create a calculated table to return the 100 highest spending customers.
How should you complete the DAX expression? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Top 100 Customers =

ASC[

DESC(

FILTER(

SUMMARIZE[

TOPN(

100,

ASC

DESC

FILTER

SUMMARIZE

TOPN

[Sales],

ASC

DESC

FILTER

SUMMARIZE

TOPN

(FactTransaction,

FactTransaction[Customer ID],

"Sales",

SUM(FactTransaction[Sale])),

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Box 1: TOPN

TOPN returns the top N rows of the specified table.

Box 2: SUMMARIZE

SUMMARIZE returns a summary table for the requested totals over a set of groups.

Box 3: DESC

Sort in descending order.

It is last in the TOPN command. TOPN syntax:

TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]...])

NEW QUESTION 158

- (Topic 4)

You have a Power BI report. The report contains a line chart that displays sales data for several regions.

You need to add an element to the report that will enable users to filter the sales data to include only a selected region.

Which two elements achieve the goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. a slicer visual
 B. a drillthrough filter
 C. a table visual
 D. a card visual
 E. a Key Performance Indicator (KPI) visual

Answer: AD

NEW QUESTION 162

- (Topic 4)

For the sales department at your company, you publish a Power BI report that imports data from a Microsoft Excel We located in a Microsoft SharePoint folder The data model contains several measures You need to create a Power BI report from the existing data. The solution must minimize development effort. Which type of data source should you use?

- A. a SharePoint folder
 B. Power BI dataflows
 C. an Excel workbook
 D. Power BI dataset

Answer: A

Explanation:

case states there is already a report published and the datamodel contains measures. therefore and to be able to use the measures in the datamodel you should connect to the existing dataset (which was created when you published the report) instead of starting from scratch with the files in the SharePoint folder.

NEW QUESTION 166

FILL IN THE BLANK - (Topic 4)

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:
Answer as below

Answer Area

Late Orders Percent =

VAR OrderCount =

COUNTROWS ('Orders')

VAR LateOrders =

CALCULATE

COUNTROWS ('Orders'),

FILTER

(Orders,

Orders[ShippedDate] > Orders[RequiredDate]

)

NEW QUESTION 170

DRAG DROP - (Topic 4)

You have a query named Customer that imports CSV files from a data lake. The query contains 500 rows as shown in the exhibit. (Click the Exhibit tab.)

	Source.Name	Customer ID	Modified Date	Customer	Category
1	Customer20200104.csv	1	1/1/2020 12:00:00 AM	Tailspin Toys (Head Office)	Novelty Shop
2	Customer20200104.csv	2	1/1/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
3	Customer20200104.csv	3	1/1/2020 12:00:00 AM	Tailspin Toys (Peeples Valley, AZ)	Novelty Shop
4	Customer20200104.csv	4	1/4/2020 12:00:00 AM	Tailspin Toys (Medicine Lodge, KS)	Novelty Shop
5	Customer20200104.csv	5	1/4/2020 12:00:00 AM	Tailspin Toys (Gasport, NY)	Novelty Shop
6	Customer20200104.csv	6	1/4/2020 12:00:00 AM	Tailspin Toys (Jessie, ND)	Novelty Shop
7	Customer20200104.csv	7	1/4/2020 12:00:00 AM	Tailspin Toys (Frankewing, TN)	Novelty Shop
8	Customer20200104.csv	8	1/4/2020 12:00:00 AM	Tailspin Toys (Bow Mar, CO)	Novelty Shop
9	Customer20200104.csv	9	1/4/2020 12:00:00 AM	Tailspin Toys (Netcong, NJ)	Novelty Shop
10	Customer20200104.csv	10	1/4/2020 12:00:00 AM	Tailspin Toys (Wimbledon, ND)	Novelty Shop
11	Customer20200112.csv	1	1/12/2020 12:00:00 AM	Tailspin Toys (Head Office)	Novelty Shop
12	Customer20200112.csv	2	1/12/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
13	Customer20200112.csv	3	1/12/2020 12:00:00 AM	Tailspin Toys (Peeples Valley, AZ)	Novelty Shop
14	Customer20200112.csv	4	1/12/2020 12:00:00 AM	Tailspin Toys (Medicine Lodge, KS)	Novelty Shop
15	Customer20200112.csv	5	1/12/2020 12:00:00 AM	Tailspin Toys (Gasport, NY)	Novelty Shop
16	Customer20200112.csv	2	1/22/2020 12:00:00 AM	Tailspin Toys (Sylvanite, MT)	Novelty Shop
17	Customer20200112.csv	7	1/22/2020 12:00:00 AM	Tailspin Toys (Frankewing, TN)	Novelty Shop
18	Customer20200112.csv	8	1/22/2020 12:00:00 AM	Tailspin Toys (Bow Mar, CO)	Novelty Shop
19	Customer20200112.csv	9	1/22/2020 12:00:00 AM	Tailspin Toys (Netcong, NJ)	Novelty Shop
20	Customer20200112.csv	10	1/22/2020 12:00:00 AM	Tailspin Toys (Wimbledon, ND)	Novelty Shop

Each file contains deltas of any new or modified rows from each load to the data lake. Multiple files can have the same customer ID.

You need to keep only the last modified row for each customer ID.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Filter the Customer query on Modified Date is Latest.

Merge the CustomerGrouped query into the Customer query based on Customer ID and Modified Date by using a left outer join.

Remove duplicates in the Customer ID column.

Duplicate the Customer query and name the new query CustomerGrouped.

Group the CustomerGrouped query by Customer ID and output the max Modified Date value into a column named Modified Date.

Merge the two querires based on Customer ID and Modified Date by using an inner join.

<

>

^

v

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- 1) Duplicate Customer query
- 2) Group by CustId by Max ModifiedDate (only 2 columns to keep)
- 3) Merge two queries on CustId and ModifiedDate inner join (to retrieve other customer informations related to latest Date)

NEW QUESTION 173

- (Topic 4)

In Power BI Desktop, you are creating a report that will contain three pages. You need to create a custom tooltip page and prepare the page for use. Which three actions should you perform? Each correct answer presents part of the solution.

- A. Configure filters on the target visual.
- B. For the target page, set Allow use as tooltip to On.
- C. Add and configure visuals on the tooltip page.
- D. For the tooltip page, set Allow use as tooltip to On.
- E. For the tooltip page, configure filters.

Answer: BCD

Explanation:

You can create a custom tooltip page that shows more details about the selected category, such as this:

To create a custom tooltip page and prepare it for use, you need to perform these three actions:

? Add and configure visuals on the tooltip page. You can add any visuals, images, or other items that you want to show on the tooltip page. You can also format them as you like.

? For the tooltip page, set Allow use as tooltip to On. This will enable Power BI to recognize this page as a tooltip page. You can also change the Page size to Tooltip to fit your content better.

? For the target visual, set Tooltip type to Report page. This will allow you to select which report page you want to use as a custom tooltip for your visual. You can also filter your tooltip by fields from your target visual.

NEW QUESTION 178

- (Topic 4)

You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting. What should you do?

- A. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- B. Create a theme as a JSON file and import the theme into Power BI Desktop.
- C. From Power BI Desktop, use a built-in report theme.
- D. From Power BI Desktop, customize the current theme.

Answer: D

NEW QUESTION 180

- (Topic 4)

You have a report in Power BI named report1 that is based on a shared dataset.

You need to minimize the risk of data exfiltration for report1. The solution must prevent other reports from being affected.

What should you do?

- A. Clear Allow recipients to share your dashboard and Allow users to build new content using the underlying datasets for the dataset.
- B. Select the Allow end users to export both summarized and underlying data from the service or Report Server Export data option for the report.
- C. Select the Don't allow end users to export any data from the service or Report Server Export data option for the report.
- D. Apply row-level security (RLS) to the shared dataset.

Answer: C

NEW QUESTION 185

- (Topic 4)

You have a line chart that shows the number of employees in a department over time. You need to see the total salary costs of the employees when you hover over a data point. What is possible way to achieve this goal?

- A. Add a salary to the tooltips.
- B. Add a salary to the visual filters.
- C. Add salary to the drillthrough fields.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-custom-tooltips> <https://technovids.com/power-bi-filters/>

NEW QUESTION 188

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen,

You create a parameter named DataSourceExcel that holds the file name and location of a Microsoft Excel data source.

You need to update the query to reference the parameter instead of multiple hard-coded copies of the location within each query definition.

Solution: In the Power Query M code, you replace references to the Excel file with DataSourceExcel.
 Does this meet the goal?

- A. Yes
- B. No

Answer: A

Explanation:

Instead modify the source step of the queries to use DataSourceExcel as the file path.

Note: Parameterising a Data Source could be used in many different use cases. From connecting to different data sources defined in Query Parameters to load different combinations of columns.

Reference:

<https://www.biinsight.com/power-bi-desktop-query-parameters-part-1/>

NEW QUESTION 191

- (Topic 4)

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is the same in each question in this series.

You have a Microsoft SQL Server database that contains the following tables.

Table name	Column name	Data type
Order	Order_ID	Integer
	Order_date	Integer
	Order_amount	Currency
	Customer_ID	Integer
	Order_ship_date	Integer
	Store_ID	Integer
Customer	Customer_ID	Integer
	First_name	Varchar(100)
	Last_name	Varchar(100)
	Customer_photo	Binary
Date	Date_ID	Integer
	Date_name	Datetime
	Month	Integer
	Week	Integer
	Year	Integer
Monthly_returns	Month_ID	Integer
	Total_returns	Float
	Store_ID	Varchar(100)
Store	Store_ID	Integer
	Name	Varchar(100)
	City	Varchar(100)
	Sales_target	Float

The following columns contain date information:

- Date[Month] in the mmyyyy format
 - Date[Date_ID] in the ddmmmyyyy format
 - Date[Date_name] in the mm/dd/yyyy format
 - Monthly_returns[Month_ID] in the mmyyyy format
- The Order table contains more than one million rows.

The Store table has a relationship to the Monthly_returns table on the Store_ID column. This is the only relationship between the tables.

You plan to use Power BI Desktop to create an analytics solution for the data.

You need to create a relationship between the Monthly_returns table and Date[Date_ID]. What should you do before you create the relationship?

- A. In the Date table, create a new calculated column named MonthJD that uses the yyyydd format.
- B. In the Monthly_returns table, create a new calculated column named DateJD that uses the ddmmmyyyy format.
- C. To the Order table, add a calculated column that uses the RELATED(Monthly_returns[Month_ID]) DAX formula.
- D. To the Date table, add a calculated column that uses the RE LATE D(Monthly_ret urns [MonthJD]) DAX formula.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/power-bi/desktop-create-and-manage-relationships>

NEW QUESTION 193

- (Topic 4)

You have a data model that contains many complex DAX expressions. The expressions contain frequent references to the RELATED and RELATEDTABLE functions.

You need to recommend a solution to minimize the use of the RELATED and RELATEDTABLE functions.

What should you recommend?

- A. Merge tables by using Power Query.

- B. Hide unused columns in the model.
- C. Split the model into multiple models.
- D. Transpose.

Answer: A

Explanation:

Combining data means connecting to two or more data sources, shaping them as needed, then consolidating them into a useful query.

When you have one or more columns that you'd like to add to another query, you merge the queries.

Note: The RELATEDTABLE function is a shortcut for CALCULATETABLE function with no logical expression.

CALCULATETABLE evaluates a table expression in a modified filter context and returns A table of values.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

NEW QUESTION 196

- (Topic 4)

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order.

You add the following fields to the Explain By field:

- * Customer Country
- * Product Category
- * Supplier Country
- * Sales Employee
- * Supplier Name
- * Product Name
- * Customer City

The key influencers visual returns the results shown in the following exhibit.



What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.
- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Answer: A

NEW QUESTION 198

HOTSPOT - (Topic 4)

You have a Power BI report. You have the following tables.

Name	Description
Balances	The table contains daily records of closing balances for every active bank account. The closing balances appear for every day the account is live, including the last day.
Date	The table contains a record per day for the calendar years of 2000 to 2025. There is a hierarchy for financial year, quarter, month, and day.

You have the following DAX measure.

Accounts :=
CALCULATE (

Answer Area

Statements	Yes	No
A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.	<input type="radio"/>	<input type="radio"/>
A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.	<input type="radio"/>	<input type="radio"/>
A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.	<input type="radio"/>	<input checked="" type="radio"/>
A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.	<input type="radio"/>	<input checked="" type="radio"/>
A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 201

- (Topic 4)

You have a Power BI report hosted on powerbi.com that displays expenses by department for department managers. The report contains a line chart that shows expenses by month. You need to enable users to choose between viewing the report as a line chart or a column chart. The solution must minimize development and maintenance effort. What should you do?

- A. Add a column chart, a bookmark, and a button for users to choose a visual.
B. Create a mobile report that contains a column chart.
C. Create a separate report page for users to view the column chart.
D. Enable report readers to personalize visuals.

Answer: C

NEW QUESTION 206

- (Topic 4)

You have a Microsoft Excel file in a Microsoft OneDrive folder. The file must be imported to a Power Bi dataset You need to ensure that the dataset can be refreshed in powefbi.com. Which two connectors can you use to connect to the file? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Text/CSV
B. Folder
C. Excel Workbook
D. SharePoint folder
E. Web

Answer: BC

Explanation:

- Copy and edit Path of the Excel file then use "Web" Connector: Option E
- Copy and edit Path of the OneDrive folder then use "Sharepoint Folder" connector: Option D
Source: <https://www.youtube.com/watch?v=GGHbbg6yi-A>

NEW QUESTION 207

HOTSPOT - (Topic 4)

The data model must support the following analysis:
? Total sales by product by month in which the order was placed
? Quantities sold by product by day on which the order was placed
? Number Of sales transactions by quarter in Which the order was placed
For each Of the following statements, select Yes if the statement is true. Otherwise, select NO.

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	<input checked="" type="radio"/>	<input type="radio"/>
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	<input type="radio"/>	<input type="radio"/>
Removing the ShipDate column from the Sales table reduces the model size while still	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 210

FILL IN THE BLANK - (Topic 4)
The table has the following columns.

Name	Sample value
Date	2022-06-01
Year	2022
Month Number	6
Month Name	June
Year Month	2022 Jun

You need to add a column that will be used to sort the Year Month column chronologically.

Month Year Sort = [Year] +

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer as.

Month Year Sort = [Year] * 100 + [Date]

NEW QUESTION 215

- (Topic 4)
You have a Microsoft SharePoint Online site that contains several document libraries. One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure.
You need to load only the manufacturing reports to a table for analysis. What should you do in Microsoft Power BI Desktop?

- A. Get data from a SharePoint Online folder, enter the site URL, and then select Combine& Load.
- B. Get data from a SharePoint Online list and enter the site UR
- C. Edit the query and filter by the path to the manufacturing reports library.
- D. Get data from a SharePoint Online folder and enter the site UR
- E. Edit the query and filter by the path to the manufacturing reports library.
- F. Get data from a SharePoint Online list, enter the site URL, and then select Combine & Load.

Answer: B

Explanation:

We have to import Excel files from SharePoint, so we need the connector SharePoint folder which is used to get access to the files stored in the library. SharePoint list is a collection of content that has rows and columns (like a table) and is used for task lists, calendars, etc. Since we have to filter only on manufacturing reports, we have to select Transform and then filter by the corresponding folder path.
<https://docs.microsoft.com/en-us/power-query/connectors/sharepointlist>

NEW QUESTION 220

DRAG DROP - (Topic 4)
You are modifying a Power Bi model by using Power BI Desktop.
You have a table named Sales that contains the following fields.

Name	Data type
Transaction ID	Whole Number
Customer Key	Whole Number
Sales Date Key	Date
Sales Amount	Whole Number

You have a table named Transaction Size that contains the following data.

Transaction Size ID	Transaction Size	Min	Max
1	Small	0	10,000
2	Medium	10,001	100,000
3	Large	100,001	999,999,999

You need to create a calculated column to classify each transaction as small, medium, or large based on the value in Sales Amount. How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. NOTE: Each correct selection is worth one point.

Values

ALL

AND

CALCULATE

FILTER

OR

SUM

Answer Area

Transaction Size =

VAR SalesTotal = 'Sales'[Sales]

VAR FilterSegment =

Value

(

'Transaction Size',

Value

(

'Transaction Size'[Min] <= SalesTotal,

'Transaction Size'[Max] >= SalesTotal

)

)

)

VAR Result =

Value

(DISTINCT ('Transaction Size'[Transaction Size]), FilterSegment)

RETURN

Result

- A. Mastered
- B. Not Mastered


Answer: A

Explanation:
FILTER | AND | CALCULATE

NEW QUESTION 224
HOTSPOT - (Topic 4)
You have a report in Power BI Desktop.
You add a key influencers visual as shown in the exhibit. (Click the Exhibit tab.)

Passing Certification Exams Made Easy

visit - <https://www.surepassexam.com>



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Identifying additional factors that increase attrition can be achieved by [answer choice].

turning on Cross-report
adding more fields to Explain by
adding more fields to Expand by
moving fields from Explain by to Expand by

Employee attrition is [answer choice] times greater when employees work overtime.

0.11
.2
1
3

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

- adding more fields to Explain By
 - 3
- <https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop>

NEW QUESTION 229

- (Topic 4)
You have a Power BI data model that contains a table named Employees. The table has the following columns:

- Employee Name
- Email Address
- Start Date
- Job Title

You are implementing dynamic row-level security (RLS).
You need to create a table filter to meet the following requirements:

- Users must see only their own employee data
- The DAX expression must work in both Power BI Desktop and the Power BI service.

Which expression should you use?

- A. [Email Address] = USERNAME()
- B. [Employee Name] = USERPRINCIPALNAME()
- C. [Email Address] = USERPRINCIPALNAME()
- D. [Employee Name] = USERNAME()

- A. Option A
B. Option B
C. Option C
D. Option D


Answer: B

NEW QUESTION 233

- (Topic 4)
You have the dashboard shown in the following exhibit.



You need to modify the dashboard to display as shown in the following exhibit.



What should you do?

- A. Create and apply a custom dashboard theme.
B. Change the colors of the visuals in the report.
C. Apply the Dark dashboard theme.
D. Upload a snapshot image of the dashboard.

Answer: A

NEW QUESTION 236

DRAG DROP - (Topic 4)
You have a Power BI report that contains three pages. The pages are used to analyze sales across various countries. You add a sheer named Country to each page of the report. You need to configure the report to meet the following requirements:

- When a user selects a country on the first page, the report must filter the other pages.
- The second and third pages must display only the filtered results.

Which task should you perform for each requirement? To answer, drag the appropriate task to the correct requirement. Each task may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.Ther

NOTE Each correct selection is worth one point.

Tasks	Answer Area
Add the Country field to the filters on all the pages	When a user selects a country on the first page, the report must filter the other pages:
Configure the Country slicer to sync across all the pages	The second and third pages must display only the filtered results:
Configure the Country slicer to sync only on the second and third pages	
Hide the Country slicer on the second and third pages	

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Tasks	Answer Area
Add the Country field to the filters on all the pages	When a user selects a country on the first page, the report must filter the other pages:
Configure the Country slicer to sync across all the pages	The second and third pages must display only the filtered results:
Configure the Country slicer to sync only on the second and third pages	
Hide the Country slicer on the second and third pages	

NEW QUESTION 241

- (Topic 4)

You are creating a dashboard by using the Power BI service. You have an existing report page that contains three charts. You need to add the charts to the dashboard while maintaining the interactivity between the charts. What should you do?

- A. Pin each chart as a tile.
- B. Edit interactions in the report and set all interactions to Filter
- C. Edit the dashboard theme and pin each chart as a file.
- D. Pin the report page as a live tile.

Answer: D

NEW QUESTION 245

- (Topic 4)

You have a prospective customer list that contains 1,500 rows of data. The list contains the following fields:

- ? First name
- ? Last name
- ? Email address
- ? State/Region
- ? Phone number

You import the list into Power Query Editor.

You need to ensure that the list contains records for each State/Region to which you want to target a marketing campaign.

Which two actions should you perform? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. Open the Advanced Editor.
- B. Select Column quality.
- C. Enable Column profiling based on entire dataset.
- D. Select Column distribution.
- E. Select Column profile.

Answer: CE

Explanation:

In Power query, the load preview by default is 1000 row. By default, the column quality also only looks at the first 1000 row. You can verify this by the status bar at the bottom of the Power query window. To change the profiling so it analyses the entire column of data, select the profiling status in the status bar. Then select Column profiling based on the entire data set.

<https://theexcelclub.com/data-profiling-views-in-power-query-excel-and-power-bi/>

NEW QUESTION 249

- (Topic 4)

You have a Power Bi report. The report contains a visual that snows gross sales by date The visual has anomaly detection enabled.

No anomalies ate detected

You need to increase the likelihood that anomaly detection will identify anomalies in the report.

What should you do?

- A. Add a data field to the Secondary values field weft
- B. Increase the Sensitivity setting.
- C. Increase the Expected range transparency setting,
- D. Add a data field to the Legend field well

Answer: B

Explanation:

If you increase the sensitivity, the algorithm is more sensitive to changes in your data. In that case, even a slight deviation is marked as an anomaly. If you decrease the sensitivity, the algorithm is more selective on what it considers an anomaly. reference: <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-anomaly-detection>

NEW QUESTION 251

- (Topic 4)

You use Power BI Desktop to load data from a Microsoft SQL Server database. While waiting for the data to load, you receive the following error.

ERROR [08001] timeout expired

You need to resolve the error.

What are two ways to achieve the goal? Each correct answer presents a complete solution NOTE: Each correct selection is worth one point.

- A. Split long running queries into subsets Of columns and use power Query to the queries
- B. Disable query folding on long running queries
- C. Reduce number of rows and columns returned by each query.
- D. Use Power Query to combine long running queries into one query.

Answer: BD

NEW QUESTION 253

- (Topic 4)

You have a Power BI dashboard that displays different visualizations of company sales.

You enable Q&A on the dashboard.

You need to provide users with sample questions that they can ask when using Q&A. Which settings should you modify from the Power BI Settings?

- A. Subscriptions
- B. Dashboards
- C. Datasets
- D. Workbooks

Answer: C


Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-q-and-a-create-featured-questions>

NEW QUESTION 254

HOTSPOT - (Topic 4)

You have a report page that contains the visuals shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

- cross-filter
- cross-highlight
- not affect

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

- cross-filter
- cross-highlight
- not affect

- A. Mastered
- B. Not Mastered

Answer: A


Explanation:

Box 1: cross-filter


By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.

Box 2: cross-highlight Example:

By default, selecting a data point in one visual on a report page will cross-filter or cross-highlight the other visuals on the page.



* 1. Let's see what happens when we select Moderation.



* 2. Cross-filtering removes data that doesn't apply. Selecting Moderation in the doughnut chart cross-filters the line chart. The line chart now only displays data points for the Moderation segment.

* 3. Cross-highlighting retains all the original data points but dims the portion that does not apply to your selection. Selecting Moderation in the doughnut chart cross-highlights the column chart. The column chart dims all the data that applies to the Convenience segment and highlights all the data that applies to the Moderation segment.

NEW QUESTION 256

- (Topic 4)

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product.

The Sales table contains purchase and ship dates.

Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together.

You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source.

Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Datetable.
- B. Duplicate the Date query in Power Query and use active relationships between both Date tables.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Create an active relationship between Sales and Date for the purchase date and an inactive relationship for the ship date.

Answer: D

Explanation:

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

NEW QUESTION 258

- (Topic 4)

You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month.

You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart. You need to ensure that the bar chart displays on Dashboard1. What should you do?

- A. Refresh the dataset used by Report1 and Dashboard1.
- B. Select Refresh visuals for Dashboard1.
- C. Edit the details for the dashboard tile Of Dashboard1.
- D. Pin the Sales by month bar chart to Dashboard1.

Answer: A

NEW QUESTION 263

- (Topic 4)

What is the minimum number of Power BI datasets needed to support the reports?

- A. a single imported dataset
- B. two imported datasets
- C. two DirectQuery datasets
- D. a single DirectQuery dataset

Answer: A

NEW QUESTION 267

- (Topic 4)

You open a query in Power Query Editor.

You need to identify the percentage of empty values in each column as quickly as possible. Which Data Preview option should you select?

- A. Show whitespace
- B. Column profile
- C. Column distribution
- D. Column quality

Answer: D

Explanation:

Column quality: In this section, we can easily see valid, Error and Empty percentage of data values associated with the Selected table.

Note: In Power Query Editor, Under View tab in Data Preview Section we can see the following data profiling functionalities:

? Column quality

? Column distribution

? Column profile

Reference:

<https://community.powerbi.com/t5/Community-Blog/Data-Profiling-in-Power-BI-Power-BI-Update-April-2019/ba-p/674555>

NEW QUESTION 271

- (Topic 4)

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 AppSource visuals and 10 default visuals. Users say that the report is slow to load the visuals when they access and interact with the report.

You need to recommend a solution to improve the performance of the report. What should you recommend?

- A. Change any DAX measures to use iterator functions.
- B. Replace the default visuals with AppSource visuals.
- C. Change the imported dataset to DirectQuery.
- D. Remove unused columns from tables in the data model.

Answer: D

Explanation:

DirectQuery: No data is imported or copied into Power BI Desktop.

Import: The selected tables and columns are imported into Power BI Desktop. As you create or interact with a visualization, Power BI Desktop uses the imported data.

Benefits of using DirectQuery

There are a few benefits to using DirectQuery:

? DirectQuery lets you build visualizations over very large datasets, where it would otherwise be unfeasible to first import all the data with pre-aggregation.

? Underlying data changes can require a refresh of data. For some reports, the need to display current data can require large data transfers, making reimporting data unfeasible. By contrast, DirectQuery reports always use current data.

The 1-GB dataset limitation doesn't apply to DirectQuery. Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-use-directquery>

NEW QUESTION 275

- (Topic 4)

You create a dataset sourced from dozens of flat files in Azure Blob storage. The dataset uses incremental refresh.

From powerbi.com, you deploy the dataset and several related reports to Microsoft Power BI Premium

capacity.

You discover that the dataset refresh fails after the refresh runs out of resources. What is a possible cause of the issue?

- A. Query folding is not occurring.
- B. You selected Only refresh complete periods.
- C. The data type of the column used to partition the data changed.
- D. A filter is missing on the report.

Answer: A

Explanation:

The Power BI service partitions data based on date range. This is what enables only certain partitions to be refreshed incrementally. To make this work, the partition filter conditions are pushed down to the source system by including them in the queries. Using Power Query terminology, this is called "query folding". It is not recommended that incremental refresh is used when the required query folding cannot take place.

Reference:

<https://powerbi.microsoft.com/en-us/blog/incremental-refresh-query-folding/>

NEW QUESTION 280

- (Topic 4)

You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.
- D. Apply a transformation to extract the first 11 characters of the Logged column.

Answer: C

Explanation:

Simply create a custom table in Power Query, enter the date shown in the question into a column called Date, and then Split it by a delimiter. No need for spaces on either side of "at" Power BI takes care of the rest:

= Table.SplitColumn("#Changed Type", "Date", Splitter.SplitTextByDelimiter("at", QuoteStyle.Csv), {"Date.1", "Date.2"})

It will even automatically change the type to Date:

= Table.TransformColumnTypes("#Split Column by Delimiter",{"Date.1", type date}, {"Date.2", type time})

NEW QUESTION 284

- (Topic 4)

Simon	101	100
Wenanta	102	100
Conrad	103	101
Priyish	104	103
Sunil	105	103
Pavel	106	102

Each employee has one manager as shown in the ParentEmployeeID column, All reporting paths lead to the CEO at the top of the organizational hierarchy.

You need to create a calculated column that returns the count of levels from each employee to the CEO.

Which DAX expression should you use?

A. `PATHITEM(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1,INTEGER)`

B. `PATHCONTAINS(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1)`

C. `PATH(Employee[EmployeeID],Employee[ParentEmployeeID])`

D. `PATHLENGTH(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]))`

- A. Option A
- B. Option B
- C. option C
- D. Option D

Answer: B

NEW QUESTION 285

HOTSPOT - (Topic 4)

You plan to create the Power BI model shown in the exhibit. (Click the Exhibit tab.) The data has the following refresh requirements:

- Customer must be refreshed daily.
- Date must be refreshed once every three years.

- Sales must be refreshed in near real time.
 - SalesAggregate must be refreshed once per week.
- You need to select the storage modes for the tables. The solution must meet the following requirements:

Answer Area

Customer:

▼

DirectQuery

Dual

Import

Date:

▼

DirectQuery

Dual

Import

Sales:

▼

DirectQuery

Dual

Import

SalesAggregate:

▼

DirectQuery

Dual

Import

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Customer:

▼

DirectQuery

Dual

Import

Date:

▼

DirectQuery

Dual

Import

Sales:

▼

DirectQuery

Dual

Import

SalesAggregate:

▼

DirectQuery

Dual

Import

NEW QUESTION 286

- (Topic 4)
- You have a Power BI model that contains a table named Sales. The Sales table contains the following columns:
- Order Line ID
 - Product ID
 - Unit Price
 - Order ID
 - Quantity

Orders are uniquely identified by using the order ID and can have multiple order lines Each order line within an order contains a different product ID. You need to write a DAX measure that counts the number of orders. Which formula should you use?

- A. CountRows('Sales')
- B. Count ('Sales'(Order ID))
- C. CountA (Sale** (Order ID))
- D. DistinctCount (sales[Order ID])

Answer: D

NEW QUESTION 287

- (Topic 4)
- You have a collection of reports for the HR department of your company. The datasets use row-level security (RLS). The company has multiple sales regions that each has an HR manager. You need to ensure that the HR managers can interact with the data from their region only. The HR managers must be prevented from changing the layout of the reports. How should you provision access to the reports for the HR managers?

- A. Create a new workspace, copy the datasets and reports, and add the HR managers as members of the workspace.
- B. Publish the reports to a different workspace other than the one hosting the datasets.
- C. Publish the reports in an app and grant the HR managers access permission.
- D. Add the HR managers as members of the existing workspace that hosts the reports and the datasets.

Answer: C


Explanation:

Note: Row-level security (RLS) with Power BI can be used to restrict data access for given users. Filters restrict data access at the row level, and you can define

filters within roles. In the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access.
Reference:
<https://docs.microsoft.com/en-us/power-bi/admin/service-admin-rls>

NEW QUESTION 290

- (Topic 4)
You need to create a visual that enables the adhoc exploration of data as shown in the following exhibit.



Which type of visual should you use?

- A. Q&A
- B. decomposition tree
- C. smart narrative
- D. key influencers

Answer: B

NEW QUESTION 291

- (Topic 4)
You have the dataset shown in the following exhibit.

City	Sales Profit
Abbotsburg	\$173,947
Absecon	\$129,358
Accomac	\$157,768
Aceitunas	\$119,283
Airport Drive	\$162,500
Akhiok	\$259,554
Alcester	\$127,040
Alden Bridge	\$152,138
Alstead	\$106,147
Amado	\$136,718
Amanda Park	\$117,444
Andrix	\$130,710
Annamoriah	\$139,499
Antares	\$147,562
Antonio	\$113,056
Total	\$85,729,181

You need to ensure that the visual shows only the 10 cities that have the highest sales profit. What should you do?

- A. Add a Top N filter to the visual.
- B. Configure the Sales Profit measure to use the RANKX function.
- C. Add a calculated column to the table that uses the TOPN function.
- D. In the visual, replace Sales Profit with the calculated column.
- E. Add a calculated column to the table that returns the city name if the city is in the top 10, otherwise the calculated column will return "Not in Top 10". In the visual, replace Sales Profit with the calculated column.

Answer: A

Explanation:

Power BI Top N Filters are useful to display the top performing records, and Bottom N filters are helpful to display the least performing records. For example, we can display top or bottom 10 products by orders or sales.

Note:

- ? Select the Column you want to display the Top Sales Profit
- ? Then change the Filter Type of that Column to Top N
- ? Fill in Top / Bottom number field
- ? And lastly drag to the By Value field your Sales Profit

Reference:

<https://www.tutorialgateway.org/power-bi-top-10-filters/>

NEW QUESTION 293

- (Topic 4)

You import two Microsoft Excel tables named Customer and Address into Power Query. Customer contains the following columns:

- ? Customer ID
- ? Customer Name
- ? Phone
- ? Email Address
- ? Address ID

Address contains the following columns:

- ? Address ID
- ? Address Line 1
- ? Address Line 2
- ? City
- ? State/Region
- ? Country

? Postal Code

The Customer ID and Address ID columns represent unique rows.

You need to create a query that has one row per customer. Each row must contain City, State/Region, and Country for each customer.

What should you do?

- A. Merge the Customer and Address tables.
- B. Transpose the Customer and Address tables.
- C. Group the Customer and Address tables by the Address ID column.
- D. Append the Customer and Address tables.

Answer: A

Explanation:

There are two primary ways of combining queries: merging and appending.

? When you have one or more columns that you'd like to add to another query, you merge the queries.

? When you have additional rows of data that you'd like to add to an existing query, you append the query.

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

NEW QUESTION 296

HOTSPOT - (Topic 4)

You have an API that returns more than 100 columns. The following is a sample of column names.

? client_notified_timestamp

? client_notified_source

? client_notified_sourceid

? client_notified_value

? client_responded_timestamp

? client_responded_source

? client_responded_sourceid




? client_responded_value

You plan to include only a subset of the returned columns.

You need to remove any columns that have a suffix of sourceid.

How should you complete the Power Query M code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
let
    Source = ...,
    rawData = Source{[tableId= "clientData"]}[Data],
    removeSources =  (rawData,
         (Table.ColumnNames (rawData),
            each  (_, "sourceid"))
in
    removeSources
```

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Table.RemoveColumns

When you do "Remove Columns" Power Query uses the Table.RemoveColumns function

Box 2: List.Select Get a list of columns.

Box 3: Text.EndsWith

NEW QUESTION 299

- (Topic 4)

You have a Power BI app named App1. The privacy for the App1 workspace is set to Private.

A user named User1 reports that App1 does not appear in the My organization AppSource. App1 appears in the My organization AppSource for your account.

You need to ensure that User sees App1 from the My organization AppSource. What should you do?

- A. From the app workspace, click Update app, configure the Content settings, and then click Update app.
- B. From the app workspace settings, add a member.
- C. From the app workspace, click Update app, configure the Access setting, and then click Update app.
- D. From the app workspace, share the dashboard.

Answer: C

Explanation:

References: <https://docs.microsoft.com/en-us/power-bi/service-organizational-content-pack-introduction#what-is-appsource>

NEW QUESTION 301

- (Topic 4)

You are building a Power BI report that uses data from an Azure SQL database named erp1.

You Import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report. What should you do first?

- A. From Power Query, merge the Orders query and the Order Line Items query.
- B. Calculate the count of orders per product by using a DAX function.
- C. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- D. From Power Query, merge the Order Line Items query and the Products query.

Answer: D

Explanation:

<https://www.sqlbi.com/articles/header-detail-vs-star-schema-models-in-tabular-and-power-bi/>

NEW QUESTION 303

- (Topic 4)

You build a report to help the sales team understand its performance and the drivers of sales. The team needs to have a single visualization to identify which factors affect success. Which type of visualization should you use?

- A. Key influences
- B. Funnel chart
- C. Q&A
- D. Line and clustered column chart

Answer: A

Explanation:

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers.

The key influencers visual is a great choice if you want to:

? See which factors affect the metric being analyzed.

? Contrast the relative importance of these factors. For example, do short-term contracts have more impact on churn than long-term contracts?

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

NEW QUESTION 306

HOTSPOT - (Topic 4)

You have a query named All Sales that imports sales data into a Power BI model.


You plan to create a star schema by separating columns into separate queries and performing further transformations. The solution must meet the following requirements:

- Use All Sales as the source for three other queries named Sales Fact Product Dimension, and Customer Dimension.
- Minimize maintenance effort.

What should you do to create the Sales Fact query, and for which query should you clear Enable load? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area




A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 307

- (Topic 4)


You need to create a visualization that compares revenue and cost over time. Which type of visualization should you use?

- A. stacked area chart
- B. donut chart
- C. line chart
- D. waterfall chart

Answer: C

Explanation:

A line chart or line graph displays the evolution of one or several numeric variables. Data points are connected by straight line segments. A line chart is often used to visualize a trend in data over intervals of time – a time series – thus the line is often drawn chronologically.
Example:



Reference:
<https://www.data-to-viz.com/graph/line.html>

NEW QUESTION 309

HOTSPOT - (Topic 4)

You are creating reports in Power BI Desktop. The model has the following tables.

Table name	Column name	Data type
Order	Order_date	Datetime
	Order_amount	Float
	Customer_ID	Integer
Customer	Customer_ID	Integer
	Full_name	Varchar(100)
	Customer_Photo	Binary

There is a relationship between the tables.
You plan to publish a report to the Power BI service that displays Order_amount by Order_date by Full_name.
You need to ensure that only the columns required for the report appear in Report View. The solution must minimize the size of the dataset that is published.
How should you configure the columns in Power BI Desktop? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Customer_ID:

From Query Editor, select the column and click Remove Columns.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

Customer_Photo:

From Query Editor, select the column and click Remove.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Customer_ID:

From Query Editor, select the column and click Remove Columns.

From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

Customer_Photo:

From Query Editor, select the column and click Remove.


From Query Editor, select the column and click Remove Duplicates.

From Query Editor, select the column and click Remove Other Columns.

From the model, select the column and click Hide.

NEW QUESTION 314

- (Topic 4)
Your organization has a team of power users who recently created 20 Power BI dashboards.
The power users share the dashboards with other users in the organization.
When the users attempt to access the dashboards, they receive the error message shown in the exhibit. (Click the Exhibit.)



You need to ensure that all the users can access the dashboards. What should you do first?

- A. From the Microsoft Office 365 Admin center, and the Power BI (free) subscription, and then assign a license to each user.
- B. From the Power BI Admin portal, modify the Privacy Settings.
- C. From the properties of each dashboard, modify the Share dashboard settings.
- D. Instruct each user to install Microsoft Office 2016.

Answer: A

Explanation:

References: <http://www.nubo.eu/en/blog/2016/12/Enable-PowerBI-On-Office-365/>

NEW QUESTION 319

- (Topic 4)
 You have a report that includes a card visualization.
 You need to apply the following conditional formatting to the card while minimizing design effort.
 For values that are greater than or equal to 100, the font of the data label must be dark red.
 For values that are less than 100, the font of the data label must be dark gray. Which type of format should you use?

- A. Color scale
- B. Rules
- C. Field value

Answer: B

NEW QUESTION 322

- (Topic 4)
 You build a Power Bi report that displays IoT temperature data streaming from a refrigerator.
 You publish the report to the Power BI service.
 You need to be notified when the temperature rises above four degrees Celsius. What should you do?

- A. Set an alert on a KPI visual in the report.
- B. Pin a card visual to a dashboard and create a subscription.
- C. Pin a card visual to a dashboard and set an alert on the tile.
- D. Pin a report page to a dashboard and set an alert on the page.

Answer: A

NEW QUESTION 327

HOTSPOT - (Topic 4)
 You have the Power BI data model shown in the following exhibit.



You need to create a measure to count the number of product categories that had products sold during a selected period. How should you complete the DAX expression? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Product Categories Sold =

CALCULATE (

DISTINCTCOUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Product'[ProductCategory]),

COUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Sales'[ProductID]),

SUM('Sales'[SalesQuantity]),

)

'Date'

'Sales'

'Product'

'Product'[ProductCategory]

'Date'

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Product Categories Sold =

CALCULATE (

DISTINCTCOUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Product'[ProductCategory]),

COUNT('Product'[ProductCategory]),

DISTINCTCOUNT('Sales'[ProductID]),

SUM('Sales'[SalesQuantity]),

)

'Date'

'Sales'

'Product'

'Product'[ProductCategory]

'Date'

NEW QUESTION 328

- (Topic 4)
 You have a Power B1 report named ReportA.
 You have a Power B1 tenant that allows users to export data.

You need to ensure that consumers of ReportA cannot effort any data from visuals.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE Each correct selection is worth one point.

- A. From Power B1 Desktop, modify the Data Load settings
- B. From the answer B1 service modify the Report settings.
- C. From Power B1 Desktop modify the Report settings
- D. From the Power B1 service, modify the dataset permissions.

Answer: BD

NEW QUESTION 331

- (Topic 4)

You have a report that contains four pages. Each page contains slicers for the same four fields. Users report that when they select values on a slicer on one page, the visuals are not updated on all the pages. You need to recommend a solution to ensure that users can select a value once to filter the results on all the pages. What are two possible recommendations to achieve this goal? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Sync the slicers across the pages.
- B. Replace the slicers with page-level filters.
- C. Replace the slicers with visual-level filters.
- D. Create a bookmark for each slicer value.
- E. Replace the slicers with report-level filters.

Answer: AE


Explanation:

Add a report-level filter to filter an entire report.


The visuals on the active page, and on all pages in the report, change to reflect the new filter.

You can sync a slicer and use it on any or all pages in a report.

* 1. On the Power BI Desktop View menu, select Sync slicers.



The Sync slicers pane appears between the Filters and Visualizations panes.



Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/power-bi-report-add-filter> <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-slicers>

NEW QUESTION 333

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have several reports and dashboards in a workspace.

You need to grant all organizational users read access to a dashboard and several reports. Solution: You assign all the users the Viewer role to the workspace.


Does this meet the goal?

- A. Yes
- B. No

Answer: B

Explanation:
 "You have five reports and two dashboards in a workspace. You need to grant all organizational users read access to one dashboard and three reports"

NEW QUESTION 334
 - (Topic 4)
 You have the visual shown in the exhibit. (Click the Exhibit tab.)




You need to show the relationship between Total Cost and Total Sales over time. What should you do?

- A. Add a play axis.
- B. Add a slicer for the year.
- C. From the Analytics pane, add an Average line.
- D. Create a DAX measure that calculates year-over-year growth.


Answer: A

Explanation:
 You can set up a date field in play axis, and then scatter chart will animate how measure values are compared to each other in each point of a time.
 Reference:
<https://radacad.com/storytelling-with-power-bi-scatter-chart>

NEW QUESTION 335
 - (Topic 4)
 Note: This question is a part of a series of questions that present the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.
 Start of repeated scenario
 You have a Microsoft SQL Server database that has the tables shown in the Database Diagram exhibit. (Click the Exhibit.)



You plan to develop a Power BI model as shown in the Power BI Model exhibit. (Click the Exhibit).



You plan to use Power BI to import data from 2013 to 2015. Product Subcategory [Subcategory] contains NULL values. End of repeated scenario. You implement the Power BI model.

You add another table named Territory to the model. A sample of the data is shown in the following table.

Territory Key	Territory Name
1	United States
1	USA
2	Canada
2	Can
3	United Kingdom
3	UK

You need to create a relationship between the Territory table and the Sales table. Which function should you use in the query for Territory before you create the relationship?

- A. Table.RemoveMatchingRows
- B. Table.Distinct
- C. Table.InDistinct
- D. Table.ReplaceMatchingRows

Answer: B

Explanation:

References: <https://msdn.microsoft.com/en-us/library/mt260775.aspx>

NEW QUESTION 338


HOTSPOT - (Topic 4)

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns. You need to create a calculated table that will contain the following:

Answer Area




- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 339

- (Topic 4)

You import a Power BI dataset that contains the following tables:

- Date
- Product
- Product Inventory

The Product inventory table contains 25 million rows. A sample of the data is shown in the following table.

ProductKey	DateKey	MovementDate	UnitCost	UnitsIn	UnitsOut	UnitsBalance
167	20101228	28-Dec-10	0.19	0	0	875
167	20101229	29-Dec-10	0.19	0	0	875
167	20110119	19-Jan-11	0.19	0	0	875
167	20110121	21-Jan-11	0.19	0	0	875
167	20110122	22-Jan-11	0.19	0	0	875

The Product Inventory table relates to the Date table by using the DateKey column. The Product inventory table relates to the Product table by using the ProductKey column. You need to reduce the size of the data model without losing information. What should you do?

- A. Change Summarization for DateKey to Don't Summarize.
- B. Change the data type of UnitCost to Integer.
- C. Remove the relationship between Date and Product Inventory.
- D. Remove MovementDate.

Answer: D

NEW QUESTION 342

HOTSPOT - (Topic 4)

You have a Power BI report that contains a page. The page contains the following visuals:

- A card
- A matrix
- A bar chart

You need to configure the page to ensure that the card and the bar chart are unaffected when a user drills down in the matrix. The card and the bar chart must change when a user selects a cell in the matrix.

What should you configure? To answer, select the appropriate options in the answer area.

Answer Area



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 347

DRAG DROP - (Topic 4)

You are creating a Power Bi model and report.

You have a single table in a data mode) named Product Product contains the following fields:

- ID
- Name
- Color
- Category
- Total Sales

You need to create a calculated table that shows only the top eight products based on the highest value in Total Sales.

How should you complete the DAX expression? To answer, drag the appropriate values to the coned targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Values

ASC

DESC

RELATEDTABLE

CALCULATETABLE

MAXX

TOPN

Answer Area

Top 8 Products =

(8,'Product','Product'[Total Sales],

)

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Values

ASC

DESC

RELATEDTABLE

CALCULATETABLE

MAXX

TOPN

Answer Area

Top 8 Products =

TOPN

(8,'Product','Product'[Total Sales],

DESC

)

NEW QUESTION 349

HOTSPOT - (Topic 4)

You are creating a Power 81 model to analyze inventory.

You load data into three tables named Date Product, and Inventor/. The Inventor/ table relates to the Date and Product tables by using one-to-many relationships.

Inventor)' data is recorded daily with no exceptions. The correct inventory quantity for a given product in a month is the last recorded value for that month

You need to write a DAX measure that will show the correct inventory value when a user analyzes inventory by year, month, or date.

How should you complete the measure? To answer select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point

Answer Area

Last Inventory Count =

Calculate

AllSelected

Calculate

CalculateTable

SUM ('Inventory'[QuantityAvailable]),

LastDate

LastDate

LastNonBlankValue

Max

('Date'[Date]))

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area

Last Inventory Count =

Calculate

AllSelected

Calculate

CalculateTable

SUM ('Inventory'[QuantityAvailable]),

LastDate

LastDate

LastNonBlankValue

Max

('Date'[Date]))

NEW QUESTION 354

- (Topic 4)

You have sales data in a star schema that contains four tables named Sales, Customer, Date, and Product. The Sales table contains purchase and ship dates. Most often, you will use the purchase date to analyze the data, but you will analyze the data by both dates independently and together. You need to design an imported dataset to support the analysis. The solution must minimize the model size and the number of queries against the data source. Which data modeling design should you use?

- A. Use the Auto Date/Time functionality in Microsoft Power BI and do NOT import the Date table.
- B. Duplicate the Date query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- C. On the Date table, use a reference query in Power Query and create active relationships between Sales and both Date tables in the modeling view.
- D. Import the Date table twice in Power Query and create active relationships between Sales and both Date tables in the modeling view.

Answer: D

Explanation:

Microsoft recommends defining active relationships whenever possible. They widen the scope and potential of how your model can be used by report authors, and users working with Q&A.

Refactoring methodology (example): Here's a methodology to refactor a model from a single role-playing dimension-type table, to a design with one table per role.

? Remove any inactive relationships.

? Consider renaming the role-playing dimension-type table to better describe its role.

In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport.

? Create a copy of the role-playing table, providing it with a name that reflects its

role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

Only one relationship can be active.

Note: If you query two or more tables at the same time, when the data is loaded, Power BI Desktop attempts to find and create relationships for you. The relationship options Cardinality, Cross filter direction, and Make this relationship active are automatically set.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

<https://docs.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

NEW QUESTION 357

- (Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated

goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI model that contains two tables named Sales and Date. Sales contains four columns named TotalCost, DueDate, ShipDate, and OrderDate.

Date contains one column named Date.

The tables have the following relationships:

? Sales[DueDate] and Date[Date]

? Sales[ShipDate] and Date[Date]

? Sales[OrderDate] and Date[Date]

The active relationship is on Sales[DueDate].

You need to create measures to count the number of orders by [ShipDate] and the orders by [OrderDate]. You must meet the goal without duplicating data or loading additional data.

Solution: You create measures that use the CALCULATE, COUNT, and USERELATIONSHIP DAX functions.

Does this meet the goal?

A. Yes

B. No

Answer: A

Explanation:

References:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax> <https://docs.microsoft.com/en-us/dax/count-function-dax> <https://docs.microsoft.com/en-us/dax/userrelationship-function-dax>

NEW QUESTION 359

- (Topic 4)

A manager can represent only a single country.

You need to use row-level security (RLS) to meet the following requirements: The managers must only see the data of their respective country.

The number of RLS roles must be minimized.

Which two actions should you perform? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create a single role that filters Country[Manager_Email] by using the USERNAME DAX function.
- B. Create a single role that filters Country[Manager_Email] by using the USEROBJECTID DAX function.
- C. For the relationship between Purchase Detail and Purchase, select Apply security filter in both directions.
- D. Create one role for each country.
- E. For the relationship between Purchase and Purchase Detail, change the Cross filter direction to Single.

Answer: AC

Explanation:

In Power BI Service the username and userprincipalname both return the email address, it's only in Power BI Desktop that username is domain/username rather than the email address. So I agree that userprincipalname is better generally as you always get the same value, the answer is correct and you can use username as your RLS since the role will be applied in the Service. See <https://community.powerbi.com/t5/Community-Blog/USERNAME-v-s-USERPRINCIPALNAME-in-RLS-for-Power-BI-Embedded/ba-p/1867670> for more information.

NEW QUESTION 364

- (Topic 4)
You plan to use Power BI Desktop optimized for Power BI Report Server to create a report. The report will be published to Power BI Report Server. You need to ensure that all the visualization in the report can be consumed by users. Which two types of visualizations should you exclude from the report? Each correct answer presents part of the solution.
NOTE: Each correct selection is worth one point.

- A. Funnel charts
- B. Custom visuals
- C. Bubble maps
- D. Breadcrumbs
- E. R visuals

Answer: DE

Explanation:
References: <https://powerbi.microsoft.com/en-us/guided-learning/reportserver-quickstart- powerbi-report/>

NEW QUESTION 367
HOTSPOT - (Topic 4)
You are creating a quick measure as shown in the following exhibit.

Quick measures

Calculation

Rolling average

Calculate the average of base value over a certain number of periods before and/or after each date.
[Learn more](#)

Base value

Add data fields here

Date

Add data fields here

Period

Days

Periods before

1

Periods after

0

Fields

Search

Customer

Product

Sales

- Date
- Gross Margin
 - Month
 - MonthNumberOfYear
 - Quarter
 - Sales_SRC
- Time Intelligence
 - Total Cost
 - Total Order Qty
 - Total Sales
 - Total Sales rolling average
 - Unit Price
 - Year

You need to create a monthly rolling average measure for Sales over time-How should you configure the quick measure calculation? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.

Answer Area

Base value:

Month

Total Cost

Total Order Qty

Total Sales

Year

Date:

Date

Month

Total Sales

Year

Period:

Days

Months

Quarters

Years

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box 1: Total Sales
We select the field Total Sales
Box 2: Date Select a date field.
Box 3: Month Monthly periods.

NEW QUESTION 369

- (Topic 4)

You have a Power BI report that contains a page. The page contains the following:

- A shape named Shape 1
- A card named Sales Summary
- A clustered bar chart named Sales by Region

You need to ensure that Sales Summary renders on top of Shape 1. What should you modify?

- A. Tab order in the Selection pane
B. Layer order in the Selection pane
C. Maintain layer order in the General visual settings
D. Vertical alignment in the Canvas settings


Answer: B

Explanation:

You use Power Query Editor to preview the data shown in the following exhibit.

You confirm that the data will always start on row 3, and row 3 will always contain the column names.

You use Power Query Editor to preview the data shown in the following exhibit.



NEW QUESTION 373

DRAG DROP - (Topic 4)

You use Power BI Desktop to create a Power BI data model and a blank report. You need to add the Word Cloud visual shown in the following exhibit to the report.



The solution must minimize development effort

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.
- From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.
- Format the data colors and title.
- Populate the drillthrough fields.
- Populate the Category, Value, and Excludes fields.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Actions

From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Format the data colors and title.

Populate the drillthrough fields.

Populate the Category, Value, and Excludes fields.

Answer Area

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Populate the drillthrough fields.

Format the data colors and title.

NEW QUESTION 378

HOTSPOT - (Topic 4)

You publish a dataset that contains data from an on-premises Microsoft SQL Server database.

The dataset must be refreshed daily.

You need to ensure that the Power BI service can connect to the database and refresh the dataset.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct

Actions

Add a data source.

Configure an on-premises data gateway.

Configure a virtual network data gateway.

Configure a scheduled refresh.

Add the dataset owner to the data source.

Answer Area

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Configure an on-premises data gateway.

Configure a scheduled refresh.

Add a data source.

Add the dataset owner to the data source.

NEW QUESTION 380

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

PL-300 Practice Exam Features:

- * PL-300 Questions and Answers Updated Frequently
- * PL-300 Practice Questions Verified by Expert Senior Certified Staff
- * PL-300 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * PL-300 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The PL-300 Practice Test Here](#)