

## SC-300 Dumps

### Microsoft Identity and Access Administrator

<https://www.certleader.com/SC-300-dumps.html>



**NEW QUESTION 1**

- (Exam Topic 1)

You need to meet the authentication requirements for leaked credentials. What should you do?

- A. Enable federation with PingFederate in Azure AD Connect.
- B. Configure Azure AD Password Protection.
- C. Enable password hash synchronization in Azure AD Connect.
- D. Configure an authentication method policy in Azure AD.

**Answer:** C

**Explanation:**

Reference:


<https://docs.microsoft.com/en-us/azure/security/fundamentals/steps-secure-identity>

**NEW QUESTION 2**

- (Exam Topic 1)


You need to implement password restrictions to meet the authentication requirements. You install the Azure AD password Protection DC agent on DC1.

What should you do next? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:****NEW QUESTION 3**

- (Exam Topic 1)

You need to configure the detection of multi staged attacks to meet the monitoring requirements. What should you do?

- A. Customize the Azure Sentinel rule logic.
- B. Create a workbook.
- C. Add an Azure Sentinel playbook.
- D. Add Azure Sentinel data connectors.

**Answer:** D

**NEW QUESTION 4**

- (Exam Topic 2)

You create a Log Analytics workspace.

You need to implement the technical requirements for auditing. What should you configure in Azure AD?

- A. Company branding
- B. Diagnostics settings
- C. External Identities
- D. App registrations

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/overview-monitoring>

**NEW QUESTION 5**

- (Exam Topic 2)

You need to implement the planned changes and technical requirements for the marketing department. What should you do? To answer, select the appropriate

options in the answer area.  
NOTE:Each correct selection is worth one point.

To configure user access:

<input type="checkbox"/>	An access package
<input type="checkbox"/>	An access review
<input type="checkbox"/>	A conditional access policy

To enable collaboration with fabrikam.com:

<input type="checkbox"/>	An accepted domain
<input type="checkbox"/>	A connected organization
<input type="checkbox"/>	A custom domain name

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-organization>

**NEW QUESTION 6**

- (Exam Topic 2)

You need to meet the technical requirements for the probability that user identities were compromised. What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.

NOTE:Each correct selection is worth one point.

The users must first:

<input type="checkbox"/>	Provide consent for any app to access the data of Contoso.
<input type="checkbox"/>	Register for multi-factor authentication (MFA).
<input type="checkbox"/>	Register for self-service password reset (SSPR).

You must configure:

<input type="checkbox"/>	A sign-in risk policy
<input type="checkbox"/>	A user risk policy
<input type="checkbox"/>	An Azure AD Password Protection policy

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-policies>

**NEW QUESTION 7**

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant.

You create an enterprise application collection named HR Apps that has the following settings:

- Applications: Appl. App?, App3
- Owners: Admin 1
- Users and groups: HRUsers

AH three apps have the following Properties settings:

- Enabled for users to sign in: Yes
- User assignment required: Yes
- Visible to users: Yes

Users report that when they go to the My Apps portal, they only see App1 and App2-You need to ensure that the users can also see App3. What should you do from App3?

What should you do from App3?

- A. From Users and groups, add HRUsers.
- B. From Properties, change User assignment required to No.
- C. From Permissions, review the User consent permissions.
- D. From Single sign on, configure a sign-on method.

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal> <https://docs.microsoft.com/en-us/azure/active-directory/user-help/my-applications-portal-workspaces>

**NEW QUESTION 8**

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the following objects:

- A device named Device1
- Users named User1, User2, User3, User4, and User5
- Groups named Group1, Group2, Group3, Group4, and Group5

The groups are configured as shown in the following table.

Name	Type	Membership type	Members
Group1	Security	Assigned	User1, User3, Group2, Group3
Group2	Security	Dynamic User	User2
Group3	Security	Dynamic Device	Device1
Group4	Microsoft 365	Assigned	User4
Group5	Microsoft 365	Dynamic User	User5

To which groups can you assign a Microsoft Office 365 Enterprise E5 license directly?

- A. Group1 and Group4 only
- B. Group1, Group2, Group3, Group4, and Group5
- C. Group1 and Group2 only
- D. Group1 only
- E. Group1, Group2, Group4, and Group5 only

**Answer: C**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/licensing-group-advanced>

**NEW QUESTION 9**

- (Exam Topic 3)

You have a Microsoft 365 tenant that uses the domain named fabrikam.com. The Guest invite settings for Azure Active Directory (Azure AD) are configured as shown in the exhibit. (Click theExhibittab.)



## Guest user access

### Guest user access restrictions (Preview) ⓘ

[Learn more](#)

- ☐ Guest users have the same access as members (most inclusive)
- ☒ Guest users have limited access to properties and memberships of directory objects
- ☐ Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

## Guest invite settings

### Admins and users in the guest inviter role can invite ⓘ

☒ Yes ☐ No

### Members can invite ⓘ

☒ Yes ☐ No

### Guests can invite ⓘ

☐ Yes ☒ No

### Email One-Time Passcode for guests ⓘ

[Learn more](#)

☒ Yes ☐ No

### Enable guest self-service sign up via user flows (Preview) ⓘ

[Learn more](#)

☒ Yes ☐ No

## Collaboration restrictions

- ☒ Allow invitations to be sent to any domain (most inclusive)
- ☐ Deny invitations to the specified domains
- ☐ Allow invitations only to the specified domains (most restrictive)

A user named bsmith@fabrikam.com shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	A guest user in fabrikam.com
User2	User2@outlook.com	A user who has never accessed resources in fabrikam.com
User3	User3@fabrikam.com	A user in fabrikam.com

Which users will be emailed a passcode?

- A. User2 only
- B. User1 only
- C. User1 and User2 only
- D. User1, User2, and User3

**Answer:** A

### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode>

## NEW QUESTION 10

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named conto.so.com that has Azure AD Identity Protection enabled. You need to Implement a sign-in risk remediation policy without blocking access.

What should you do first?

- A. Configure access reviews in Azure AD.
- B. Enforce Azure AD Password Protection.
- C. implement multi-factor authentication (MFA) for all users.
- D. Configure self-service password reset (SSPR) for all users.

**Answer:** D

## NEW QUESTION 10

- (Exam Topic 3)

You configure a new Microsoft 365 tenant to use a default domain name of contoso.com.

You need to ensure that you can control access to Microsoft 365 resources by using conditional access policies. What should you do first?

- A. Disable the User consent settings.
- B. Disable Security defaults.
- C. Configure a multi-factor authentication (MFA) registration policy.
- D. Configure password protection for Windows Server Active Directory.

**Answer: B**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/fundamentals/concept-fundamentals-security-defaults>

**NEW QUESTION 15**

- (Exam Topic 3)

Your company recently implemented Azure Active Directory (Azure AD) Privileged Identity Management (PIM).

While you review the roles in PIM, you discover that all 15 users in the IT department at the company have permanent security administrator rights.

You need to ensure that the IT department users only have access to the Security administrator role when required.

What should you configure for the Security administrator role assignment?

- A. Expire eligible assignments afterfrom the Role settings details
- B. Expire active assignments afterfrom the Role settings details
- C. Assignment type toActive
- D. Assignment type toEligible

**Answer: D**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure>

**NEW QUESTION 19**

- (Exam Topic 3)

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for tailed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure monitor, you create a data collection rule.

Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**NEW QUESTION 24**

- (Exam Topic 3)

Your company requires that users request access before they can access corporate applications.

You register a new enterprise application named MyApp1 in Azure Active Directory (Azure AD) and configure single sign-on (SSO) for MyApp1.

Which settings should you configure next for MyApp1?

- A. Self-service
- B. Provisioning
- C. Roles and administrators
- D. Application proxy

**Answer: C**

**NEW QUESTION 28**

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You configure a conditional access policy as shown in the Conditional Access policy exhibit. (Click the Conditional Access policy tab.)

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name \*

Require MFA for all users

Assignments

Users and groups ⓘ

All users

Cloud apps or actions ⓘ

All cloud apps

Conditions ⓘ

1 condition selected

Access controls

Grant ⓘ

0 controls selected

Session ⓘ

0 controls selected

Enable policy

Report-only On Off

Create Select

Control user access enforcement to block or grant access. [Learn more](#)

☐ Block access

☒ Grant access

☒ Require multi-factor authentication ⓘ

☐ Require device to be marked as compliant ⓘ

☐ Require Hybrid Azure AD joined device ⓘ

☐ Require approved client app ⓘ  
[See list of approved client apps](#)

☐ Require app protection policy ⓘ  
[See list of policy protected client apps](#)

☐ Require password change (Preview) ⓘ

For multiple controls

☒ Require all the selected controls

☐ Require one of the selected controls

You view the User administrator role settings as shown in the Role setting details exhibit. (Click the Role setting details tab.)

Privileged Identity Management > ContosoAzureAD > User Administrator >

## Role setting details - User Administrator

Privileged Identity Management | Azure AD roles

Edit

Activation

Setting	State
Activation maximum duration (hours)	8 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
On activation, require Azure MFA	Yes
Require approval to activate	Yes
Approvers	1 Member(s) 0 Group

Assignment

Setting	State
Allow permanent eligible assignment	No
Expire eligible assignments after	15 day(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on active assignment	No
Require justification on active assignment	No

You view the User administrator role assignments as shown in the Role assignments exhibit. (Click the Role assignments tab.)



ContosoAzureAD > Identity Governance > Privileged Identity Management > ContosoAzureAD

### User Administrator | Assignments

Privileged Identity Management | Azure AD roles

+ Add assignments   Settings   Refresh   Export   Got feedback?

Eligible assignments   Active assignments   Expired assignments

Search by member name or principal name

Name	Principal name	Type	Scope	Membership
User Administrator				
Admin1	Admin1@m365x629615.onmicrosoft.com	User	Directory	Direct
Admin2	Admin2@m365x629615.onmicrosoft.com	User	Directory	Direct
Admin3	Admin3@m365x629615.onmicrosoft.com	User	Directory	Direct

For each of the following statement, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
Before Admin1 can perform a task that requires the User administrator role, an approver must approve the activation request.	<input type="radio"/>	<input type="radio"/>
Admin2 can request activation of the User administrator role for a period of two hours.	<input type="radio"/>	<input type="radio"/>
If Admin3 connects to the Azure Active Directory admin center, and then activates the User administrator role, Admin3 will be prompted to authenticate by using multi-factor authentication (MFA) twice.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
Before Admin1 can perform a task that requires the User administrator role, an approver must approve the activation request.	<input checked="" type="radio"/>	<input type="radio"/>
Admin2 can request activation of the User administrator role for a period of two hours.	<input type="radio"/>	<input checked="" type="radio"/>
If Admin3 connects to the Azure Active Directory admin center, and then activates the User administrator role, Admin3 will be prompted to authenticate by using multi-factor authentication (MFA) twice.	<input checked="" type="radio"/>	<input type="radio"/>

NEW QUESTION 31

- (Exam Topic 3)

You have a Microsoft Exchange organization that uses an SMTP address space of contoso.com. Several users use their contoso.com email address for self-service sign up to Azure Active Directory (Azure AD). You gain global administrator privileges to the Azure AD tenant that contains the self-signed users. You need to prevent the users from creating user accounts in the contoso.com Azure AD tenant for self-service sign-up to Microsoft 365 services. Which PowerShell cmdlet should you run?

- A. Set-MsolCompanySettings
- B. Set-MsolDomainFederationSettings
- C. Update-MsolFederatedDomain
- D. Set-MsolDomain

Answer: A

Explanation:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/directory-self-service-signup>

NEW QUESTION 36

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure password writeback. Does this meet the goal?



- A. Yes  
B. No

**Answer:** B

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

**NEW QUESTION 39**

- (Exam Topic 3)

You have a Microsoft 365 tenant named contoso.com. Guest user access is enabled.

Users are invited to collaborate with contoso.com as shown in the following table.

User email	User type	Invitation accepted	Shared resource
User1@outlook.com	Guest	No	Enterprise application
User2@fabrikam.com	Guest	Yes	Enterprise application

From the External collaboration settings in the Azure Active Directory admin center, you configure the Collaboration restrictions settings as shown in the following exhibit.

### Collaboration restrictions

- ☐ Allow invitations to be sent to any domain (most inclusive)  
☐ Deny invitations to the specified domains  
☒ Allow invitations only to the specified domains (most restrictive)

 Delete

☒ TARGET DOMAINS

☐ Outlook.com

From a Microsoft SharePoint Online site, a user invites user3@adatum.com to the site.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE:Each correct selection is worth one point.

Statements	Yes	No
User1 can accept the invitation and gain access to the enterprise application.	<input type="radio"/>	<input type="radio"/>
User2 can access the enterprise application.	<input type="radio"/>	<input type="radio"/>
User3 can accept the invitation and gain access to the SharePoint site.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Box 1: Yes

Invitations can only be sent to outlook.com. Therefore, User1 can accept the invitation and access the application.

Box 2: Yes

Invitations can only be sent to outlook.com. However, User2 has already received and accepted an invitation so User2 can access the application.

Box 3: No

Invitations can only be sent to outlook.com. Therefore, User3 will not receive an invitation.

**NEW QUESTION 43**

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You create a named location named HighRiskCountries that contains a list of high-risk countries.

You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country. What should you configure in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Configure HighRiskCountries by using:

A cloud app or action

A condition

A grant control

A session control

Configure Sign-in frequency by using:

A cloud app or action

A condition

A grant control

A session control

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

Answer Area

Configure HighRiskCountries by using:

A cloud app or action

A condition

A grant control

A session control

Configure Sign-in frequency by using:

A cloud app or action

A condition

A grant control

A session control

NEW QUESTION 44

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that uses conditional access policies.

You plan to use third-party security information and event management (SIEM) to analyze conditional access usage.

You need to download the Azure AD log that contains conditional access policy data. What should you export from Azure AD?

- A. sign-ins in JSON format  
B. sign-ins in CSV format  
C. audit logs in JSON format  
D. audit logs in CSV format

Answer: C

NEW QUESTION 45

- (Exam Topic 3)

You have a Microsoft 365 tenant that contains a group named Group1 as shown in the Group1 exhibit. (Click the Group 1 tab.)

```
PS C:\> Get-AzureADGroup -searchstring "Admin" | Get-AzureADGroupOwner

ObjectID      DisplayName UserPrincipalName      UserType
-----
a7f7d485-636f-4493-b971-5c2b7a131b1c Admin      admin@M365x629615.onmicrosoft.com Member

PS C:\> Get-AzureADGroup -searchstring "Admin" | Get-AzureADGroupMember | ft displayname

DisplayName
-----
User1
User4
Group3
```

You create an enterprise application named App1 as shown in the App1 Properties exhibit. (Click the App1 Properties tab.)

Dashboard > ContosoAzureAD > Enterprise applications > App1

## App1 | Properties

Enterprise Application

Overview | Deployment Plan | Manage | Properties | Owners | Roles and administrators (Pre...) | Users and groups | Single sign-on | Provisioning | Application proxy | Self-service | Security | Conditional Access | Permissions | Activity | Sign-ins

Save | Discard | Delete | Got feedback?

Enabled for users to sign-in? ☒ Yes ☐ No

Name \*

Homepage URL

Logo

User access URL

Application ID

Object ID

Terms of Service URL

Privacy Statement URL

Reply URL

User assignment required? ☒ Yes ☐ No

Visible to users? ☒ Yes ☐ No

You configure self-service for App1 as shown in the App1 Self-service exhibit: (Click the App1 Self-service tab.)

Dashboard > ContosoAzureAD > Enterprise applications > App1

## App1 | Self-service

Enterprise Application

Overview | Deployment Plan | Manage | Properties | Owners | Roles and administrators (Pre...) | Users and groups | Single sign-on | Provisioning | Application proxy | Self-service | Security | Conditional Access | Permissions | Activity | Sign-ins

Save | Discard

Allow users to request access to this application? ☒ Yes ☐ No

To which group should assigned users be added?

Require approval before granting access to this application? ☒ Yes ☐ No

Who is allowed to approve access to this application?

To which role should users be assigned in this application?

Select approvers

Search

User1  
User2@m365x629615.onmicrosoft.com  
Selected

User2  
User2@m365x629615.onmicrosoft.com

User3  
User3@m365x629615.onmicrosoft.com

User4  
User4@m365x629615.onmicrosoft.com

Selected approvers

User1  
User1@m365x629615.onmicrosoft.com

For each of the following statements, select Yes if the statement is true, Otherwise select NO. NOTE: Each correct selection is worth one point.

### Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	<input type="radio"/>	<input type="radio"/>
After you configure self-service for App1, the owner of Group1 is User1.	<input type="radio"/>	<input type="radio"/>
App1 appears in the Microsoft Office 365 app launcher of User4.	<input type="radio"/>	<input type="radio"/>

- A. Mastered  
B. Not Mastered

Answer: A

Explanation:

### Answer Area

Statements	Yes	No
The members of Group3 can access App1 without first being approved by User1.	<input type="radio"/>	<input checked="" type="radio"/>
After you configure self-service for App1, the owner of Group1 is User1.	<input type="radio"/>	<input checked="" type="radio"/>
App1 appears in the Microsoft Office 365 app launcher of User4.	<input checked="" type="radio"/>	<input type="radio"/>

### NEW QUESTION 49

- (Exam Topic 3)

Your network contains an Active Directory forest named contoso.com that is linked to an Azure Active Directory (Azure AD) tenant named contoso.com by using Azure AD Connect. Attire AD Connect is installed on a server named Server 1. You deploy a new server named Server? that runs Windows Server 2019. You need to implement a failover server for Azure AD Connect. The solution must minimize how long it takes to fail over if Server1 fails.



Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

**Actions:**

On Server1, run export for all connectors.

On Server2, run export for all connectors.

On Server2, run full import for all connectors.

On Server2, run delta synchronization for all connectors.

On Server2, install Azure AD Connect.

On Server1, configure the staging mode.

>

<

**Answer Area**

>

<

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

**Actions:**

On Server1, run export for all connectors.

On Server2, run export for all connectors.

On Server2, run full import for all connectors.

On Server2, run delta synchronization for all connectors.

On Server2, install Azure AD Connect.

On Server1, configure the staging mode.

>

<

**Answer Area**

On Server2, run export for all connectors.

On Server2, run delta synchronization for all connectors.

On Server1, run export for all connectors.

>

<

#### NEW QUESTION 50

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2019	Domain controller
Server2	Windows Server 2019	Domain controller
Server3	Windows Server 2019	Azure AD Connect

The domain controllers are prevented from communicating to the internet. You implement Azure AD Password Protection on Server1 and Server2. You deploy a new server named Server4 that runs Windows Server 2019.

You need to ensure that Azure AD Password Protection will continue to work if a single server fails. What should you implement on Server4?

- A. Azure AD Connect  
B. Azure AD Application Proxy  
C. Password Change Notification Service (PCNS)  
D. the Azure AD Password Protection proxy service

**Answer:** D

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdep>

#### NEW QUESTION 53

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic User
Group3	Security	Dynamic Device
Group4	Microsoft 365	Assigned
Group5	Microsoft 365	Dynamic User

For which groups can you create an access review?

- A. Group1 only  
B. Group1 and Group4 only  
C. Group1 and Group2 only



- D. Group1, Group2, Group4, and Group5 only  
E. Group1, Group2, Group3, Group4 and Group5

**Answer:** D

**Explanation:**

You cannot create access reviews for device groups. Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

**NEW QUESTION 57**

- (Exam Topic 3)

You have an on-premises datacenter that contains the hosts shown in the following table.

Name	Description
Server1	Domain controller that runs Windows Server 2019
Server2	Server that runs Windows Server 2019 and has Azure AD Connect deployed
Server3	Server that runs Windows Server 2019 and has a Microsoft ASP.NET application named App1 installed
Server4	Unassigned server that runs Windows Server 2019
Firewall1	Hardware firewall connected to the internet that blocks all traffic unless explicitly allowed

You have an Azure Active Directory (Azure AD) tenant that syncs to the Active Directory forest. Multi-factor authentication (MFA) is enforced for Azure AD. You need to ensure that you can publish App1 to Azure AD users.

What should you configure on Server and Firewall1? To answer, select the appropriate options in the answer area.

NOTE:Each correct selection is worth one point.

Service to install on Server4:

Azure AD Application Proxy
The Azure AD Password Protection DC agent
The Azure AD Password Protection proxy service
Web Application Proxy in Windows Server

Rule to configure on Firewall1:

Allow incoming HTTPS connections from Azure AD to Server4.
Allow incoming IPsec connections from Azure AD to Server4.
Allow outbound HTTPS connections from Server4 to Azure AD.
Allow outbound IPsec connections from Server4 to Azure AD.

- A. Mastered  
B. Not Mastered

**Answer:** A

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy>

**NEW QUESTION 62**

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that contains a user named SecAdmin1. SecAdmin1 is assigned the Security administrator role. SecAdmin1 reports that she cannot reset passwords from the Azure AD Identity Protection portal. You need to ensure that SecAdmin1 can manage passwords and invalidate sessions on behalf of nonadministrative users. The solution must use the principle of least privilege. Which role should you assign to SecAdmin1?

- A. Authentication administrator  
B. Helpdesk administrator  
C. Privileged authentication administrator  
D. Security operator

**Answer:** C

**Explanation:**

Reference:  
<https://docs.microsoft.com/en-us/azure/active-directory/roles/permissions-reference>

**NEW QUESTION 67**

- (Exam Topic 3)

You have a Microsoft 365 tenant. The Azure Active Directory (Azure AD) tenant contains the groups shown in the following table.

Name	Type
Group1	Security
Group2	Distribution
Group3	Microsoft 365
Group4	Mail-enabled security

In Azure AD, you add a new enterprise application named Appl. Which groups can you assign to App1?

- A. Group1 and Group
- B. Group2 only
- C. Group3 only
- D. Group1 only
- E. Group1 and Group4

**Answer:** A

#### NEW QUESTION 72

- (Exam Topic 3)

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for tailed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure AD, you create an assignment for the Insights at administrator role. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

#### NEW QUESTION 74

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant. You open the risk detections report.

Which risk detection type is classified as a user risk?

- A. impossible travel
- B. anonymous IP address
- C. atypical travel
- D. leaked credentials

**Answer:** D

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

#### NEW QUESTION 76

- (Exam Topic 3)

Your company has an Azure Active Directory (Azure AD) tenant named Contoso.com. The company has a business partner named Fabrikam, Inc.

Fabrikam uses Azure AD and has two verified domain names of fabrikam.com and litwareinc.com Both domain names are used for Fabrikam email addresses.

You create a connected organization for Fabrikam.

You need to ensure that the package1 will be accessible only to users who have fabrikam.com email addresses. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

To allow access for users who have fabrikam.com email addresses, configure:	<input type="checkbox"/> An access package assignment in Identity Governance <input type="checkbox"/> An access package policy in Identity Governance <input type="checkbox"/> A conditional access policy in Azure AD <input type="checkbox"/> The External collaboration settings in Azure AD
To block access for users who have litwareinc.com email addresses, configure:	<input type="checkbox"/> An access package assignment in Identity Governance <input type="checkbox"/> An access package policy in Identity Governance <input type="checkbox"/> A conditional access policy in Azure AD <input type="checkbox"/> The External collaboration settings in Azure AD

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

Answer Area

To allow access for users who have fabrikam.com email addresses, configure:

An access package assignment in Identity Governance

An access package policy in Identity Governance

A conditional access policy in Azure AD

The External collaboration settings in Azure AD

To block access for users who have litwareinc.com email addresses, configure:

An access package assignment in Identity Governance

An access package policy in Identity Governance

A conditional access policy in Azure AD

The External collaboration settings in Azure AD

NEW QUESTION 77

- (Exam Topic 3)

You have a Microsoft 365 tenant.

The Sign-ins activity report shows that an external contractor signed in to the Exchange admin center. You need to review access to the Exchange admin center at the end of each month and block sign-ins if required.

What should you create?

A. an access package that targets users outside your directory

B. an access package that targets users in your directory

C. a group-based access review that targets guest users

D. an application-based access review that targets guest users

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/access-reviews-overview>

NEW QUESTION 79

- (Exam Topic 3)

You have a new Microsoft 365 tenant that uses a domain name of contoso.onmicrosoft.com. You register the name contoso.com with a domain registrar.

You need to use contoso.com as the default domain name for new Microsoft 365 users.

Which four actions should you perform in sequenced? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Register a custom domain name of contoso.com.

Create a new TXT record in DNS.

Set the domain to primary.

Delete the contoso.onmicrosoft.com domain.

Verify the domain name.

Answer Area

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Actions

Register a custom domain name of contoso.com.

Create a new TXT record in DNS.

Set the domain to primary.

Delete the contoso.onmicrosoft.com domain.

Verify the domain name.

Answer Area

Create a new TXT record in DNS.

Register a custom domain name of contoso.com.

Set the domain to primary.

Verify the domain name.

NEW QUESTION 81

- (Exam Topic 3)

You have a Microsoft 365 tenant.

You currently allow email clients that use Basic authentication to conned to Microsoft Exchange Online.

You need to ensure that users can connect t to Exchange only run email clients that use Modern authentication protocols.

What should you implement?

You need to ensure that use Modern authentication

The Leader of IT Certification

visit - <https://www.certleader.com>



- A. a compliance policy in Microsoft Endpoint Manager
- B. a conditional access policy in Azure Active Directory (Azure AD)
- C. an application control profile in Microsoft Endpoint Manager
- D. an OAuth policy in Microsoft Cloud App Security

**Answer:** C


#### NEW QUESTION 83

- (Exam Topic 3)

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company is developing a web service named App1.

You need to ensure that App1 can use Microsoft Graph to read directory data in contoso.com.


Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:



#### NEW QUESTION 84

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

You plan to bulk invite Azure AD business-to-business (B2B) collaboration users.

Which two parameters must you include when you create the bulk invite? Each correct answer presents part of the solution

NOTE: Each correct selection is worth one point.

- A. email address
- B. redirection URL
- C. username
- D. shared key
- E. password

**Answer:** AB

#### Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/tutorial-bulk-invite>

#### NEW QUESTION 87

- (Exam Topic 3)

You have an on-premises Microsoft Exchange organization that uses an SMTP address space of contoso.com. You discover that users use their email address for self-service sign-up to Microsoft 365 services.

You need to gain global administrator privileges to the Azure Active Directory (Azure AD) tenant that contains the self-signed users.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



**Actions**

Sign in to the Microsoft 365 admin center.

Create a self-signed user account in the Azure AD tenant.

From the Microsoft 365 admin center, add the domain name.

Respond to the Become the admin message.

From the Microsoft 365 admin center, remove the domain name.

Create a TXT record in the contoso.com DNS zone.

**Answer Area**

⏪⏩⏴⏵

A.

**Answer:** C

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/enterprise-users/domains-admin-takeover>

**NEW QUESTION 90**

- (Exam Topic 3)

Your network contains an on-premises Active Directory domain that sync to an Azure Active Directory (Azure AD) tenant. The tenant contains the shown in the following table.

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.

Azure AD Connect is configured in Azure as shown in the following exhibit.

**PROVISION FROM ACTIVE DIRECTORY**

**Azure AD Connect cloud provisioning**

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

**Azure AD Connect sync**

Sync Status

Enabled

Last Sync

Less than 1 hour ago

Password Hash Sync

Enabled

**USER SIGN-IN**



Federation

Disabled

0 domains

Seamless single sign-on

Disabled

0 domains

Pass-through authentication

Enabled

2 agents

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only
- B. User1 and User 3 only
- C. User1, and User2 only
- D. User1, User2, and User3

**Answer:** A

**NEW QUESTION 95**

- (Exam Topic 3)

You have an Azure Active Directory (Azure AD) tenant that has Security defaults disabled. You are creating a conditional access policy as shown in the following exhibit.

## New

### Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name \*

Policy1 ✓

#### Assignments

Users and groups ⓘ >  
Specific users included

Cloud apps or actions ⓘ >  
All cloud apps

Conditions ⓘ >  
0 conditions selected

#### Access controls

Grant ⓘ >  
0 controls selected

Session ⓘ >  
0 controls selected

Control user access based on users and groups assignment for all users, specific groups of users, directory roles, or external guest users. [Learn more](#)

#### Include

#### Exclude

- ☐ None  
☐ All users  
☒ Select users and groups

☐ All guest users (preview) ⓘ

☐ Directory roles (preview) ⓘ

☒ Users and groups

Select ⓘ >

1 user

US User1  
user1@sk200922outlook.onm...

#### Enable policy

Report-only **On** Off

Create

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.  
NOTE: Each correct selection is worth one point.

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

- A. Mastered  
B. Not Mastered

Answer: A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

**NEW QUESTION 97**

- (Exam Topic 3)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest.

You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.

You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.

Solution: You configure pass-through authentication. Does this meet the goal?

A. Yes

B. No

**Answer: A**

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/hybrid/choose-ad-authn>

**NEW QUESTION 101**

- (Exam Topic 3)

HOTSPOT

You have an Azure Active Directory (Azure AD) tenant that contains Azure AD Privileged Identity Management (PIM) role settings for the User administrator role as shown in the following exhibit.

... [ContosoAzureAD](#) > [Identity Governance](#) > [Privileged Identity Management](#) > [ContosoAzureAD](#) > [User Administrator](#) >

**Role setting details - User Administrator**

Privileged Identity Management | Azure AD roles

 Edit

**Activation**

SETTING	STATE
Activation maximum duration (hours)	8 hour(s)
Require justification on activation	Yes
Require ticket information on activation	No
On activation, require Azure MFA	Yes
Require approval to activate	Yes
Approvers	None

**Assignment**

SETTING	STATE
Allow permanent eligible assignment	No
Expire eligible assignments after	15 day(s)
Allow permanent active assignment	No
Expire active assignments after	1 month(s)
Require Azure Multi-Factor Authentication on active assignment	No
Require justification on active assignment	No

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE:Each correct selection is worth one point.

A user who requires access to the User administration role must perform multi-factor authentication (MFA) every **[answer choice]**.

- 8 hours
- 15 days
- 1 month

Before an eligible user can perform a task that requires the User administrator role, the activation must be approved by a **[answer choice]**.

- global administrator only
- global administrator or privileged role administrator
- permanently assigned user administrator
- privileged role administrator only

- A. Mastered
- B. Not Mastered

**Answer:** A

**Explanation:**

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-configure> <https://docs.microsoft.com/en-us/azure/active-directory/privileged-identity-management/pim-deployment-plan>

**NEW QUESTION 105**

.....



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your SC-300 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/SC-300-dumps.html>