

IBM

Exam Questions P9530-039

IBM WebSphere MQ Technical Sales Mastery Test v2



NEW QUESTION 1

Which of the following statements is NOT true regarding queue manager clusters?

- A. Simplifies distributed queue management
- B. Requires a separately installed component
- C. Provides for workload balancing
- D. Can be dynamically joined by participating queue managers

Answer: B

NEW QUESTION 2

Which of the following functions has been added to WebSphere MQ Explorer in WebSphere MQ v7?

- A. Rollback in-doubt transactions from the WebSphere MQ Explorer
- B. Change WebSphere MQ administrator password from the WebSphere MQ Explorer
- C. Command line interface for WebSphere MQ Explorer
- D. Create and configure WebSphere MQ JMS administered objects

Answer: D

NEW QUESTION 3

Which of the following is NOT a valid method of administration for WebSphere MQ v7?

- A. WebSphere MQ Explorer
- B. Integrated Solutions Console
- C. Command-line
- D. PCF commands

Answer: B

NEW QUESTION 4

If the solution designer wishes to ensure that subscribing MQ applications receive message from a topic even if the subscribing MQ application is disconnected from the queue manager at the time the message is published, which action is required?

- A. The publishing application must set the message as persistent.
- B. The subscribing application must set the message as persistent.
- C. The publishing application must set the subscription as durable.
- D. The subscribing application must set the subscription as durable.

Answer: D

NEW QUESTION 5

What is the name of the command-line administrative interface?

- A. CLI
- B. MQE
- C. MQSC
- D. MQA

Answer: C

NEW QUESTION 6

What happens to messages that have been read (MQGET) from a queue as part of a transaction in the event of an error during the transaction?

- A. Message moved to dead-letter-queue.
- B. Message sent to error log.
- C. Message put back on queue.
- D. Nothing, message already consumed.

Answer: D

Explanation: In a distributed queuing architecture, where does the local queue manager store messages until it is ready to send them to the remote queue manager?

- A. In a relational database
- B. In a remote channel queue
- C. In a remote queue definition
- D. In a transmission queue

NEW QUESTION 7

In what situation will you benefit from the use of multi instance queue managers?

- A. You would like to replace an HA coordinator
- B. You would like to your System IP address assumed at Queue Manager fail over

- C. You would like active/stand by Queue Manager fail over support
- D. You would like higher throughput with work load management of multiple instances of queues

Answer: C

NEW QUESTION 8

Which of the following WebSphere MQ supported programming APIs is NOT portable to other messaging providers?

- A. JMS
- B. XMS
- C. Web Services
- D. Java

Answer: D

NEW QUESTION 9

When an MQ application running on a distributed platform connects to a local queue manager, which statement is TRUE regarding security checks?

- A. The queue manager uses the operating system userid associated with the MQ application.
- B. The queue manager authenticates the MQ application using the userid and password as passed in the MQCONN call.
- C. The queue manager examines the value of the MCAUSER field.
- D. The queue manager examines the value of the SSLPEER field.

Answer: A

NEW QUESTION 10

What is the name of the MQMD field that a message producer uses to ensure that no consumers receive a message after a message has been on a destination queue for a specified period of time?

- A. Timeout
- B. Expiry
- C. TimeToLive
- D. MaxAge

Answer: B

NEW QUESTION 10

Which statement is TRUE regarding WebSphere MQ and message routing?

- A. WebSphere MQ will look for a consumer name in the message description (MQMD) header.
- B. WebSphere MQ does not route based on the contents of the message body.
- C. You can write an XPATH expression to tell WebSphere MQ how to route the message to the appropriate consumer.
- D. WebSphere MQ will examine the message properties and route it to the appropriate consumer.

Answer: B

NEW QUESTION 11

What is the prefix for WebSphere MQ error messages?

- A. AMQ
- B. WMQ
- C. MQR
- D. MQE

Answer: A

NEW QUESTION 14

In order to run MQv7 on a distributed platform with earlier versions of WebSphere MQ running on the same physical server, what must you do?

- A. This configuration is not allowed.
- B. Install MQv7 into a different directory than previous versions.
- C. Map listeners to different ports.
- D. Both B and C.

Answer: A

NEW QUESTION 17

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

P9530-039 Practice Exam Features:

- * P9530-039 Questions and Answers Updated Frequently
- * P9530-039 Practice Questions Verified by Expert Senior Certified Staff
- * P9530-039 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * P9530-039 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The P9530-039 Practice Test Here](#)