

Oracle



Exam Questions 1z0-900

Java EE 7 Application Developer



NEW QUESTION 1

You have a set up min-max planning at the subinventory level with the following to source item AS12312 for Organization: M1:

-  Source Type: Organization
-  Organization: M1

What type of supply request will be generated?

- A. Movement request
- B. Internal Requisition
- C. Purchase Requisition
- D. None; this is an invalid setup
- E. Intraorganization transfer order

Answer: E

NEW QUESTION 2

Identify two statements that are true about the cost-organization relationship.

- A. Costing Item Validation Organization can only be Item Master Organization of the underlying inventory organizations.
- B. Only Inventory organizations belonging to different Item Master Organizations can be part of a cost organization.
- C. Costing Item Validation Organization is used to default the Unit of Measure for costing calculations.
- D. The inventory organizations that are assigned to a cost organization must all belong to the same legal entity.

Answer: CD

NEW QUESTION 3

You need to load on-hand balances for go live. Which template should be used for this?

- A. InventoryBalanceImportTemplate.xlsm
- B. InventoryReservationImportTemplate.xlsm
- C. InventoryTransactionImportTemplate.xlsm
- D. InventoryOnHandBalanceTemplate.xlsm
- E. InventoryMiscellaneousTrxTemplate.xlsm

Answer: C

NEW QUESTION 4

A user is performing a material return transaction against access stock in an Inventory organization; however, the user fails to select the Physical Material Return Required check box.
What happens?

- A. It is considered as accounting-only return.
- B. Stock is reserved.
- C. A transfer order line remains open.
- D. Shipment lines are created.

Answer: A

NEW QUESTION 5

Which code snippet indicates that the page you are designing is capable of handling errors?

- A. `<%@page errorPage="errorHandler.jsp"%>`
- B. `<%= requestScope['javax.servlet.error'] !=null %>`
- C. `<%@page isErrorPage="true"%>`
- D. `<c:set var="errorHandler" value="true"/>`

Answer: C

NEW QUESTION 6

Which execution document is created by supply chain orchestration when a make request is received?

- A. Transfer Order
- B. Work Order
- C. Routing Create
- D. Movement Request
- E. Purchase Order

Answer: B

NEW QUESTION 7

Which class do you use to handle an incoming JSON Message as a stream?

- A. JsonReader
- B. JsonObjectBuilder

- C. JsonParser
- D. JsonObject

Answer: A

NEW QUESTION 8

Which two options constitute the rights and responsibilities of a legal Entity?

- A. Account for themselves to regulations, taxation authorities, and owners according to rules specified in the relevant legislation
- B. Facilitate resource allocation
- C. Manage warehouses
- D. Create opportunities for new business
- E. Own property

Answer: AE

NEW QUESTION 9

Given:

```
1:  @Stateless
2:  public class AlarmManager {
3:      @Resource
4:      private TimerService timerService;
5:      public void createAlarm(Date alarmDate) {
6:          Alarm myAlarm = new Alarm();
7:          TimerConfig config = new TimerConfig();
8:          config.setInfo(myAlarm.getId());
9:
10:     }
11:     @Timeout
12:     public void handleTimeout(Timer myTimer) {
13:         int alarmId = {int}myTimer.getInfo();
14:         showAlarmMessage(alarmId);
15:     }
16: }
```

You are creating an Alarm management system. When you create a new alarm, you want it to create an alert that is triggered once at the specified time. Which method should you call on Line 9 to create the timer?

- A. timerService.createCalendarTimer(alarmDate, config);
- B. timerService.createSingleActionTimer(alarmDate, config);
- C. timerService.createIntervalTimer(alarmDate, -1, config);
- D. timerService.createTimer(alarmDate, -1, config);

Answer: D

NEW QUESTION 10

While creating the consignment agreement, you have set the consumption advice frequency to “monthly” and the billing cycle close date to “31st August, 2020”. What will happen when you run the consumption advice process on 31st August, 2020?

- A. No consumption advice is created.
- B. Consumption advice is created and the next closing date is set to 30th October, 2020.
- C. Consumption advice is created and the next closing date is set to 7th September, 2020.
- D. Consumption advice is created and the next closing date is set to 30th September, 2020.

Answer: D

NEW QUESTION 10

An inventory transaction is important to the system through an FBDI template.

Which transaction state denotes that an inventory transaction is created in the Oracle Inventory Management application?

- A. Created
- B. Validated
- C. Deferred
- D. New
- E. Staged

Answer: B

NEW QUESTION 12

You defined an Inventory Organization that is meant to track the contract manufacturing process outsourced to a supplier.

Where do you mention that this Inventory Organization is meant for one particular supplier?

- A. Manage Inventory Organization Locations
- B. Manage Subinventories

- C. Manage Inventory Organizations
- D. Manage Contract Manufacturing Relationships
- E. Manage Item Organizations

Answer: C

NEW QUESTION 16

Your organization performs a restock via a transfer order between inventory organizations, using the following parameters for processing:

Transfer Type: In-transit transfer type Receipt Routing: Standard

Transfer Order Required: Yes

During the process, the receiving organization wants to make a change to the transfer order line. After which fulfillment stage will they no longer be able to change the transfer order?

- A. Awaiting Receiving
- B. Awaiting Billing
- C. Closed
- D. Ship Confirm
- E. Awaiting Fulfillment

Answer: C

NEW QUESTION 20

You have a high value item that you want to audit on an unscheduled basis to deter pilfering. Which method would you use to do this?

- A. ABC Count
- B. Physical Inventory Count
- C. Automated Cycle Count
- D. Manual Cycle Count
- E. Blind Inventory Count

Answer: D

NEW QUESTION 24

Given:

```
@Singleton
public class MySessionBean {
    // line 1
    public void callMethod() {
        // implementation logic
    }
    //Constructor and other business methods
}
```

Which annotation do you use on line 1 to ensure that clients immediately time out when attempting to concurrently invoke callMethod () while another client is already accessing the bean?

- A. @AccessTimeout (value = 1, unit = TimeUnit.SECONDS)
- B. @AccessTimeout (null)
- C. @AccessTimeout (-1)
- D. @AccessTimeout (0)

Answer: D

NEW QUESTION 28

On the Supply Lines Overview page, the deviations in supply type chart show a supply line status of exception.

What action must you take?

- A. This indicates that supply line quantities are available but the quality is not up to the mark, so the quality issue must be resolved.
- B. The indicates that supply line has an exception in manufacturing goods, so the supply line must be changed.
- C. This indicates that supply line quantities are less than required, so additional quantities must be procured to meet the requirement.
- D. This indicates that supply line quantities are not available, so inventory must be procured.

Answer: C

NEW QUESTION 30

Your customer wants to transfer material from facility A to facility B. They are using the interorganization transfer to perform the transaction in the system. Their requirement is “whenever material is transferred from their facility A to facility B, facility B needs to pay 5% additional amount to the current item cost”.

Which task must be set up to accomplish this requirement?

- A. Manage Interorganization Markup
- B. Manage Transfer Pricing Rules
- C. Manage Cost Plus Pricing
- D. Manage Cost Organization Relationships
- E. Manage Organization Relationships

Answer: D

NEW QUESTION 35

Given the code fragment:

```
@Resource(lookup = "java:comp/DefaultJMSConnectionFactory")
private ConnectionFactory cf;
@Resource(lookup = "jms/MyTopic")
private Topic topic;
public void action() {
    try (JMSContext ctx =
        cf.createContext(JMSContext.SESSION_TRANSACTED);) {
        JMSConsumer c1 = ctx.createConsumer(topic, "(grade > 50)");
        JMSConsumer c2 = ctx.createConsumer(topic, "(grade <= 50)");
    }
}
```

How are transactions managed?

- A. through a single shared transaction across the connection factory
- B. through a separate transaction per JMS Consumer
- C. through a single transaction for the entire JMS Topic
- D. through a single shared transaction in the JMS Context

Answer: D

NEW QUESTION 36

Given the code fragment:

```
<servlet-mapping>
    <servlet-name>firstServlet</servlet-name>
    <url-pattern>/*</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>secondServlet</servlet-name>
    <url-pattern>/</url-pattern>
</servlet-mapping>

<servlet-mapping>
    <servlet-name>thirdServlet</servlet-name>
    <url-pattern>/</url-pattern>
</servlet-mapping>
```

When the context root is requested `http://host:port/context`, how does the container resolve this mapping?

- A. thirdServlet handles the request.
- B. firstServlet handles the request.
- C. The container throws an error at startup.
- D. secondServlet handles the request.

Answer: C

NEW QUESTION 38

Which statement is true about the WS-Security standard?

- A. It is a Java EE standard for protecting SOAP services.
- B. It relies on HTTP security mechanism to protect SOAP messages in transit.
- C. It provides message-level security.
- D. It defines protocol-specific ways of protecting SOAP messages.

Answer: C

NEW QUESTION 42

When handling a JSF request, your application code decided to redirect the call to another URL by using HTTP redirect. Which action should you take to correctly complete the handling of the JSF life cycle?

- A. Set the `immediate="true"` attribute on the command button that was used to perform this call.
- B. Invoke the `dispatch()` method on the `ExternalContext` object.
- C. Invoke the `setCurrentPhaseId(RENDER_RESPONSE)` method on the `FacesContext` object.
- D. Invoke the `responseComplete()` method on the `FacesContext` object.

Answer: C

NEW QUESTION 43

Given a JSL document describing a batch job:

```
<job id="ProductLoadJob"
xmlns=http://xmlns.jcp.org/xml/ns/javaee version="1.0">
<step id="ProcessProduct">
  <chunk item-count="10">
    <reader ref="ProductReader"/>
    <processor ref="ProductProcessor"/>
    <writer ref="ProductWriter"/>
  </chunk>
</step>
</job>
```

How do you initiate a batch job?

- A. Get the JobExecution object from BatchRuntime and call its start() method.
- B. Get the JobExecution object from BatchRuntime and set its status to JobStatus.INITIATED.
- C. Get the JobOperator object from BatchRuntime and call its start() method.
- D. Call BatchRunTime.initialize("ProductLoadJob");

Answer: A

NEW QUESTION 45

Which statement is false about generating an Internal Material Transfer for expense destination Transfer Order?

- A. Expense destination transfers are expensed upon delivery hitting an expense account instead of an inventory asset account as would be the case for inventory destination transfers.
- B. If the receipt is not required Cost Accounting will pick up both the issue and receipt activity from the single inventory transaction "Transfer Order Issue"
- C. If the receipt is required, the accounting of the receipt delivery transaction will happen only on Receipt Accounting because there will not be a delivery transaction in inventory.
- D. Costs for Lot and serial numbers are tracked at put away time when the items are recorded in a destination inventory location.
- E. Cost Management will pick up the delivery transaction directly from Receiving and process the expense accounting from that transaction.

Answer: D

NEW QUESTION 48

Your supplier sent you stock against a consigned agreement. You transferred at the stock to owned and generated a consumption advice. An invoice was raised by the supplier and the payment made. A few days after using some of the quantities of the stock, you realized that some of the stock sent by the supplier is not of suitable quality and you need to send the stock back.
What is the process of returning the material?

- A. You have to cancel the invoice and send the material back without changing the ownership.
- B. Return the material and create a debit memo for the supplier.
- C. You cannot return consigned items that are invoiced and paid.
- D. Treat the material as scrap.
- E. You have to transfer the ownership of item and perform the return transaction.

Answer: B

NEW QUESTION 53

For an Item to be enabled for back-to-back order process, which attribute do you need to set?

- A. Item attribute: Allow purchase orders off of sales orders
- B. Organization attribute: Allow Back to Back Processing
- C. Organization attribute: Allow Reservations
- D. Item attribute: Back-To-Back Enabled
- E. Item attribute: Reservations Enabled

Answer: D

NEW QUESTION 55

How do you specify a default error page in your web.xml file?

- A. <on-error><location>/general-error.html</location></on-error>
- B. <error-page><error-code>*</error-code><location>/general-error.html</location></error-page>
- C. <on-error><error-code>*</error-code><location>/general-error.html</location></on-error>
- D. <error-page><location>/general-error.html</location></error-page>

Answer: B

NEW QUESTION 56

Given the code fragment:


```
@Path ("Employees")
public class EmployeesResource {
    @Inject private EmployeeManager em;
    @Get
    @Path("{id:[A-Z] [0-9]+}")
    public Employee getEmployee(@PathParam("id") String id) {
        return em.findEmployee(id);
    }
}
```

Which URL triggers the invocation of the getEmployee () method?

- A. <base url>/Employees/89724
- B. <base url>/Employees/J6349
- C. <base url>/Employees/id:a7280
- D. <base url>/Employees/id/J6349

Answer: B

NEW QUESTION 61

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

- A. the Runnable Interface
- B. the ManagedExecutorTask interface
- C. the TaskEventListener interface
- D. the ManagedTaskListener interface

Answer: D

NEW QUESTION 64

A customer has one Business Unit, two Legal Entities, and each have eight warehouses (defined as Inventory Orgs). While trying to set up Cost Organizations for each of these Legal Entities you were unable to perform the mandatory step of assigning the Profit Center Business Unit for one set of eight Inventory Organizations; however, you could do it for the other set. What is the reason for this?

- A. The Legal Entity Setup is incomplete.
- B. There is no Inventory Validation Organization defined.
- C. The General Ledger is not associated with Business Unit.
- D. The Business Unit is not enabled for Costing.
- E. There is no Business Unit associated with the Legal Entity.

Answer: E

NEW QUESTION 68

You face a supply request exception due to some reason. You realize that you need to make some changes to the Manage Supply Request Exceptions page. Which action will you perform?

- A. The supply request cannot be update
- B. The only way is to resolve the error in the source application and resubmit the request.
- C. The supply request can be updated using a third-party application only.
- D. Update the supply request and submit i
- E. The errors will be resolved automatically.
- F. Update the supply request and make sure errors are resolved before resubmitting it.

Answer: A

NEW QUESTION 73

During Cloud Inventory implementation your customer requires you to enable the Oracle Transactional Business Intelligence (OTBI) KPI to review the list of standard reports which is useful for their current business scenario. When navigating to reports and analytics, the warehouse dashboard doesn't show any KPI watchlist.

Identify two causes. (Choose two.)

- A. Logistics Business Intelligence Analytics is enabled.
- B. Logistics Business Intelligence Analytics is not implemented.
- C. Organization is not enabled for warehousing.
- D. Data permissions for the organization being referenced are not set up.
- E. Supply Chain and Order Management Business Intelligence Analytics is not enabled.

Answer: BE

NEW QUESTION 78

Given the following class definition with numbered lines:

@Alternative

```
public class ShoppingCartMock implements ShoppingCart {  
    @Override  
    public void checkout() {...}  
}
```

How do you specify to use this mock CDI bean implementation instead of the regular implementation class?

- A. Use the alternatives element in the beans.xml file and specify the class name in the class element within it.
- B. Start up the server with the optional –alternative command-line option, specifying any alternative class names in a comma-separated list.
- C. Reorder the implementation names in the beans.xml file such that the desired alternative is listed earlier.
- D. Delete the regular implementation class from the WAR.

Answer: B

NEW QUESTION 83

A Java EE application that uses an EJB container must communicate with a legacy system developed using non-Java technologies. Which two Java EE technologies can be used in the integration tier of the application? (Choose two.)

- A. JMS
- B. JSF
- C. JPA
- D. JCA

Answer: AB

NEW QUESTION 85

Given the JPQL code fragment:

```
Select pub.title, pub.author, pub.pages FROM Publisher pub
```

Which two clauses do you add to this JPQL query to retrieve only those books with between 500 and 750 total pages? (Choose two.)

- A. WHERE MIN(pages) >= 500 AND MAX(pages) <= 750
- B. WHERE pub.pages <= 500 OR pub.pages >= 750
- C. WHERE pub.pages BETWEEN 500 AND 750
- D. WHERE pub.pages <= 500 AND pub.pages >=750

Answer: AB

NEW QUESTION 87

Which three replenishment count types are used for Periodic Automated Replenishment (PAR)?

- A. Order Economic Quantity (EQQ): Generates a replenishment request for the calculated quantities based on inventory policies to maintain the PAR quantity.
- B. Reorder Point: Generates a replenishment request for the order quantity based on days of cover for the item lead time.
- C. Order Quantity: Generates a replenishment request for the order quantity entered for the replenishment count.
- D. Order RAR: Generates a replenishment requisition for the RAR-level quantity.
- E. On-hand Quantity: Generates a replenishment requisition for the difference between the on-hand quantity and the RAR-level.

Answer: CDE

NEW QUESTION 91

You have orders that were due for shipping last week, but as for now they have not been shipped. Which dashboard should you check at the end of the day to determine which orders have been shipped?

- A. Past Due Shipments
- B. Orders Completed in Full
- C. Past Due, Completed Today
- D. Due Today, Not Completed
- E. Past Due, Not Completed

Answer: B

NEW QUESTION 96

Given the code fragment:

```
protected void service(HttpServletRequest req, HttpServletResponse res)  
    throws ServletException, IOException {  
    PrintWriter out = res.getWriter();  
    out.print("Service() method called.");  
  
    protected void doGet(HttpServletRequest req, HttpServletResponse res)  
        throws ServletException, IOException {  
        PrintWriter out = res.getWriter();  
        out.print("Get() method called.");  
    }  
}
```

What output will be returned when this servlet is called a GET request?

- A. Service() method called.

- B. Service() method called. Get() method called.
- C. An HTTP error
- D. GET() method called.

Answer: A

NEW QUESTION 100

Which action invokes supply chain orchestration and transfer of data to supply chain orchestration Interface tables?

- A. creating Purchase Order Receipt
- B. running a scheduled process called "Create Transactions"
- C. running Min-Max Planning
- D. creating a new Inventory Organization for execution of supply chain orchestration

Answer: C

NEW QUESTION 104

Identify three statements that are true about reservations in back-to-back processing.

- A. Partial fulfillment of reservations is supported.
- B. Changes to reservation in Oracle Logistics Cloud leads to exceptions, which are displayed in the Supply Chain Orchestration work area.
- C. Reservations cannot be created for back-to-back On Hand supply orders.
- D. One reservation is created for a demand and supply.
- E. Reservation supplies that can be reserved are Purchase Orders, Transfer Orders, Work Orders, and On Hand inventory.

Answer: BDE

NEW QUESTION 108

Your customer has a requirement across their 10 warehouses, each with different users. They would like that whenever a warehouse user logs in, their warehouse should get populated.

How will you achieve this?

- A. Set up the profile option INV_DEFAULT_WHSE_ID at site level.
- B. Set up the profile option INV_DEFAULT_WHSE_ID at user level for each user.
- C. Set up the profile option INV_DEFAULT_WHSE_ID at role level (different roles for different warehouses).
- D. Set up the profile option INV_DEFAULT_ORG_ID at user level for each user.
- E. Set up the profile option INV_DEFAULT_ORG_ID at role level (different roles for different warehouses).
- F. Set up the profile option INV_DEFAULT_ORG_ID at site level.

Answer: E

NEW QUESTION 112

Given:

```
// line 1
public class Mymapper {
    @PrePassivate
    public void setPinDrop() {}
    @PostActivate
    public void checkLocation() {}
}
```

What code needs to be added to line 1 for MyMapper bean instances to be correctly passivated?

- A. @Stateless @PassivationCapable
- B. @Stateless
- C. @Stateful @PassivationCapable
- D. @Stateful

Answer: D

NEW QUESTION 115

A Persistence application locks entity x with a LockModeType.PESSIMISTIC_READ lock type. Which statement is true?

- A. LockModeType.PESSIMISTIC_READ is the synonym of LockModeType.READ
- B. This operation will force serialization among transactions attempting to read the entity data.
- C. This operation will result in a TransactionRolledbackException if the lock cannot be obtained.
- D. If the application updates the entity later, and the changes are flushed to the database, the lock will be converted to an exclusive lock.

Answer: B

NEW QUESTION 116

Given the code fragment:

```
1: @RequestScoped
2: public class BankActivityService {
3:
4:     public void notifyDebit(BankEvent be) {}
5:
6:
7:     public void notifyCredit(BankEvent be) {}
8:
9: }
```

Which code can be added to register both of these methods to receive BankEvent notifications only if an instance of BankActivityService is already instantiated in the current context?

- A. @Observes(notifyObserver=IF_EXISTS) on line 3 and line 6
- B. @Observes(during=IN_PROGRESS) on line 1
- C. @Observes(during=AFTER_COMPLETION) on line 1
- D. @Observes(notifyObserver=IF_EXISTS) on line 4 and line 7 before method parameter declaration

Answer: A

NEW QUESTION 121

Identify two valid WebSocket message types for which you can register handlers. (Choose two.)

- A. Error Message
- B. Binary Message
- C. Pong Message
- D. Ping Message

Answer: BC

NEW QUESTION 125

Given:

```
public class AppException extends Exception {}

@Stateless
public class CustomerService {
    @TransactionAttribute(TransactionAttributeType.REQUIRED)
    public boolean addCustomer(int id, String name throws AppException {
        // assume database insert operation succeeds
        Customer c = insertIntoDB(id, name);
        if(id < 20) {
            throw new AppException();
        }
    }
}
```

If an exception is thrown inside the if block, what effect will it have on the transaction?

- A. The transaction will be committed.
- B. The transaction will be suspended.
- C. The transaction will be rolled back.

Answer: C

NEW QUESTION 129

Your organization has lot controlled and nonlot controlled material and stores all defective material in a subinventory called "Defect". The organization does not want defective material to be available for reservations or for subsequent shipping to customers. Which option satisfies this requirement?

- A. Tag the lot as defective product.
- B. Disallow all inventory transactions for the subinventory "Defect".
- C. Put a hold on the lot.
- D. Assign the subinventory a material status that disallows reservations and allows subinventory transfers and issues to scrap.
- E. Assign the lot a material status that disallows reservations and allows subinventory transfers and issues to scrap.

Answer: D

NEW QUESTION 130

Give the code fragment:

```
1: @Stateless
2:
3: public class Warehouse {
4:     public void sendConfirmation(String msg) {}
5:     public String reserve(Product pro) {}
6: }
7:
```

And the code fragment:

```
8: @Stateless
9:
10: public class Shop {
11:     @EJB private Warehouse war;
12:
13:     public void purchase(Product pro) {
14:         String confirmationCode = war.reserve(pro);
15:         war.sendConfirmation(confirmationCode);
16:     }
17: }
```

The sendConfirmation() and reserve() methods should be executed in the same transactional context. Which transaction attributes do you ensure this?

- A. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRES_NEW) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.MANDATORY) at line 12
- B. No additional annotations are required.
- C. Add annotations: @TransactionAttribute (TransactionAttributeType.REQUIRED) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES_NEW) at line 12
- D. Add annotations: @TransactionAttribute (TransactionAttributeType.MANDATORY) at line 2, @Transactional at line 9 and @TransactionAttribute ((TransactionAttributeType.REQUIRES_NEW) at line 12

Answer: D

NEW QUESTION 135

Your customer is managing a large sales team divided in two different geographies in the USA. They have the Est Coast sales team and the Central sales team. Both teams are handled by one manager and perform the same function.

Your customer wants to track the expenses of the two teams separately; however, they do not consider them different as they are handled by one manager only. How will you fulfill the requirement?

- A. Define them as a single department and two separate cost centers.
- B. Define them as two separate departments and a single cost center.
- C. Define them as one department and one cost center.
- D. It is not possible to fulfill the requirement.

Answer: A

NEW QUESTION 140

You want to allow one set of roles to POST to a resource and another set of roles to GET it. Which two configuration options should you use? (Choose two.)

- A. two separate @HttpMethodConstraints annotations and sets of roles
- B. a single @HttpMethodConstraint annotation and a map of method to roles
- C. two <web-resource-collection> with different <http-method> in the deployment descriptor
- D. a single <web-resource-collection> with two <auth-constraint> with different <http-method> in the deployment descriptor

Answer: BD

NEW QUESTION 141

Which statement is true about JAX-RS resource implementation?

- A. The REST resource implementation class must extend the javax.ws.rs.core.Application class
- B. The REST resource class can be implemented as a stateful Enterprise JavaBean (EJB).
- C. The REST resource class can be implemented as a Plain Old Java Object (POJO).
- D. The REST resource implementation class must not be final.

Answer: A

NEW QUESTION 145

Given the code fragment:

```
public class Bean {  
}  
  
@SessionScoped  
public class Service {  
    @Inject  
    private Bean bean;  
}
```

Assuming this bean is used only in the code fragment above, how long will the injected Bean instance be available?

- A. for the lifetime of the enterprise application
- B. for the lifetime of the request
- C. for the lifetime of the session
- D. for the lifetime of the Service object

Answer: D

NEW QUESTION 148

Your company is an automobile spares manufacturing organization, which follows a discrete process. It has its own manufacturing and distribution centers located globally.

It has these business units: US - USA business unit

CAN - Canadian business unit UK - UK business unit

MX - Mexican business unit IND - India business unit SPA - Spain business unit FRA - France business unit

NL - Netherlands business unit GER - Germany business unit

These are the inventory organizations that exist in each business unit:

Inventory Org - business unit

GM	(Master Org)	-	US
US1	(Child Org)	-	US
US2	(Child Org)	-	US
CA1	(Child Org)	-	CAN
MX1	(Child Org)	-	MX
IN1	(Child Org)	-	IND
SP1	(Child Org)	-	SPA
FR1	(Child Org)	-	FRA
NL1	(Child Org)	-	NL
DE1	(Child Org)	-	GER

Which two statements are true?

- A. All inventory organizations do not need to be in the same business unit to assign items.
- B. Item organizations are also supported to serve as inventory organizations.
- C. Items cannot be assigned to inventory organizations across business units.
- D. Items defined in the GM organization can be assigned to US1, US2, NL1, and MX1 inventory organizations.
- E. Operational Attributes can be controlled only at the Master Level.
- F. You can define an item in the IN1 inventory organization and assign it to the DE1 inventory organization.

Answer: AD

NEW QUESTION 152

Which code snippet prints the exception error message as part of the page output?

- A. <%= exception.message %>
- B. <c:out value="\${requestScope['javax.servlet.error.exception']}"/>
- C. <% exception.getMessage(); %>
- D. <% System.out.println(e.getMessage()) %>

Answer: D

NEW QUESTION 155

In Supply Chain Orchestration, Automated Change Management performs which two functions?

- A. change to need by dates of a purchase order
- B. splitting of a sales order
- C. changing the ship method on a sales order
- D. change to item attributes
- E. changing the supplier on a purchase order

Answer: AB

NEW QUESTION 159

Which two elements CANNOT be injected by using an @Inject annotation? (Choose two.)

- A. static fields

- B. instance fields declared final
- C. concrete methods
- D. abstract methods

Answer: BD

NEW QUESTION 163

You are a shop floor manager and you have received an order which is a back-to-back order in nature. You need to reserve 100 pieces of an item in order to finish your order. However, there are only 50 pieces available for reservation. If you process this request, how many pieces are provided as the fulfillment for the order?

- A. 50 pieces, because full 100 quantities are not available.
- B. 25 pieces, only half of the quantities can be reserved.
- C. 0 pieces, because partial fulfillment of reservation not supported.
- D. 100 pieces, 50 from on-hand and 50 in the form of a purchase order.

Answer: C

NEW QUESTION 167

Which three statements are true for an expense destination transfers that does NOT require a receipt at destination inventory organization?

- A. There is no cost associated to the transaction.
- B. There is no put away transaction in Inventory since the item is expensed.
- C. A receipt is required on interorganization expense destination transfer orders between the from and to organizations.
- D. The transfer order is considered received and delivered at the time of shipment.
- E. The destination inventory is not incremented.

Answer: ABE

NEW QUESTION 168

You are building the User Preferences page of an application. A user can change values, such as his or her name, password, address, company, and so on. These values are sent to a CDI backing bean via AJAX when the user tabs out of each field. However, the values must be retained in the CDI bean and stored in the database only when the user clicks the Save button. Which two scopes will allow your CDI bean to retain its state while the user is interacting with the User Preferences page? (Choose two.)

- A. Dependent
- B. View
- C. Session
- D. Request
- E. Application

Answer: CD

NEW QUESTION 170

Which three values are applicable for the profile option - "Transaction Processing Mode" for subinventory transfer and interorganization transfer?

- A. Background Processing
- B. Sequential Processing
- C. Concurrent Processing
- D. Online Processing
- E. Offline Processing
- F. Blind Processing

Answer: ACD

NEW QUESTION 175

Your class requires multiple resources defined, as shown in the following:

```
@<XXXX> ( {  
    @Resource(name="aFactory",  
              type="javax.jms.ConnectionFactory"),  
    @Resource(name="aSession",  
              type="javax.mail.Session">  
})
```

Which annotation do you use to group multiple @Resource declarations together for class-based injection, replacing <XXXX> in the code above?

- A. @Resources
- B. @Resource
- C. @ResourceGroup
- D. @ResourceCollection

Answer: B

NEW QUESTION 179

Which annotation allows a request to be executed with another Principal's identity?

- A. It is not possible to execute a request with another Principal's identity.
- B. @Uselidentity
- C. @RolesAllowed
- D. @Runs

Answer: C

NEW QUESTION 182

You are working with JMS publish-subscribe operations.

What happens when a producer publishes a message to a topic for which a durable subscription exists but there are no subscribers available?

- A. The publisher waits for a subscriber, who then consumes it
- B. However, the publisher will time out if no consumer arrives within the given timeout period.
- C. The publisher sends the message
- D. However, it is never consumed because there wasn't anything listening when it arrived, regardless of the message timeout length.
- E. The publisher successfully sends a message, which will be consumed later, once there is a subscriber, assuming the message hasn't timed out.
- F. The message publisher is immediately notified about the lack of subscribers and can decide for itself if, and when, to resend.

Answer: C

NEW QUESTION 187

In the Back-to-Back (B2B) Order to Cash flow, ordered items are purchased from a supplier. The Sourcing Rules have been defined for the item and the buy flow has been initiated. The sales order line is shown as Awaiting Shipping and the supply line status is in "Purchasing" with the supply order generated but the purchase requisition not generating.

What is the reason?

- A. The sourcing rule is incorrect.
- B. Supply order is generated with exceptions.
- C. Prepare is not valid.
- D. No Blanket Purchase Agreement (BPA) exists for this supplier-item combination.
- E. Buy requests originate from Order Management.

Answer: A

NEW QUESTION 192

Which two capabilities are provided by the Java Authentication and Authorization Services (JAAS) API? (Choose two.)

- A. protecting data from unauthorized viewing by using encryption
- B. verifying that a user is allowed to perform an action
- C. ensuring that data is not modified in transit
- D. verifying identity claims from users

Answer: BC

NEW QUESTION 197

A third-party service equipment is used for various purposes in a manufacturing facility and needs to be overhauled once a year. This equipment is charged based on its consumption without a project dependency.

At this point, it should be transferred out of the vendor's warehouse for maintenance and then returned back in the future depending upon the requirement.

The material stock transfer should happen with an offline approval and with an account alias as a logical reference.

What is the ideal way to handle this process?

- A. Transfer Order
- B. Requisitions
- C. Move Request
- D. Miscellaneous Transaction
- E. Subinventory Transfer

Answer: D

NEW QUESTION 200

The Applications Development Framework Desktop Integration (ADFdi) user interface is supported in Oracle Fusion Receiving, Inventory Management, and Shipping products.

Identify four ADFdi user interfaces that are supported.

- A. Upload ASN or ASBN
- B. Manage Lot/Serial Interface
- C. Manage Inventory Transaction Correction in Spreadsheet
- D. Review Receipts Interface
- E. Review Count Interface Records
- F. Manage Shipment Message Interface

Answer: BCDF

NEW QUESTION 204

Your customer decides to implement Cloud Procurement and Inventory. While discussing with your customer, you come to know that they have a business that spans across multiple locations and they have warehouse situated across USA and Canada.

- ☒ All their procurement, payables, and distribution activities take place from USA.
- ☒ They have a central warehouse in USA and after the goods are delivered to this warehouse, they are distributed across multiple additional warehouses. The warehouses are managed separately from the requisitioning units.
- ☒ For requesting material they have two units. One located in USA that monitors the current stock. They are responsible for creating requisition for any material shortage in USA. They have another location in Canada for requesting material.
- Which setup fulfills this scenario?

A. BU1: USA - as procurement and requisitioning Business Unit (BU)BU2: Canada - as requisitioning Business UnitDefine Service provider relationship where Canada procurement business unit serves as procurement and payables service provider for Canada Requisitioning Business Unit.

B. BU1: USA - as procurement business unit (BU)BU2: Canada - as requisitioning business unitBU3: USA- as requisitioning business unitDefine Service provider relationship where USA procurement business unit serves as procurement and payables service provider for Canada Requisitioning Business Unit.

C. BU1: USA - as procurement business unit (BU)BU2: Canada - as requisitioning business unitBU3: USA- as requisitioning business unitDefine Service provider relationship where Canada procurement business unit serves as procurement and payables service provider for Canada Requisitioning Business Unit.

D. BU1: USA - as procurement business unit (BU)BU2: Canada - as requisitioning business unitBU3: USA- as requisitioning business unitDefine Service provider relationship where USA procurement business unit serves as procurement and payables service provider for both Canada and USA requisitioning Business Units.

Answer: A

NEW QUESTION 207

While performing the task “Create Chart of Accounts, Ledger, Legal Entities, and Business Units in Spreadsheet Task”, you mentioned that the legal entity country is the United States of America.

What will be the functional currency of the ledger you are defining?

- A. The system will ask the user to provide functional currency at the time of uploading the spreadsheet if it is not provided in the first place.
- B. The system will automatically pick “USD” as functional currency from the legal entity country.
- C. The system will pick the first available currency from the list of Values.
- D. It is mandatory to provide functional currency, because ledger cannot be defined without functional currenc
- E. The system will throw an error upon processing.
- F. It is mandatory to provide functional currency because ledger cannot be defined without functional currenc
- G. The system will throw an error upon upload of the spreadsheet because all required fields are not populated.

Answer: B

NEW QUESTION 210

How can you configure, in a portable way, the number of threads used by a ManagedExecutorService?

- A. programmatically, using a ManagedExecutorService
- B. using the ManagedExecutors utility class to define the execution properties
- C. This cannot be done because this configuration is dependent on the Java EE Product Provider.
- D. configuring the thread pool info in the deployment descriptor

Answer: A

NEW QUESTION 213

You have an organization that runs both its domestic and international business from the same offices. However, the organization does not want the domestic side of the business to be able to transact on the international side, even though they are selling the same material.

How do you configure your enterprise to meet this requirement?

- A. Set up the domestic and international businesses as separate operating units.
- B. Set up the domestic and international businesses as separate projects.
- C. Set up the domestic and international businesses as separate business units.
- D. Use data access security to separate what each customer can control.
- E. Set up the domestic and international businesses as separate cost centers.

Answer: C

NEW QUESTION 215

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

1z0-900 Practice Exam Features:

- * 1z0-900 Questions and Answers Updated Frequently
- * 1z0-900 Practice Questions Verified by Expert Senior Certified Staff
- * 1z0-900 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * 1z0-900 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 1z0-900 Practice Test Here](#)