

## Exam Questions 70-537

Configuring and Operating a Hybrid Cloud with Microsoft Azure Stack Exam

<https://www.2passeasy.com/dumps/70-537/>



#### NEW QUESTION 1

You have two Azure Stack integrated systems named Stack1 and Stack2.

You create an Azure Resource Manager template that successfully deploys to Stack1. You attempt to deploy the template to Stack2, but the deployment fails. What is a possible cause of the deployment failure?

- A. The template was created by using Microsoft Visual Studio Code.
- B. The template was deployed to Stack2 by using Microsoft Visual Studio.
- C. Stack 1 has Azure Marketplace syndication enabled and Stack2 has Azure Marketplace syndication disabled.
- D. The API version used in the template is a later version than the API version available on Stack2.

**Answer:** D

#### Explanation:

References: <https://docs.microsoft.com/en-us/azure/azure-stack/user/azure-stack-considerations#version-requirements>

#### NEW QUESTION 2

You plan to create a Linux virtual machine on an Azure Stack integrated system.

You download an Ubuntu Server image.

Which authentication method can use to access the Linux virtual machine by using SSH?

- A. a service principal
- B. Microsoft Hello for Business
- C. a password
- D. OAuth

**Answer:** C

#### NEW QUESTION 3

HOTSPOT

You have an Azure Stack integrated system that uses a namespace of fabrikam.onnnicrosoft.com. A company named

- A. Mastered
- B. Not Mastered

**Answer:** A

#### Explanation:

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-enable-multitenancy>

#### NEW QUESTION 4

You have an Azure Stack integrated system that has a SQL Server resource provider. You have an Azure Resource Manager template named Template1.

You need to validate whether Template1 can be deployed to the system. Which cmdlet should you run before you run Test-AzureRMTemplate?

- A. Get-AzureDeployment
- B. Get-AzsResourceProviderManifest
- C. Get-RmsTemplates
- D. Get-AzureRMCloudCapability

**Answer:** D

#### Explanation:

<https://docs.microsoft.com/en-us/azure/azure-stack/user/azure-stack-validate-templates>

#### NEW QUESTION 5

Your network contains an Active Directory forest named adatum.com.

You deploy an Azure Stack integrated system.

You implement federation between adatum.com and Azure Slack.

You need to ensure that a user named admin01@adatum.com can manage all aspects of Azure Stack from administrator portal.

Which cmdlet should you run?

- A. New-CloudAdminUser
- B. Set-ServiceAdminOwner
- C. Set-AzsUserSubscription
- D. Set-CloudAdminPassword

**Answer:** B

#### Explanation:

References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-integrate-identity>

#### NEW QUESTION 6

You have an Azure Slack Development Kit deployment.

You receive a Storage Resource Provider alert indicating that a file share named SUI\_ObjStore\_4 on a volume named ObjStore\_4 is more than 80 percent utilized.

You verify that none of the storage accounts were recently deleted. You need to remediate the alert as quickly as possible.

Which two actions should you perform?

- A. From the Azure Stack administrator portal, restart the infrastructure role.
- B. From the Azure Stack Resource Manager user endpoint, run Start-AzsReclaimStorageCapacity.
- C. From the Azure Stack Resource Manager administrator endpoint, migrate a container from the SU1)ObjStore\_4 file share to a file share on a different volume.
- D. From the Azure Stack user portal, delete a storage account.
- E. From the Azure stack administrator portal modify the retention period.

**Answer:** AB

#### NEW QUESTION 7

You manage an Azure Stack integrated system.

You plan to query the usage data of Azure Stack.

Which three parameters can you use in the query? Each correct answer presents a complete solution.

Note: select: Each correct selection is worth one point.

- A. usageEndtinme
- B. meterId
- C. reporttedStarttime
- D. usageStarttime
- E. aggregationGranularity
- F. reportedEndtime

**Answer:** ACF

#### NEW QUESTION 8

You have an Azure Stack integrated system that hosts several tenants. You delete a storage account that uses a large amount of data.

You discover that the storage account continues to use disk space on the system.

You need to ensure that the disk space is available to the tenants as quickly as possible. What should you do first?

- A. From the Azure Stack administrator portal, set Retention period for deleted storage accounts (days) to 0.
- B. From the Azure Stack administrator portal, click Reclaim space.
- C. From PowerShell, run the out-Default cmdlet.
- D. From PowerShell, migrate the blob containers in the storage account to a new share.

**Answer:** A

#### NEW QUESTION 9

You have an Azure Stack integrated system that uses Microsoft Azure Active Directory (Azure AD) for authentication. You download and extract the Azure App Service files.

You need to configure the system to support the deployment of Node.js applications and Azure functions. What should you do before you configure the resource provider?

- A. Install certificate
- B. Register a service principa
- C. Deploy and configure a Microsoft SQL serve
- D. Create a relying party trust.
- E. Install certificate
- F. Deploy and configure a file serve
- G. Deploy and configure a Microsoft SQL serve
- H. Create an Azure AD application.
- I. Install certificate
- J. Register a service principa
- K. Deploy and configure a file serve
- L. Create a relying party in.
- M. Register a service principa
- N. Deploy and configure a file serve
- O. Implement and configure a MySQL resource provide
- P. Configure the Azure functions.

**Answer:** B

#### Explanation:

Incorrect Answers:

A, C: App Service on Azure Stack does not require a service principal or a relying party trust, but does require Microsoft SQL server for the App Service databases.

D: App Service on Azure Stack requires certificates and Microsoft SQL server for the App Service databases.

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-app-service-before- you-get-started>

#### NEW QUESTION 10

NOTE: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Stack integrated system that runs in a connected environment.

You need to recommend an interval for installing Microsoft software update packages to Azure Stack. The solution must ensure that you can receive Microsoft support.

Solution: You recommend that Microsoft software updates be installed monthly. Does this meet the goal?

- A. Yes

B. No

**Answer:** A

**Explanation:**

For your Azure Stack deployment to remain in support, it must run the most recently released update version or run either of the two preceding update versions. Microsoft will release update packages for Azure Stack integrated systems on a regular cadence that will typically fall on the fourth Tuesday of every month. Thus to remain in support you must be running one of the last three update versions and, as an update version is released every month, you need to install updates at least every three months. References:  
<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-servicing-policy> <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-updates>

**NEW QUESTION 10**

NOTE: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have an Azure Stack integrated system that contains four nodes named Node1, Node2, Node3 and Node4.  
You plan to replace Node2.  
You need to drain the active workloads that run on Node2.  
Solution: From the hardware lifecycle host, you run the Stop-AzsScaleUnitNode cmdlet. Does this meet the goal?

- A. Yes
- B. No

**Answer:** B

**Explanation:**

The Drain action evacuates all active workloads by distributing them among the remaining nodes in that particular scale unit.  
To run the drain action through PowerShell, use the Disable-AzsScaleUnitNode cmdlet. Incorrect Answers:  
A: The Stop-AzsScaleUnitNode cmdlet turns off the node. It's the same as if you press the power button. It does not send a shutdown signal to the operating system. For planned power off operations, make sure you drain a scale unit node first.  
References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-replace-node>

**NEW QUESTION 12**

NOTE: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.  
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.  
You have an Azure Stack integrated system that contains four nodes named Node1, Node2, Node3 and Node4.  
You plan to replace Node2.  
You need to drain the active workloads that run on Node2.  
Solution: From the hardware lifecycle host, you run the Disable-AzsScaleUnitNode cmdlet. Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**Explanation:**

The Drain action evacuates all active workloads by distributing them among the remaining nodes in that particular scale unit.  
To run the drain action through PowerShell, use the Disable-AzsScaleUnitNode cmdlet. References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-replace-node>

**NEW QUESTION 15**

You have an Azure Stack integrated system that has a SQL Server resource provider.  
You need to remove the resource provider.  
Which three types of objects should you delete before you run the deployment script? Each correct answer presents a complete solution.  
NOTE: Each correct selection is worth one point.

- A. user databases
- B. subscriptions
- C. storage accounts
- D. hosting servers
- E. plans

**Answer:** ADE

**Explanation:**

To remove the SQL resource provider, it is essential to first remove any dependencies:  
Ensure that you have the original deployment package that you downloaded for this version of the SQL resource provider adapter.  
All user databases must be deleted from the resource provider. (Deleting the user databases doesn't delete the data.) This task should be performed by the users themselves.  
The administrator must delete the hosting servers from the SQL resource provider adapter. The administrator must delete any plans that reference the SQL resource provider adapter.  
The administrator must delete any SKUs and quotas that are associated with the SQL resource provider adapter.  
Rerun the deployment script with the following elements: The -Uninstall parameter  
The Azure Resource Manager endpoints  
The DirectoryTenantID  
The credentials for the service administrator account  
References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-sql-resource-provider-remove>

**NEW QUESTION 16**

You have an Azure Stack integrated system.

What are three source control providers that you can use for App Services? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Mercurial
- B. DropBox
- C. software version control (SVC)
- D. BitBucket
- E. OneDrive

**Answer:** BDE

**Explanation:**

In addition to local Git, the following Source Control Providers are supported: GitHub

BitBucket OneDrive DropBox

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-app-service-configure-deployment-sources>

**NEW QUESTION 18**

You have an Azure Stack integrated system.

You establish a PowerShell session to a privileged endpoint, and you run several commands. You need to ensure that logs of the session activity are exported to a file share.

Which cmdlet should you run?

- A. Exit
- B. Clear-Host
- C. Out-Default
- D. Close-PrivilegedEndpoint
- E. Exit-PSSession

**Answer:** D

**Explanation:**

The privileged endpoint logs every action (and its corresponding output) that you perform in the PowerShell session. You must close the session by using the Close-PrivilegedEndpoint cmdlet. This cmdlet correctly closes the endpoint, and transfers the log files to an external file share for retention. Incorrect Answers:

A, E: If you close the privileged endpoint session by using the cmdlets Exit-PSSession or Exit, or you just close the PowerShell console, the transcript logs do not transfer to a file share. They remain in the privileged endpoint. The next time you run Close-PrivilegedEndpoint and include a file share, the transcript logs from the previous session(s) will also transfer.

References: <https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-privileged-endpoint#close-the-privileged-endpoint-session>

**NEW QUESTION 19**

You deploy an Azure Stack integrated system that uses an external domain name of west.fabrikam.com

Currently, tenant users access the system internally.

You need to create a SSL certificate for the publication of externally accessible endpoints. The solution must ensure that tenant users can upload VHD files to Azure Stack remotely.

Which two names should you include in the certificate? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. adminmanagement.west.fabrikam.com
- B. \*.west.fabrikam.com
- C. \*.blob.west.fabrikam.com
- D. adminportal.west.fabrikam.com
- E. \*.trafficmanager.west.fabrikam.com

**Answer:** BC

**Explanation:**

References:

<https://docs.microsoft.com/en-us/azure/azure-stack/azure-stack-pki-certs>

**NEW QUESTION 23**

You manage an Azure Stack integrated system.

You need to identify the IP address of the external time server that was configured during Azure Stack provisioning.

What should you do?

- A. Review the AzureStack.Provider.Metadata.json file
- B. From the privileged endpoint, run Get-AzureStacklog.
- C. From the Azure Resource Manager endpoint, run Get-AzsResourceProviderManifest.
- D. From the privileged endpoint, run Get-AzureStackStampInformation.

**Answer:** D

**NEW QUESTION 27**

You have an Azure Stack integrated system that has the following deployment details:

Region: East Naming prefix: azs

External domain name: cloud.fabrikam.com

Which URL should you direct tenants to use based on the deployment details?

- A. <https://adminportal.cloud.fabrikam.com>
- B. <https://portal.east.cloud.fabrikam.com>



- C. <https://portal.azs.cloud.fabrikam.com>
- D. <https://adminportal.azs.cloud.fabrikam.com>
- E. <https://portal.cloud.fabrikam.com>
- F. <https://adminportal.east.cloud.fabrikam.com>

Answer: B

NEW QUESTION 29

DRAG DROP

You have an Azure Stack integrated system that uses the external domain name of fabrikam.com. You need to publish an Azure Marketplace Package (.azpkg) file to the Marketplace.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From <https://portal.fabrikam.com>, create a blob container that has a Private access policy.

From <https://adminportal.fabrikam.com>, upload the Azure Marketplace Package.

From a PowerShell session, connect to <https://adminmanagement.fabrikam.com> and run `Add-AzureRMGalleryItem`.

From a PowerShell session, connect to <https://adminportal.fabrikam.com> and run `New-AzureRmOffer`.

From <https://adminportal.fabrikam.com>, create a blob container that has a Blob access policy.

From <https://portal.fabrikam.com>, upload the Azure Marketplace Package.

Answer Area

⏪

⏩

⏴

⏵

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

From <https://adminportal.fabrikam.com>, create a blob container that has a Blob access policy.

From <https://adminportal.fabrikam.com>, upload the Azure Marketplace Package.

From a PowerShell session, connect to <https://adminmanagement.fabrikam.com> and run `Add-AzureRMGalleryItem`.

NEW QUESTION 30

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series.

Start of repeated scenario.

Your company has a network that contains an Active Directory forest named fabrikam.com. The forest is synchronized to a Microsoft Azure Active Directory (Azure AD) tenant and has an Azure subscription.

The company also has an Azure AD tenant named contoso.com. Contoso.com has an Azure subscription. Contoso.com includes foreign principals.

The network contains the computers configured as shown in the following table.

Computer name	Operating system	Configuration
Server1	Windows Server 2016 Datacenter	Hyper-V host that hosts two test virtual machines
Server2	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server primary replica of an Always On availability group in a cluster named Cluster1
Server3	Windows Server 2016 Datacenter	Microsoft SQL Server 2016 server, secondary replica of an Always On availability group in Cluster1
Server4	Windows Server 2016 Datacenter	Member of Cluster1
Server5	Windows Server 2016 Datacenter	File server
Client1	Windows 10 Enterprise	Privileged access workstation

Fabrikam.com contains a user named User1.

For operating system deployment, the company uses a custom operating system image of Windows Server 2016 Datacenter named Image1.

You have an Azure Stack integrated system that is accessed by using the following endpoints: <https://portal.fabrikam.com>

<https://adminportal.fabrikam.com> <https://management.fabrikam.com> Privileged endpoint: 192.168.100.100 Hardware lifecycle host: 192.168.101.101

<https://adminmanagement.fabrikam.com>

You onboard contoso.com as a guest directory tenant on the Azure Stack integrated system. You implement in the following Azure Stack providers:

SQL Server App Service

End of repeated scenario.

You need to ensure that the foreign principals for contoso.com can access Azure Stack services. Which URL should the foreign principals use to sign in to Azure Stack?

- A. <https://portal.fabrikam.com>
- B. <https://ads.fabrikam.com/contoso.com>
- C. <https://portal.fabrikam.com/contoso.com>
- D. <https://adminportal.fabrikam.com/contoso.com>

**Answer: C**

#### NEW QUESTION 33

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual 70-537 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the 70-537 Product From:

<https://www.2passeasy.com/dumps/70-537/>

## Money Back Guarantee

### 70-537 Practice Exam Features:

- \* 70-537 Questions and Answers Updated Frequently
- \* 70-537 Practice Questions Verified by Expert Senior Certified Staff
- \* 70-537 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 70-537 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year